

6 Literatur

- Abraham, E. J., Frawley, L. S. (1997). Octylphenol (OP), an environmental estrogen, stimulates prolactin (PRL) gene expression. *Life Sci.* **60**, 1457-1465.
- Ahel, M., Giger, W. (1993). Partitioning of alkylphenols and alkylphenol polyethoxylates between water and organic solvents. *Chemosphere* **26**, 1471-1478.
- Ahel, M., McEvoy, J., Giger, W. (1993). Bioaccumulation of the lipophilic metabolites of nonionic surfactants in freshwater organisms. *Environ. Pollut.* **79**, 243-248.
- Ahel, M., Giger, W., Schaffner, C. (1994a). Behaviour of alkylphenol polyethoxylate surfactants in the aquatic environment. I. Occurrence and transformation in sewage treatment. *Water Res.* **28**, 1131-1142.
- Ahel, M., Giger, W., Schaffner, C. (1994b). Behaviour of alkylphenol polyethoxylate surfactants in the aquatic environment. II. Occurrence and transformation in rivers. *Water Res.* **28**, 1143-1152.
- Ahel, M., Hrsak, D., Giger, W. (1994c). Aerobic transformation of short-chain alkylphenol polyethoxylates by mixed bacterial cultures. *Arch. Environ. Contam. Toxicol.* **26**, 540-548.
- Ahlen, J. (1999). Effects of maternal exposure to estrogen and PCB on different life stages of zebrafish (*Danio rerio*). *Ambio* **99**, 1-14.
- Aida, K., Hirose, K., Yokote, M. (1973). Physiological studies on gonadal maturation of fishes. II. Histological changes in the liver cells of Ayu following gonadal maturation and estrogen administration. *Bull. Jap. Soc. Sci. Fish.* **39**, 1107-1115.
- Åkerblom, N., Olsson, K., Berg, A. H., Andersson, P. L., Tysklind, M., Förlin, L., Norrgren, L. (2000). Impact of polychlorinated naphthalenes (PCNs) in juvenile baltic salmon, *Salmo salar*: evaluation of estrogenic effects, development, and CYP1A induction. *Arch. Environ. Contam. Toxicol.* **38**, 225-233.
- Allen, Y., Matthiessen, P., Haworth, S., Thain, J. E., Feist, S. (1999). Survey of estrogenic activity in United Kingdom estuarine and coastal waters and its effects on gonadal development of the flounder *Platichthys flesus*. *Environ. Toxicol. Chem.* **18**, 1791-1800.
- Anderson, M. J., Olsen H., Matsumura F., Hinton D.E. (1996). *In vivo* modulation of 17 β -estradiol-induced vitellogenin synthesis and estrogen receptor in rainbow trout (*Oncorhynchus mykiss*) liver cells by β -naphthoflavone. *Toxicol. Appl. Pharmacol.* **137**, 210-218.
- Andersson, P. L., Blom, A., Johannisson, A., Pesonen, M., Tysklind, M., Berg, A. H., Olsson, P. E., Norrgren, L. (1999). Assessment of PCBs and hydroxylated PCBs as potential xenoestrogens - *in vitro* studies based on MCF-7 cell proliferation and induction of vitellogenin in primary culture of rainbow trout hepatocytes. *Arch. Environ. Contam. Toxicol.* **37**, 145-150.
- Ankley, G., Mihaich, E., Stahl, R., Tillitt, D., Colborn, T., McMaster, S., Miller, R., Bantle, J., Campbell, P., Denslow, N., Dickerson, R., Folmar, L., Fry, M., Giesy, J., Gray, I., Guiney, P., Hutchinson, T., Kennedy, S., Kramer, V., LeBlanc, G., Mayes, M., Nimrod, A., Patiño, R., Peterson, R., Purdy, R., Ringer, R., Thomas, P., Touart, L., van der Kraak, G., Zacharewski, T. (1998). Overview of a workshop on screening methods for detecting potential (anti-)estrogenic/androgenic chemicals in wildlife. *Environ. Toxicol. Chem.* **17**, 68-87.
- Arcand-Hoy, L. D., Benson, W. H. (1998). Fish reproduction: an ecologically relevant indicator of endocrine disruption. *Environ. Toxicol. Chem.* **17**, 49-57.
- Arukwe, A., Knudsen, F. R., Goksøyr, A. (1997). Fish zona radiata (eggshell) protein: A sen-

- sitive biomarker for environmental estrogens. *Environ. Health Perspect.* **105**, 418-422.
- Arukwe, A., Celius, T., Walther, B. T., Goksøyr, A. (1998). Plasma levels of vitellogenin and eggshell zona radiata proteins in 4-nonylphenol and *o, p* - DDT treated juvenile Atlantic salmon (*Salmo salar*). *Mar. Environ. Res.* **46**, 133-136.
- Ashfield, L. A., Pottinger, T. G., Sumpter, J. P. (1998). Exposure of female juvenile rainbow trout to alkylphenolic compounds results in modifications to growth and ovosomatic index. *Environ. Toxicol. Chem.* **15**, 194-202.
- Baglio, C. M., Farber, E. (1965). Reversal by adenine of the induced lipid accumulation in the endoplasmic reticulum of the liver. *J. Cell Biol.* **27**, 591-601.
- Balment, R. J., Henderson, I. W. (1987). Secretion of endocrine glands and their relationship to osmoregulation. In: *Fundamentals of Comparative Vertebrate Endocrinology* (eds: I. Chester-Jones, P. M Ingleton, J. G. Phillips), pp. 413-508. Plenum Press, New York.
- Baroiller, J.-F., Guiguen, Y., Fostier, A. (1999). Endocrine and environmental aspects of sex differentiation in fish. *Cell. Mol. Life Sci.* **55**, 910-931.
- Bechmann, R. K. (1999). Effect of the endocrine disrupter nonylphenol on the marine copepod *Tisbe battagliai*. *Sci. Total Environ.* **233**, 33-46.
- Bélanger, A., Candas, B., Dupont, A., Cusan, L., Diamond, P., Gomez, J. L., Labrie, F. (1994). Changes in serum concentrations of conjugated and unconjugated steroids in 40- to 80-year-old men. *J. Clin. Endocrinol. Metab.* **79**, 1086-1090.
- Bengtsson, B. E. (1979). Biological variables, especially skeletal deformities in fish, for monitoring marine pollution. *Phil. Trans. R. Soc. Lond. B* **286**, 457-464.
- Bergman, A., Olsson, M. (1985). Pathology of Baltic ringed seal and gray seal females with special reference to adrenocortical hyperplasia: is environmental pollution the cause of a widely distributed disease syndrome? *Finn. Game Res.* **44**, 47-62.
- Bergman, A., Klasson-Wehler, E., Kuroki, H. (1994). Selective retention of hydroxylated PCB metabolites in blood. *Environ. Health Perspect.* **102**, 464-469.
- Bern, H. A., Nishioka, R. S. (1993). Aspects of salmonid endocrinology: the known and the unknown. *Bull. Fac. Fish. Hokkaido Univ.* **44**, 55-67.
- Bieberstein, U., Berbner, T., Islinger, M., Braunbeck, T. (1999). Immunohistochemical localization of vitellogenin in rainbow trout (*Oncorhynchus mykiss*) hepatocytes using immunofluorescence. *Sci. Total Environ.* **233**, 67-75.
- Billard, R., Takashima, F. (1983). Resorption of spermatozoa in the sperm duct of rainbow trout during the post-spawning period. *Bull. Japan. Soc. Sci. Fish.* **49**, 387-392.
- Billard, R., Breton, B., Richard, M. (1981). On the inhibitory effect of some steroids on spermatogenesis in adult rainbow trout (*Salmo gairdneri*). *Can. J. Zool.* **59**, 1479-1487.
- Billsson, K., Westerlund, L., Tysklind, M., Olsson, P. E. (1998). Developmental disturbances caused by polychlorinated-biphenyls in zebrafish (*Brachydanio rerio*). *Mar. Environ. Res.* **46**, 461-464.
- Blackburn, M. A., Waldock, M. J. (1995). Concentrations of alkylphenols in rivers and estuaries in England and Wales. *Water Res.* **28**, 1623-1629.
- Blake, C. A., Boockfor, F. R. (1997). Chronic administration of the environmental pollutant 4-*tert*-octylphenol to adult male rats interferes with the secretion of luteinizing hormone, follicle-stimulating hormone, prolactin, and testosterone. *Biol. Reprod.* **57**, 255-266.
- Blaxter, J. H. S. (1969). Development: Eggs and larvae. In: *Fish Physiology*, **Vol. III**. (eds: W. S. Hoar, D. J. Randall), pp. 177-252. Academic Press, New York.
- Blázquez, M., Zanuy, S., Carrillo, M., Piferrer, F. (1998). Structural and functional effects of early exposure to estradiol-17 β and 17 α -ethynylestradiol on the gonads of the gonochoristic teleost *Dicentrarchus labrax*. *Fish Physiol. Biochem.* **18**, 37-47.

- Blázquez, M., Zanuy, S., Carrillo, M., Piferrer, F. (*in press*). Persistent effects of early exposure to estrogens estradiol-17 β and 17 α -ethynylestradiol on the gonads of the teleost *Dicentrarchus labrax*. *Gen. Comp. Endocrinol.*
- Bradley, J. T., Grizzle, J. M. (1989). Vitellogenin induction by estradiol in channel catfish *Ictalurus punctatus*. *Gen. Comp. Endocrinol.* **73**, 28-39.
- Braunbeck, T., Segner, H. (1992). Preexposure temperature acclimation and diet as modifying factors for the tolerance of golden ide (*Leuciscus idus melanotus*) to short-term exposure to 4-chloroaniline. *Ecotoxicol. Environ. Saf.* **24**, 72-94.
- Braunbeck, T., Storch V. (1990). Zelle und Umwelt. – Wie wirken sich Umweltgifte auf Zellen aus? *Biologie in unserer Zeit* **19**, 127-132.
- Braunbeck, T., Völkl, A. (1991). Induction of biotransformation in the liver of eel (*Anguilla anguilla* L.) by sublethal exposure to dinitro-*o*-cresol: an ultrastructural and biochemical study. *Ecotoxicol. Environ. Saf.* **21**, 109-127.
- Braunbeck, T., Storch, V., Nagel, R. (1989). Sex-specific reaction of liver ultrastructure in zebra fish (*Brachydanio rerio*) after prolonged sublethal exposure to 4-nitrophenol. *Aquat. Toxicol.* **14**, 185-202.
- Braunbeck, T., Gorge, G., Storch, V., Nagel, R. (1990a). Hepatic steatosis in zebra fish (*Brachydanio rerio*) induced by long-term exposure to γ -hexachlorocyclohexane. *Ecotoxicol. Environ. Saf.* **19**, 355-374.
- Braunbeck, T., Storch, V., Bresch, H. (1990b). Species-specific reaction of liver ultrastructure in zebrafish (*Brachydanio rerio*) after prolonged exposure to 4-chloroaniline. *Arch. Environ. Contam. Toxicol.* **19**, 405-418.
- Braunbeck, T., The, S. J., Lester, S. M., Hinton, D. E. (1992a). Ultrastructural alterations in liver of medaka (*Oryzias latipes*) exposed to diethylnitrosamine. *Toxicol. Pathol.* **20**, 179-196.
- Braunbeck, T., Burkhardt-Holm, P., Gorge, G., Nagel, R., Negele, R.-D., Storch, V. (1992b). Regenbogenforelle und Zebraabärbling, zwei Modelle für verlängerte Toxizitätstests: Relative Empfindlichkeit, Art- und Organspezifität in der cytopathologischen Reaktion von Leber und Darm auf Atrazin. *Schriftenr. Ver. Wasser Boden Lufthyg.* **89**, 109-145.
- Breton, B., Sambroni, E., Govoroun, M., Weil, C. (1997). Effects of steroids on GtH I and GtH II secretion and pituitary concentration in the immature rainbow trout *Oncorhynchus mykiss*. *Comp. Rend. Acad. Sci. (Science de la vie)* **320**, 783-789.
- Bruder, J. M., Sobek, L., Oettel, M. (1997). Dehydroepiandrosterone stimulates the estrogen response element. *J. Steroid Biochem. Mol. Biol.* **62**, 461-466.
- Bulger, W. H., Kupfer, D. (1985). Estrogenic activity of pesticides and other xenobiotics on the uterus and male reproductive tract. In: *Endocrine Toxicity* (eds: J. A. Thomas, K. S. Korach, J. A. McLachlan), pp: 1-24. Raven Press, New York.
- Bulkley, R. V. (1972). Diethylstilbestrol in catfish feed. *Trans. Am. Fish Soc.* **101**, 537-599.
- Bull, J. J. (1983). *Evolution of Sex Determining Mechanisms* (ed: The Benjamin/Cummings Publishing Company), 316 pp. Menlo Park, CA.
- Buerano, C. C., Inaba, K., Natividad, F. F., Morisawa, M. (1995). Vitellogenesis of *Oreochromis niloticus*: identification, isolation, and biochemical and immunochemical characterization. *J. Exp. Zool.* **273**, 59-69.
- Burkhardt-Holm, P., Braunbeck, T., Storch, V. (1990). Auswirkungen der beim Sandoz-Unfall im November 1986 in den Rhein gelangten Chemikalien auf die Ultrastruktur des Darms von Aalen. *Limnologie aktuell*, **1**, 393-404.
- Callard, I., Callard, G. V., Lance, V., Bolaffi, J. L., Rosset, J. S. (1978). Testicular regulation in non-mammalian vertebrates. *Biol. Reprod.* **18**, 16-43.

- Cameron, P., Berg, J., Dethlefsen, V., von Westernhagen, H. (1992). Development defects in pelagic embryos of several flatfish species in the southern North Sea. *Neth. J. Sea Res.* **29**, 239-256.
- Campbell, C. M., Idler, D. R. (1976). Hormonal control of vitellogenesis in hypophysectomized winter flounder (*Pseudopleuronectes americanus* Walbaum). *Gen. Comp. Endocrinol.* **28**, 143-150.
- Campbell, C. M., Walsh, J. M., Idler, D. R. (1976). Steroids in the plasma of the winter flounder *Pseudopleuronectes americanus* W. A seasonal study and investigation of steroid involvement in oocyte maturation. *Gen. Comp. Endocrinol.* **29**, 14-20.
- Campbell, C. M., Fostier, A., Jalabert, B., Truscott, B. (1980). Identification and quantification of steroids in the serum of spermiating or ovulating rainbow trout. *J. Endocrinol.* **85**, 371-378.
- Campbell, P. M., Pottinger, T. G., Sumpter, J. P. (1994). Changes in the affinity of estrogen and androgen receptors accompanying changes in receptor abundance in brown and rainbow trout. *Gen. Comp. Endocrinol.* **94**, 329-340.
- Carinci, P., Mariani, G., Calastrini, G., Stabellini, G. (1979). Estrogen-induced ultrastructural changes in cultured chick embryo hepatocytes. *Cell Tissue Res.* **199**, 249-256.
- Carlsen, E., Giwercman, A., Keiding, N., Skakkebaek, N. E. (1992). Evidence for decreasing quality of semen during past 50 years. *Brit. Med. J.* **305**, 609-613.
- Casson, P. R., Andersen, R. N., Herrod, H. G., Stentz, F. B., Straughn, A. B., Abraham, G. E., Buster, J. E. (1993). Oral dehydroepiandrosterone in physiologic doses modulates immune function in postmenopausal women. *Am. J. Obstet. Gynecol.* **169**, 1536-1539.
- Cecil, H. C., Bitman, J., Harris, S. J. (1971). Estrogenicity of *o,p*-DDT in rats. *Agr. Food. Chem.* **19**, 61-65.
- Celius, T., Walther, B. T. (1998). Differential sensitivity of zonagenesis and vitellogenesis in atlantic salmon (*Salmo salar* L.) to DDT pesticides. *J. Exp. Zool.* **281**, 346-353.
- Cicero, T. J., Badger, T. M., Wilcox, C. E., Bell, R. D., Meyer, E. R. (1977). Morphine decreases luteinizing hormone by an action on the hypothalamic-pituitary axis. *J. Pharmacol. Exp. Therap.* **203**, 548-555.
- Chang, C.-F., Lau, E.-L., Lin, B.-Y. (1995). Estradiol-17 β suppresses testicular development and stimulates sex reversal in protandrous black porgy, *Acanthopagrus schlegeli*. *Fish Physiol. Biochem.* **14**, 481-488.
- Chan, S. T. H., Wright, A., Phillipis, J. G. (1967). The atretic structures in the gonads of the rice-field eel (*Monopterus albus*) during natural sex-reversal. *J. Zool. Lond.* **153**, 527-539.
- Chan, S. T. H., Yeung, W. S. B. (1983). Sex control and sex reversal in fish under natural conditions. In: *Fish Physiology*, Vol. IX, B (eds: W. S. Hoar, D. J. Randall, E. M. Donaldson), pp. 171-222. Academic Press, New York.
- Chang, C.-F., Lin, B.-Y. (1998). Estradiol-17 β stimulates aromatase activity and reversible sex changes in protandrous black porgy, *Acanthopagrus schlegeli*. *J. Exp. Zool.* **280**, 165-173.
- Chatain, B., Saillant, E., Peruzzi, S. (1999). Production of monosex male populations of European seabass, *Dicentrarchus labrax* L. by use of the synthetic androgen 17 α -methyldehydrotestosterone. *Aquaculture* **178**, 225-234.
- Christensen, L. J., Korsgaard, B., Bjerregaard, P. (1999). The effect of 4-nonylphenol on the synthesis of vitellogenin in the flounder *Platichthys flesus*. *Aquat. Toxicol.* **46**, 211-219.
- Christiansen, T., Korsgaard, B., Jespersen, Å. (1998a). Effects of nonylphenol and 17 β -oestradiol on vitellogenin synthesis, testicular structure and cytology in male eelpout *Zoarces viviparus*. *J. Exp. Biol.* **201**, 179-192.

- Christiansen, L. B., Pedersen, K. L., Korsgaard, B., Bjerregaard, P. (1998b). Estrogenicity of xenobiotics in rainbow trout (*Oncorhynchus mykiss*) using *in vivo* synthesis of vitellogenin as a biomarker. *Mar. Environ. Res.* **46**, 137-140.
- Chyb, J., Mikolajczyk, T., Breton, B. (1999). Post-ovulatory secretion of pituitary gonadotropin GtH I and GtH II in the rainbow trout (*Oncorhynchus mykiss*): regulation by steroids and possible role of non-steroidal gonadal factors. *J. Endocrinol.* **163**, 87-97.
- Clark, L. B., Rosen, R. T., Hartman, T. G., Louis, G. B., Suffet, I. H., Lippincott, R. L., Rosen, J. D. (1992). Determination of alkylphenol ethoxylates and their acetic acid derivatives in drinking water by particle beam liquid chromatography/mass spectrometry. *Int. J. Environ. Anal. Chem.* **47**, 167-180.
- Clemens, M. J. (1974). The regulation of egg yolk protein synthesis by steroid hormones. *Progr. Biophys. Molec. Biol.* **28**, 71-107.
- Clemens, M. J., Tata, J. R. (1973). Analysis on the effects of estrogen treatment *in vivo* on the protein synthetic activity of male *Xenopus* liver cell free system. *Europ. J. Biochem.* **33**, 71-80.
- Colborn, T., Clement, C. R. (1992). *Chemically Induced Alterations in Sexual and Functional Development. The Wildlife/Human Connection* (ed: Princeton Scientific Publ. Co). Princeton, NJ.
- Colborn, T., vom Saal, F. S., Soto, A. M. (1993). Developmental effects of endocrine-disrupting chemicals in wildlife and humans. *Environ. Health Perspect.* **101**, 378-384.
- Colerangle, J. B., Roy, D. (1996). Exposure of environmental estrogenic compound nonylphenol to noble rats alters cell-cycle kinetics in mammary gland. *Endocrine* **4**, 115-122.
- Colombo, G., Grandi, G. (1995). Sex differentiation in the European eel: histological analysis of the effects of sex steroids on the gonad. *J. Fish Biol.* **47**, 394-413.
- Condeça, J. B., Canario, V. M. (1999). The effect of estrogen on the gonads and on *in vitro* conversion of androstenedione to testosterone, 11-ketotestosterone, and estradiol-17 β in *Sparus aurata* (Teleostei, Sparidae). *Gen. Comp. Endocrinol.* **116**, 59-72.
- Cooper, R. L., Goldman, J. M., Rehnberg, G. L., McElroy, W. K., Hein, J. F. (1987). Effects of metal cations on pituitary hormone secretion *in vitro*. *J. Biochem. Toxicol.* **2**, 241-249.
- Copeland, P. A., Thomas, P. (1988). The measurement of plasma vitellogenin levels in a marine teleost, the spotted seatrout (*Cynoscion nebulosus*) by homologous radioimmunoassay. *Comp. Biochem. Physiol. B* **91**, 17-23.
- Dasmahapatra, A. K., Medda, A. K. (1982). Effect of estradiol dipropionate and testosterone propionate on the glycogen, lipid, and water contents of liver, muscle, and gonad of male and female (vitellogenic and previtellogenic) Singi fish (*Heteropneustes fossilis* Bloch). *Gen. Comp. Endocrinol.* **48**, 476-484.
- Dave, G., Xiu, R. (1991). Toxicity of mercury, copper, nickel, lead and cobalt to embryos and larvae of zebrafish *Brachydanio rerio*. *Arch. Environ. Contam. Toxicol.* **21**, 126-134.
- Davis, D. L., Bradlow, H. L., Wolff, M., Woodruff, T., Hoel, D. G., Anton-Culver, A. (1993). Medical hypothesis: xenoestrogens as preventable causes of breast cancer. *Environ. Health Perspect.* **101**, 372-377.
- Davis, W. P. (1995). Evidence for developmental skeletal responses as potential signals of endocrine-disrupting compounds in fishes. In: *Chemically Induced Alterations in Functional Development and Reproduction of Fishes* (eds: R. M. Rolland, M. Gilbertson, R. E. Peterson), pp. 61-72. SETAC Press, Racine, Wisconsin.
- Degani, G., Boker, R., Jackson, K. (1998). Growth hormone, sexual maturity and steroids in male carp (*Cyprinus carpio*). *Comp. Biochem. Physiol. C* **120**, 433-440.
- Degen, G. H., Foth, H., Kahl, R., Kappus, H., Neumann, H. G., Oesch, F., Schulte-Hermann,

- R. (1999). Hormonell aktive Substanzen in der Umwelt: Xenoestrogene. Stellungnahme der Beratungskommission der Sektion Toxikologie der DGPT. *Hormone*, **24**. Webpage: www.pharmakologie.pharmacol.uni-mainz.de/Heft24/HORMONE.html.
- Dehennin, L., Ferry, M., Lafarge, P., Peres, G., Lafarge, J. P. (1998). Oral administration of dehydroepiandrosterone to healthy men: alteration of the urinary androgen profile and consequences for the detection of abuse in sport by gas chromatography-mass spectrometry. *Steroids* **63**, 80-87.
- De la Iglesia, F., Sturgess, J. M., Feuer, G. (1982). New approaches for the assessment of hepatotoxicity by means of quantitative functional-morphological interrelationships. In: *Toxicology of the Liver* (eds: G. Plaa, W. R. Hewitt), pp. 47-102. Raven Press, New York.
- DeLellis, R. A., Kwan, P. (1988). Technical considerations in the immunohistochemical demonstration of intermediate filaments. *Am. J. Surg. Pathol.* **12**, 17-23.
- Denucé, J. M. (1985). How embryos escape from their envelopes: a new look at the (phylogenetically) old problem of hatching. *Med. Kon. Acad. Wet. Belgie* **46**, 1-30.
- Desbrow, C., Routledge, E., Sheehan, D., Waldock, M., Sumpter, J. P. (1996). *The Identification and Assessment of Oestrogenic Substances in Sewage Treatment Works Effluents. P2-i490/7*. Environmental Agency, RioHouse, Bristol.
- Dethlefsen, V., von Westernhagen, H., Cameron, P. (1996). Malformations in North Sea pelagic fish embryos during the period 1984 – 1995. *ICES J. Mar. Sci.* **53**, 1024-1035.
- DeVlaming, V. L., Wiley, S. H., Delahaunty, G., Wallace, R. A. (1980). Goldfish (*Carassius auratus*) vitellogenin: induction, isolation, properties and relationship to yolk proteins. *Comp. Biochem. Physiol. A* **67**, 613-623.
- Diamond, P., Cusan, L., Gomez, J. L., Bélanger, A., Labrie, F. (1996). Metabolic effects of 12-month percutaneous DHEA replacement therapy in postmenopausal women. *J. Endocrinol.* **150**, 43-50.
- Dierschke, D. J., Chaffin, C. L., Jutz, R. J. (1994). Role and site of estrogen action on follicular atresia. *Trends Endocrinol. Metab.* **5**, 215-219.
- Dodd, J. M. (1972). The endocrine regulation of gametogenesis and gonad maturation in fishes. *Gen. Comp. Endocrinol.* **3**, 675-687.
- Dodds, E. C., Lawson, W. (1938). Molecular structure in relation to oestrogenic activity. Compounds without phenanthrene nucleus. *Proc. Royal Soc. London Ser. B, Biol. Sci.* **118**, 222-232.
- Dolphin, P. J., Ansari, A. Q., Lazier, C. B., Munday, K. A., Akhtar, M. (1971). Studies on the induction and biosynthesis of vitellogenin, an oestrogen-induced glycoprotein. *Biochem. J.* **124**, 751-758.
- Donaldson, E. M. (1990). Reproductive indices as measures of the effects of environmental stressors in fish. *Am. Fish. Soc. Symp.* **8**, 109-122.
- Donaldson, E. M., Scherer, E. (1983). Methods to test and assess effects of chemicals on reproduction in fish. In: *Methods for assessing the effects of chemicals on reproductive functions* (eds: V. B. Vouk, P. J. Sheehan), pp. 365-405. Wiley and Sons, Chichester.
- Dubois, W., Callard, G. V. (1989). Role of the Sertoli cell in spermatogenesis: the *Squalus* testis model. *Fish Physiol. Biochem.* **7**, 221-227.
- Dufau, M. L. (1988). Endocrine regulation and communicating functions of the Leydig cell. *Ann. Rev. Physiol.* **50**, 483-508.
- Egami, N. (1955a). Production of testis-ova in adult males of *Oryzias latipes*. I. Testis-ova in the fish receiving estrogens. *Jpn. J. Zool.* **11**, 353-365.
- Egami, N. (1955b). Production of testis-ova in adult males of *Oryzias latipes*. II. Effect on testis-ovum production of non-estrogenic steroids given singly or simultaneously with es-

- tradiol. *Jpn. J. Zool.* **11**, 367-371.
- Ekelund, R., Bergmann, A., Granmon, A., Berggren, M. (1990). Bioaccumulation of 4-nonylphenol in marine animals - a reevaluation. *Environ. Pollut.* **64**, 107-120.
- Elliott, J. M. (1990). Mechanisms responsible for population regulation in young migratory trout, *Salmo trutta*. II. Fish growth and size variation. *J. Anim. Ecol.* **59**, 171-185.
- Emmerson, K. M. (1976). Protein, RNA and DNA metabolism in relation to ovavitellogenic growth in the flounder (*Platichthys flesus* L.). *Comp. Biochem. Physiol. B* **55**, 315-321.
- Emmerson, K. M., Petersen, I. M. (1976). Natural occurrence and experimental induction by estradiol-17 β , of a lipophosphoprotein (vitellogenin) in flounder (*Platichthys flesus* L.). *Comp. Biochem. Physiol. B* **54**, 443-446.
- Ewing, H. H. (1972). Spermatogenesis in zebrafish, *Brachydanio rerio*. *Anat. Res.* **172**, 308.
- Facemire, C. F., Gross, T. S., Guillette, L. J. Jr. (1995). Reproductive impairment in the Florida panther: nature or nurture? *Environ. Health Perspect.* **103**, 79-86.
- Fasano, S., Minucci, S., Di Matteo, L., D'Antonio, M., Pierantoni, R. (1989). Intratesticular feedback mechanisms in the regulation of steroid profiles in the frog, *Rana esculenta*. *Gen. Comp. Endocrinol.* **75**, 335-342.
- Fent, K., Meier, W. (1994). Effects of triphenyltin on fish early life stages. *Arch. Environ. Contam. Toxicol.* **27**, 224-231.
- Folmar, L. C., Denslow, N. D., Rao, V., Chow, M., Crain, D. A., Enblom, J., Marcino, J., Guillette, L. J. Jr. (1996). Vitellogenin induction and reduced serum testosterone concentrations in feral male carp (*Cyprinus carpio*) captured near a major metropolitan sewage treatment plant. *Environ. Health Perspect.* **104**, 1096-1101.
- Fostier, A., Jalabert, B., Billard, R., Breton, B., Zohar, Y. (1983). The gonadal steroids. In: *Fish Physiology*, Vol. IX (eds: W. S Hoar, B. J. Randall, E. M. Donaldson), pp. 277-372. Academic Press, New York.
- Freeman, H. C., Idler, D. R. (1975). The effect of polychlorinated biphenyl on steroidogenesis and reproduction in the brook trout (*Salvelinus fontinalis*). *Can. J. Biochem.* **53**, 666-670.
- Fukayama, S. (1985). Ultrastructural changes in the liver of the sand lamprey, *Lampetra reissneri*, during sexual maturation. *Jpn. J. Ichthyol.* **32**, 316-323.
- Gibbs, P. E., Bryan, G. W. (1994). Biomonitoring of tributyltin (TBT) pollution using the imposex response of neogastropod molluscs. In: *Biomonitoring of Coastal Waters and Estuaries* (ed: K. J. M. Kramer), pp: 205-226. CRC Press, Boca Raton.
- Giesy, J. P., Pierens, S. L., Snyder, E. M., Miles-Richardson, S., Kramer, V. J., Snyder, S. A., Nichols, K. M., Villeneuve, D. A. (2000). Effects of 4-nonylphenol on fecundity and biomarkers of estrogenicity in fathead minnows (*Pimephales promelas*). *Environ. Toxicol. Chem.* **19**, 1368-1377.
- Giger, W., Brunner, P. H., Schaffner, C. (1984). 4-Nonylphenol in sewage sludge: accumulation of toxic metabolites from nonionic surfactants. *Science* **225**, 623-625.
- Gimeno, S., Komen, H., Venderbosch, P. W. M., Bowmer, T. (1997). Disruption of sexual differentiation in genetic male common carp (*Cyprinus carpio*) exposed to an alkylphenol during different life stages. *Environ. Sci. Technol.* **31**, 2884-2890.
- Gingerich, W. H. (1982). Hepatic toxicology in fish. In: *Aquatic Toxicology* (ed: L. J. Weber), pp. 55-105. Raven Press, New York.
- Görge, G., Nagel, R. (1990). Toxicity of lindane, atrazine and deltamethrin to early life stages of zebrafish (*Brachydanio rerio*). *Ecotoxicol. Environ. Saf.* **20**, 246-255.
- Goka, K. (1999). Embryotoxicity of zinc pyrithione, an antidandruff chemical, in fish. *Environ. Res. A* **81**, 81-83.
- Goldner, J. (1938). A modification of the Masson trichrom technique for routine laboratory

- purpose. *Amer. J. Path.* **14**, 237-243.
- Goodbred, S. L., Gilliom, R. J., Gross, T. S., Denslow, N. P., Bryant, W. L., Schoeb, T. R. (1997). Reconnaissance of 17 β -estradiol, 11-ketotestosterone, vitellogenin, and gonad histopathology in common carp of United States streams: potential for contaminant-induced endocrine disruption. *U. S. Geo. Surv. Open-File Rep.* 96-627.
- Gray, M. A., Metcalfe, C. D. (1999). Toxicity of 4-tert-octylphenol to early life stages of Japanese medaka (*Oryzias latipes*). *Aquat. Toxicol.* **46**, 149-154.
- Gray, M. A., Niimi, A. J., Metcalfe, C. D. (1999). Factors affecting the development of testis-ova in medaka, *Oryzias latipes*, exposed to octylphenol. *Environ. Toxicol. Chem.* **18**, 1835-1842.
- Grier, H. J. (1981). Cellular organization of the testis and spermatogenesis in fishes. *Am. Zool.* **21**, 345-357.
- Grier, H. J., Linton, J. R., Leatherland, J. F., de Vlaming, V. I. (1980). Structural evidence for two different testicular types in teleost fishes. *Am. J. Anat.* **159**, 331-345.
- Gronen, S., Denslow, N., Manning, S., Barnes, S., Barnes, D., Brouwer, M. (1999). Serum vitellogenin levels and reproductive impairment of male Japanese medaka (*Oryzias latipes*) exposed to 4-tert-octylphenol. *Environ. Health Perspect.* **107**, 385-390.
- Guillette, L. J. Jr., Crain, D. A. (1996). Endocrine-disrupting contaminants and reproductive abnormalities in reptiles. *Comments Toxicol.* **5**, 381-399.
- Guillette, L. J. Jr., Gross, T. S., Masson, G. R., Matter, J. M., Percival, H. F., Woodward, A. R. (1994). Developmental abnormalities of the gonad and abnormal sex hormone concentrations in juvenile alligators from contaminated and control lakes in Florida. *Environ. Health Perspect.* **102**, 608-688.
- Guillette, L. J. Jr., Crain, D. A., Rooney, A. A., Rickford, D. B. (1995). Organization versus activation: the role of endocrine-disrupting contaminants (EDCs) during embryonic development in wildlife. *Environ. Health Perspect.* **103**, 157-164.
- Guillette, L. J. Jr., Pickford, D. B., Crain, D. A., Rooney, A. A. (1996). Reduction in penis size and plasma testosterone concentrations in juvenile alligators living in a contaminated environment. *Gen. Comp. Endocrinol.* **101**, 32-42.
- Hacking, M. A., Budd, J., Hodson, K. (1978). The ultrastructure of the liver of the rainbow trout; normal structure and modifications after chronic administration of polychlorinated biphenyl Aroclor 1254. *Can. J. Zool.* **56**, 477-491.
- Hagamaier, H. E. (1973). The hatching process in fish embryos III. The structure, polysaccharide and protein cytochemistry of the chorion of the trout egg, *Salmo gairdneri* (Rich.). *Acta Histochem.* **47**, 61-69.
- Hahn, W. E. (1967). Estradiol-induced vitellogenesis and concomitant fat mobilization in the lizard *Uta stansburiana*. *Comp. Biochem. Physiol.* **23**, 83-93.
- Hamazaki, T. S., Iuchi, I., Yamagami, K. (1987). Purification and identification of vitellogenin and its immunohistochemical detection in growing oocytes of the teleost, *Oryzias latipes*. *J. Exp. Zool.* **242**, 333-341.
- Hammond, B., Katzenellenbogen, B. S., Krauthammer, N., McDonnell, J. (1979). Estrogenic activity of the insecticide chlordane (Kepone) and interaction with uterine estrogen receptors. *Proc. Natl. Acad. Sci., USA* **76**, 6641-6645.
- Hara, A., Yamauchi, K., Hirai, H. (1980). Immunochemical identification of female-specific serum protein (vitellogenin) and egg yolk proteins in Japanese eel (*Anguilla japonica*). *Comp. Biochem. Physiol. B* **65**, 315-320.
- Haraguchi, K., Athanasiadou, M., Bergman, Å., Hovander, L., Jensen, S. (1992). PCB and PCB methyl sulfones in selected groups of seals from Swedish waters. *Ambio* **21**, 546-549.

- Harries, J. E., Jobling, S., Matthiessen, P., Sheahan, D. A., Sumpter, J. P. (1995). *Effects of Trace Organics on Fish - Phase 2*. Department for the Environment, London, UK.
- Harries, J. E., Sheahan, D. A., Jobling, S., Matthiessen, P., Neall, P., Sumpter, J. P., Tylor, T., Zaman, N. (1997). Estrogenic activity in five United Kingdom rivers detected by measurement of vitellogenesis in caged male trout. *Environ. Toxicol. Chem.* **16**, 534-542.
- Helder, T. (1980). Effects of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) on early life stages of the pike (*Esox lucius* L.). *Sci. Total Environ.* **14**, 255-264.
- Henry, T. R., Spitsbergen, J. M., Hornung, M. W., Abnet, C. C., Peterson, R. E. (1997). Early life stage toxicity of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin. *Toxicol. Appl. Pharmacol.* **142**, 56-68.
- Heppell, S. A., Denslow, N. D., Folmar, L. C., Sullivan, C. V. (1995). Universal assay of vitellogenin as a biomarker for environmental estrogens. *Environ. Health Perspect.* **103**, 9-15.
- Hinton, D. E. (1993). Toxicologic histopathology of fishes: a systemic approach and overview. In: *Advances in Fisheries Science: Pathobiology of Marine and Estuarine Organisms* (eds: J. A. Couch, J. W. Fournie), pp. 177-215. CRC Press, Boca Raton FL.
- Hinton, D. E., Klaunig, J. E., Lipsky, M. M. (1978). PCB-induced alterations in teleost liver: a model for environmental disease in fish. *Mar. Fish. Rev.* **40**, 47-50.
- Hisaoka, K. K., Battle, H. I. (1958). The normal developmental stages of the zebrafish, *Brachydanio rerio* (Hamilton-Buchanan). *J. Morphol.* **102**, 311-328.
- Hoar, W. S. (1969). Reproduction. In: *Fish Physiology*, Vol. III (eds: W. S. Hoar, D. J. Randall), pp. 1-72. Academic Press, New York.
- Hoar, W. S., Nagahama, Y. (1978). The cellular sources of sex steroids in teleost gonads. *Ann. Biol. Anim. Biochem. Biophys.* **18**, 893-898.
- Huang, E. S.-R., Nelson, F. R. (1986). Anti-estrogenic action of chlordecone in rat pituitary gonadotropins in vitro. *Toxicol. Appl. Pharmacol.* **82**, 62-69.
- Hunter, A. A., Donaldson, E. M. (1983). Hormonal sex control and its application to fish culture. In: *Fish Physiology*, Vol. IX B (eds: W. S. Hoar, D. J. Randall, E. M. Donaldson), pp. 223-291. Academic Press, New York.
- Hyllner, S. J., Haux, C. (1992). Immunochemical detection of the major vitelline envelope proteins in the plasma and oocytes of the maturing female rainbow trout, *Oncorhynchus mykiss*. *J. Endocrinol.* **135**, 303-309.
- Isobe, T., Satoh, M., Ogura, N., Takada, H. (1999). Determination of nonylphenol by GC-MS in environmental samples in Tokyo. *Jpn. J. Wat. Pollut. Res.* **22**, 118-126.
- Jensen, S., Jansson, B. (1976). Anthropogenic substances in seal from the Baltic: methylsulfone metabolites of PCB and DDE. *Ambio* **5**, 257-260.
- Jobling, S., Sumpter, J. P. (1993). Detergent components in sewage effluent are weakly oestrogenic to fish: an *in vitro* study using rainbow trout (*Oncorhynchus mykiss*) hepatocytes. *Aquat. Toxicol.* **27**, 361-372.
- Jobling, S., Sheahan, D., Osborne, J. A., Matthiessen, P., Sumpter, J. P. (1996). Inhibition of testicular growth in rainbow trout (*Oncorhynchus mykiss*) exposed to estrogenic alkylphenolic chemicals. *Environ. Toxicol. Chem.* **15**, 194-202.
- Jobling, S., Tyler, C. R., Nolan, M., Sumpter, J. P. (1998). *The Identification of Estrogenic Effects in Wild Fish* (ed: R & D Technical Report W119, Environment Agency). Bristol, UK.
- Johnstone, R., Simpson, T. H., Youngson, A. F. (1978). Sex reversal in salmonid culture. *Aquaculture* **13**, 115-134.
- Jost, A. (1972) A new look at the mechanisms controlling sex differentiation in mammals.

- Hopkins Med. J.* **130**, 38-53.
- Jost, A., Vigier, B., Prépin, J., Perchellet, J. P. (1973). Studies on sex differentiation in mammals. *Recent Prog. Horm. Res.* **29**, 1-41.
- Junqueira, L. C., Carneiro, J. (1991). *Histologie* (eds: T. H. Schiebler, F. Schneider). Springer-Verlag, Berlin. 3. Auflage.
- Kaipia, A., Hsueh, A. J. W. (1997). Regulation of ovarian follicle atresia. *Annu. Rev. Physiol.* **59**, 349-363.
- Kallman, K. D. (1984). A new look at sex determination in poeciliid fishes. In: *Evolutionary Genetic of Fishes* (ed: B. J. Turner), pp. 95-171. Plenum, New York.
- Kami, K., Stoward, P. J. (1991). Secretory pathway of vitellogenesis in the liver of the cockerel as revealed by immuno-gold and computer-assisted digitization techniques. *Histochem. J.* **23**, 259-266.
- Karnovsky, M. J. (1971). Use of ferrocyanide-reduced osmium tetroxide in electron microscopy. *J. Cell Biol.*, **51**, 146A.
- Kavlock, R. J., Daston, G. P., DeRosa, C., Fenner-Crisp, P., Gray, L. E., Kaatari, S., Lucier, G., Luster, M., Mac, M. J., Maczka, C., Miller, R., Moore, J., Rolland, R., Scott, G., Sheehan, D. M., Sinks, T., Tilson, H. A. (1996). Research needs for the risk assessment of health and environmental effects of endocrine disruptors: a report of the US. EPA-sponsored Workshop. *Environ. Health Perspect.* **104**, 715-740.
- Kerr, J. F. R., Gobe, G. C., Winterford, C. M., Harmon, B. V. (1995) Anatomical methods in cell death. In: *Cell Death* (eds: L. M. Schwartz, B. A. Osborne), pp. 1-26. Academic Press, New York.
- Khan, I. A., Thomas, P. (1996). Disruption of neuroendocrine function in Atlantic croaker exposed to Aroclor 1254. *Mar. Environ. Res.* **4**, 145-149.
- Khanna, N., Singh, T. (1983). "In vivo" effects of estradiol-17 β in a freshwater fish, *Barbus conchoniensis* Hamilton. *Experientia* **39**, 1160-1161.
- Kim, Y., Cooper, K. R. (1999). Toxicity of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) and polychlorinated biphenyls (PCBs) in the embryos and newly hatched larvae of the Japanese medaka (*Oryzias latipes*). *Chemosphere* **39**, 527-538.
- Kime, D. E. (1993). 'Classical' and 'non-classical' steroids in fish reproduction. *Rev. Fish Biol. Fisher.* **3**, 160-180.
- Kime, D. E. (1999). A strategy for assessing the effects of xenobiotics on fish reproduction. *Sci. Total Environ.* **225**, 3-11.
- Kime, D. E., Nash, J. P., Scott, A. P. (1999a). Vitellogenesis as a biomarker of reproductive disruption by xenobiotics. *Aquaculture* **177**, 345-352.
- Kime, D. E., Nash, J. P. (1999b). Gamete viability as an indicator of reproductive endocrine disruption in fish. *Sci. Total Environ.* **233**, 123-129.
- Kinnberg, K., Korsgaard, B., Bjerregaard, P., Jespersen, A. (2000). Effects of nonylphenol and 17 β -estradiol on vitellogenin synthesis and testis morphology in male platyfish *Xiphophorus maculatus*. *J. Exp. Biol.* **203**, 171-181.
- Kishida, M., Anderson, T. R., Specker, J. L. (1992). Induction by β -estradiol of vitellogenin in striped bass (*Morone saxatilis*): characterization and quantification in plasma and mucus. *Gen. Comp. Endocrinol.* **88**, 29-39.
- Klaunig, J. E., Lipsky, M. M., Trump, B. F., Hinton, D. E. (1979). Biochemical and ultrastructural changes in teleost liver following subacute exposure to PCB. *J. Environ. Pathol. Toxicol.* **2**, 953-963.
- Knowland, J. (1978). Induction of vitellogenin synthesis in *Xenopus laevis* tadpoles. *Differentiation* **12**, 47-51.

- Kobayashi, W. (1982). The fine structure and amino acid composition of the envelope of the chum salmon egg. *J. Fac. Sci. Hokkaido Univ.* **23**, 1-12.
- Kojima, S., Watanabe, M. (1998). Distribution of alkylphenol polyethoxylate (APE) and their metabolites in the aquatic environment in Nagoya City. *Jpn. J. Wat. Pollut. Res.* **21**, 302-309.
- Korsgaard, B., Pedersen, K. L. (1998). Vitellogenin in *Zoarces viviparus*: purification, quantification by ELISA and induction by estradiol-17 β and 4-nonylphenol. *Comp. Biochem. Physiol. C* **120**, 159-166.
- Kramer, V. J., Miles-Richardson, S., Pierens, S. L., Giesy, J. P. (1998). Reproductive impairment and induction of alkaline-labile phosphate, a biomarker of estrogen exposure, in fathead minnows (*Pimephales promelas*) exposed to waterborne 17 β -estradiol. *Aquat. Toxicol.* **40**, 335-360.
- Kubeck, A., Naylor, C. G. (1990). Grace analysis of alkylphenol ethoxylates. *J. Am. Oil Chem. Soc.* **67**, 400-405.
- Kvestak, R., Terzic, S., Ahel, M. (1994). Input and distribution of alkylphenol polyethoxylates in a stratified estuary. *Mar. Chem.* **46**, 89-100.
- Laale, H. W. (1977). The biology and use of zebrafish, *Brachydanio rerio*, in fisheries research. A literature review. *J. Fish Biol.* **10**, 121-173.
- Labrie, F., Diamond, P., Cusan, L., Gomez, J.-L., Bélanger, A. (1997). Effect of 12-month DHEA replacement therapy on bone, vaginum, and endometrium in postmenopausal women. *J. Clin. Endocrinol. Metab.* **82**, 3498-3505.
- Labrie, F., Bélanger, A., Luu-The, V., Labrie, C., Simard, J., Cusan, L., Gomez, J.-L., Candas, B. (1998). DHEA and the intracrine formation of androgens and estrogens in peripheral target tissues: Its role during ageing. *Steroids* **63**, 322-328.
- Lambert, J. G. D., van Oordt, P. G. W. J. (1974). Ovarium hormones in teleost. *Fortschr. Zool.* **22**, 340-349.
- Lang, T., Damm, U., Dethlefsen, V. (1995). Changes in the sex ratio of North Sea dab (*Limanda limanda*) in the period 1981 – 1995. ICES CM 1995/G:25 Ref E.
- Langston, W. J. (1996). Recent developments in TBT ecotoxicology. *Tin* **3**, 179-187.
- Larsen, D. A., Swanson, P. (1997). Effects of gonadectomy on plasma gonadotropins I and II in Coho salmon, *Oncorhynchus kisutch*. *Gen. Comp. Endocrinol.* **108**, 152-160.
- Lech, J. J., Lewis, S. K., Ren, L. (1996). *In vivo* estrogenic activity of nonylphenol in rainbow trout. *Fundam. Appl. Toxicol.* **30**, 229-232.
- Lee, B., Peart, T. E. (1995). Determination of 4-NP in effluent and sludge from sewage treatment plants. *Anal. Chem.* **67**, 1967-1980.
- Lehtinen, K. J., Mattsson, K., Tana, J., Engstrom, C., Lerche, O., Hemming, J. (1999). Effects of wood-related sterols on the reproduction, egg survival, and offspring of brown trout (*Salmo trutta lacustris* L.). *Ecotoxicol. Environ. Saf.* **42**, 40-49.
- Lewis, J. A., Clemens, M. J., Tata, R. (1976). Morphological and biochemical changes in the hepatic endoplasmic reticulum and Golgi apparatus of male *Xenopus laevis* after induction of egg-yolk protein synthesis by estradiol-17 β . *Mol. Cell. Endocrinol.* **4**, 311-329.
- Lin, C. T., Chang, J. P. (1975). Electron microscopy of albumin synthesis. *Science* **190**, 465-471.
- Lin, C., Chan, L. (1981). Estrogen regulation of yolk and non-yolk protein synthesis in the avian liver. *Differentiation* **28**, 105-114.
- Lincer, J. L. (1975). DDE-induced eggshell thinning in the American kestrel: a comparison of the field situation and laboratory results. *J. Appl. Ecol.* **12**, 781-793.
- Lofts, B. (1987). Testicular function. In: *Hormones and Reproduction in Fishes, Amphibians,*

- and Reptiles* (eds: D. O. Norris, R. E. Jones), pp. 283-354. Plenum, New York.
- Lye, C. M., Frid, J., Gill, M. E., McCormick, D. (1997). Abnormalities in the reproductive health of flounder *Platichthys flesus* exposed to effluents from a sewage treatment works. *Mar. Pollut. Bull.* **34**, 34-41.
- MacLachy, D. L., Van der Kraak, G. J. (1995). The phytoestrogen β -sitosterol alters the reproductive endocrine status of goldfish. *Toxicol. Appl. Pharmacol.* **134**, 305-312.
- Madsen, S. S., Mathiesen, A. B., Korsgaard, B. (1997). Effects of 17 β -estradiol and 4-nonylphenol on smoltification and vitellogenesis in Atlantic salmon (*Salmo salar*). *Fish Physiol. Biochem.* **17**, 303-312.
- Maitre, J.-L., Valotaire, Y., Guguen-Guillouzo, C. (1986). Estradiol – 17 β stimulation of vitellogenin synthesis in primary culture of male rainbow trout hepatocytes. *In Vitro Cell. Dev. Biol.* **22**, 337-343.
- Malison, J. A., Kayes, T. B., Best, C. D., Amundson, C. H., Wentworth, B. C. (1986). Sexual differentiation and use of hormones to control sex in yellow perch (*Perca flavescens*). *Can. J. Fish. Aquat. Sci.* **43**, 26-35.
- Matthiessen, P., Allen, Y., Allchin, C. R., Feist, S. W., Kirby, M. F., Law, R. J., Scott, A. P., Thain, J. E., Thomas, K. V. (1998). Estrogenic endocrine disruption in flounder (*Platichthys flesus* L.) from U. K. estuarine and marine waters. *Sci. Ser. Tech. Rep.*, CEFAS, Lowestoft (107), 48 pp.
- Mattison, D. R., Gates, A. H., Leonards, A., Wide, M., Hemminki, K., Copius Peereboom-Stegeman, J. H. H. (1983). Reproductive and developmental toxicity of metals: female reproductive system. In: *Reproductive and Developmental Toxicity of Metals* (eds: T. W. Clarkson, G. N. Norberg, P. R. Sager), pp. 41-92. Plenum Press, New York.
- Matty, A. J. (1985). In: *Fish Endocrinology*, pp. 1-241. Timber Press, Portland, OR.
- Mayer, F. L., Mehrle, P. M., Crutcher, P. L. (1978). Interactions of toxaphene and vitamin C in channel catfish. *Trans. Am. Fish. Soc.* **107**, 326-333.
- Mayr, U., Butsch, A., Schneider, S. (1992). Validation of two *in vitro* test systems for estrogenic activities with zearalenone, phytoestrogens and cereal extracts. *Toxicology* **74**, 135-149.
- McCormick, J. H., Stokes, G. N., Hermanutz, R. O. (1989). Oocyte atresia and reproductive success in fathead minnows (*Pimephales promelas*) exposed to acidified hardwater environments. *Arch. Environm. Contam. Toxicol.* **18**, 207-214.
- McKim, J. M. (1977). Evaluation of test with early life stages of fish for predicting long-term toxicity. *J. Fish Res. Board Can.* **34**, 1148-1154.
- McKim, J. M., Arthur, J. W., Thorslund, T. W. (1975). Toxicity of linear alkylate sulfonate detergent to larvae of four species of freshwater fish. *Bull. Environ. Contam. Toxicol.* **14**, 1-7.
- McLeese, D. W., Zitko, V., Sergeant, D. G., Burrige, L., Metcalfe, C. D. (1981). Lethality and accumulation of alkylphenols in aquatic fauna. *Chemosphere* **10**, 723-730.
- McMaster, M. E., Portt, C. B., Munkittrick, K. R., Dixon, D. G. (1992). Milt characteristics, reproductive performance, and larval survival and development of white sucker exposed to bleached kraft mill effluent. *Ecotoxicol. Environ. Saf.* **23**, 103-117.
- Medda, A. K., Dasmahapatra, A. K., Ray, A. K. (1980). Effect of estrogen and testosterone on the protein and nucleic acid contents of liver, muscle, and gonad and plasma protein content of male and female (vitellogenic and nonvitellogenic) singi fish, *Heteropneustes fossilis*. *Gen. Comp. Endocrinol.* **42**, 427-436.
- Mellanen, P., Petänen, T., Lehtimäki, J., Mäkelä, S., Bylund, G., Holmbom, B., Mannila, E., Oikari, A., Santti, R. (1996). Wood-derived estrogens: studies *in vitro* with breast cancer

- cell lines and *in vivo* in trout. *Toxicol. Appl. Pharmacol.* **136**, 381-388.
- Merry, A. H., Dolphin, P. J., Junday, K. A., Akhtar, M. (1973). Studies in the assembly and secretion of a multicomponent protein. The biosynthesis of vitellogenin, an oestrogen-induced glycoposphoprotein. *Biochem. J.* **132**, 459-463.
- Miles-Richardson, S. R., Pierens, S. L., Nichols, K. M., Kramer, V. J., Snyder, E. M., Snyder, S. A., Render, J. A., Fitzgerald, S. D., Giesy, J. P. (1999a). Effects of waterborne exposure to 4-nonylphenol and nonylphenol ethoxylate on secondary sex characteristics and gonads of fathead minnows (*Pimephales promelas*). *Environ. Res. A* **80**, 122-137.
- Miles-Richardson, S. R., Kramer, V. J., Fitzgerald, S. D., Render, J. A., Yamini, B., Barbee, S. J., Giesy, J. P. (1999b). Effects of waterborne exposure of 17 β -estradiol on secondary sex characteristics and gonads of fathead minnows (*Pimephales promelas*). *Aquat. Toxicol.* **47**, 129-145.
- Morales, A. J., Nolan, J. J., Nelson, J. C., Yen, S. S. (1994). Effects of replacement dose of dehydroepiandrosterone in men and women of advancing age. *J. Clin. Endocrinol. Metab.* **78**, 1360-1367.
- Mousa, S. A., Mousa M. A. (1999). Immuncytochemical and histological studies on the hypophyseal-gonadal system in the freshwater Nile tilapia, *Oreochromis niloticus* (L.), during sexual maturation and spawning in different habitats. *J. Exp. Zool.* **284**, 343-354.
- Mylonas, C. C., Magnus, Y., Klebanov, Y., Gissi, A., Zohars, Y. (1997a). Reproductive biology and endocrine regulation of final oocyte maturation of captive white bass. *J. Fish Biol.* **51**, 234-250.
- Mylonas, C. C., Woods L. C., Zohar, Y. (1997b). Cyto-histological examination of post-vitellogenesis and final oocyte maturation in captive-reared striped bass. *J. Fish Biol.* **50**, 34-49.
- Nagahama, Y. (1983). The functional morphology of teleost gonads. In: *Fish Physiology*, Vol. **IXA**, (eds: W. S. Hoar, D. J. Randall), pp. 223-275. Academic Press, New York.
- Nair-Menon, J. U., Campbell, G. T., Blake, C. A. (1996). Toxic effects of octylphenol on cultured rat and murine splenocytes. *Toxicol. Appl. Pharmacol.* **139**, 437-444.
- Nakamura, M. (1975). Dosage-dependent changes in the effects of oral administration on gonadal sex differentiation in *Tilapia mossambica*. *Bull. Fac. Fish Hokkaido Univ.* **26**, 99-108.
- Nakamura, M. (1981). Feminization of masu salmon *Oncorhynchus masou* by administration of estradiol-17 β . *Bull. Jpn. Soc. Sci. Fish.* **47**, 1529.
- Nakamura, M., Takahashi, H. (1973). Gonadal sex differentiation in tilapia, with special regard to the time of estrogen treatment effective in inducing complete feminization of genetic males. *Bull. Fac. Fish. Hokkaido Univ.* **24**, 1-13.
- Nakamura, M., Hourigan, T. F., Yamauchi, K., Nagahama, Y., Grau, E. G. (1989). Histological and ultrastructural evidence for the role of gonadal steroid hormones in sex change in the protogynous wrasse *Thalasoma duperrey*. *Env. Biol. Fish.* **24**, 117-136.
- Nakamura, M., Kobayashi, T., Chang, X-T., Nagahama, Y. (1998). Gonodonal sex differentiation in teleost fish. *J. Exp. Zool.* **281**, 362-372.
- Nakhla, A. M., Mather, J. P., Janne, O. A., Bardin, C. W. (1984). Estrogen und androgen receptors in Sertoli, Leydig, myoid and epithelial cells: effects of time in culture and cell density. *Endocrinology* **115**, 121-128.
- Nash, J. P. (1997). SETAC Eur. 7 Ann. Met. **6**, 256.
- Naylor, G. C. M., Weeks, J. A., Castaldi, F. J., Romano, R. R. (1992). Alkylphenol ethoxylates in the environment. *J. Am. Oil Chemists Soc.* **69**, 695-703.
- Nestler, J. E., Barlascini, C. O., Clore, J. N., Blackard, W. G. (1988). Dehydroepiandrosterone

- reduces serum low density lipoprotein levels and body fat but does not alter insulin sensitivity in normal man. *J. Clin. Endocrinol. Metab.* **66**, 57-61.
- Ng, T. B., Woo, N. Y. S., Tam, P. P. L., Au, C. Y. W. (1984). Changes in metabolism and hepatic ultrastructure induced by estradiol and testosterone in immature female *Epinephelus akaara* (Teleostei, Serranidae). *Cell Tissue Res.* **236**, 651-659.
- Niimi, A. J. (1983). Biological and toxicological effects of environmental contaminants in fish and their eggs. *Can. J. Fish. Aquat. Sci.* **40**, 306-312.
- Nimrod, A. C., Benson, W. H. (1996). Environmental estrogenic effects of alkylphenol ethoxylates. *Crit. Rev. Toxicol.* **26**, 335-364.
- Nishihara, M., Winters, C. A., Buzko, E., Waterman, R., Dufau, M. L. (1988). Hormonal regulation of rat Leydig cell cytochrome P45017a cDNA. *Biochem. Biophys. Res. Commun.* **157**, 705-711.
- Nishimura, N., Fukazawa, Y., Uchiyama, H., Iguchi, T. (1997). Effects of estrogenic hormones on early development of *Xenopus laevis*. *J. Exp. Zool.* **278**, 221-233.
- Nunomura, W., Hara, A., Kazunori, T., Hirai, H. (1983). Immunohistochemical localization of vitellogenin in hepatic cells of some salmonid fishes. *Bull. Fac. Fish. Hokkaido Univ.* **34**, 79-87.
- Oertel, D., Poethke, H.-J., Seitz, A., Schäfers, C., Nagel, R. (1991). Monte-Carlo-simulation of the population dynamics of zebrafish in a complex experimental system. *Verh. Ges. Ökologie* **20(2)**, 865-869.
- Olivereau, M., Olivereau, J. (1979). Effect of estradiol-17 β on the cytology of the liver, gonads and pituitary, and on plasma electrolytes in the female freshwater eel. *Cell Tissue Res.* **199**, 431-454.
- Olsson, M., Karlson, B., Ahnland, E. (1994). Diseases and environmental contaminants in seals from the Baltic and the Swedish west coast. *Sci. Total Environ.* **154**, 217-227.
- Olsson, P. E., Westerlund, L., Teh, S. J., Billsson, K., Berg, A. H., Tyskling, M., Nilsson, J., Eriksson, L. O., Hinton, D. E. (1999). Effects of maternal exposure to estrogen and PCB on different life stages of zebrafish (*Danio rerio*). *Ambio* **28**, 100-106.
- Oulmi, Y., Negele, R.-D., Braunbeck, T. (1995). Cytopathology of liver and kidney in rainbow trout *Oncorhynchus mykiss* after long-term exposure to sublethal concentrations of linuron. *Dis. Aquat. Org.* **21**, 35-52.
- Pacoli, C. Q., Grizzle, J. M., Bradley, J. T. (1991). Immunohistochemical localization of vitellogenin and associated morphologic changes in hepatocytes of channel catfish, *Ictalurus punctatus*. *Can. J. Zool.* **69**, 7-14.
- Padian, T. J., Sheela, S. G. (1995). Hormonal induction of sex reversal in fish. *Aquaculture* **138**, 1-22.
- Pakdel, F., Le Guellec, C., Vaillant, C., Le Roux, M. G., Valotaire, Y. (1989). Identification and estrogen induction of two estrogen receptors (ER) messenger ribonucleic acids in the rainbow trout liver: sequence homology with other ERs. *Mol. Endocrinol.* **3**, 44-51.
- Palmer, B. D., Huth, L. K., Pioto, D. L., Selcer, K. W. (1998). Vitellogenin as a biomarker for xenobiotic estrogens in an amphibian model system. *Environ. Toxicol. Soc.* **17**, 30-36.
- Papoulias, D. M., Noltie, D. B., Tillitt, D. E. (1999). An *in vivo* model fish system to test chemical effects on sexual differentiation and development: exposure to ethinyl estradiol. *Aquat. Toxicol.* **48**, 37-50.
- Patiño, R. (1997). Manipulations of the reproductive system of fishes by means of exogenous chemicals. *Prog. Fish Cult.* **59**, 118-128.
- Patyna, P. J., Davi, R. A., Parkerton, T. F., Brown, R. P., Cooper, K. R. (1999). A proposed multigeneration protocol for Japanese medaka (*Oryzias latipes*) to evaluate effects of en-

- ocrine disruptors. *Sci. Total Environ.* **233**, 211-220.
- Pawar, K. R., Katdare, M. (1983). Effect of sumithion on the ovaries of fresh water fish, *Garraya mullya*. *Curr. Sci.* **536**, 784-785.
- Peakall, D. B., Lincer, J. L., Risebrough, R. W., Pritchard, J. B., Kinter, W. B. (1973). DDE-induced eggshell thinning: structural and physiological effects. *Comp. Gen. Pharmacol.* **4**, 305-313.
- Pelissero, C., Flouriot, G., Foucher, J. L., Bennetau, B., Dunoguès, J., LeGac, F., Sumpter, J. P. (1993). Vitellogenin synthesis in cultured hepatocytes; an *in vitro* test for the estrogenic potency of chemicals. *J. Steroid Biochem. Mol. Biol.* **44**, 263-272.
- Pelletier, G., Labrie, C., Labrie, F. (2000). Localization of oestrogen receptor alpha, oestrogen receptor beta and androgen receptors in the rat reproductive organs. *J. Endocrinol.* **165**, 359-370.
- Peute, J., van der Gaag, M. A., Lambert, J. G. D. (1978). Ultrastructure and lipid content of the liver of the zebrafish, *Brachydanio rerio*, related to vitellogenin synthesis. *Cell Tissue Res.* **186**, 297-308.
- Peute, J., Huiskamp, R., van Oordt, P. G. W. J. (1985). Quantitative analysis of estradiol-17 β -induced changes in the ultrastructure of the liver of the male zebrafish, *Brachydanio rerio*. *Cell Tissue Res.* **242**, 377-382.
- Peyon, P., Baloche, S., Burzawa-Gerard, E. (1993). Synthesis of vitellogenin by eel (*Anguilla anguilla* L.) hepatocytes in primary culture: requirement of 17 β -estradiol-priming. *Gen. Comp. Endocrinol.* **91**, 318-329.
- Phelps, P. V., Laskey, J. W. (1989). Comparison of age-related changes in *in vivo* and *in vitro* measure of testicular steroidogenesis after acute cadmium exposure in the Sprague-Dawley rat. *J. Toxicol. Environ. Health* **27**, 95-105.
- Phillips, M. J., Poucell, S., Patterson, J., Valencia, P. (1987). *The liver – An Atlas and Text of Ultrastructural Pathology*. Raven Press, New York.
- Pickering, Q. H., Gast, M. H. (1972). Acute and chronic toxicity of cadmium to the fathead minnow (*Pimephales promelas*). *J. Fish. Res. Board Can.* **29**, 1099-1106.
- Pierantoni, R., Varriale, B., Minucci, S., Di Matteo, L., Fasano, S., D'Antonio, M., Chieffi, G. (1986). Regulation of androgen production by frog (*Rana esculenta*) testis: an *in vitro* study of the effects exerted by estradiol, 5 α -dihydrotestosterone, testosterone, melatonin, and serotonin. *Gen. Comp. Endocrinol.* **64**, 405-410.
- Plaa, G. A. (1986). Toxic responses of the liver. In: *Casarett and Doull's Toxicology – The Basic Science of Poisons* (eds: C. D. Klaassen, M. O. Amdur, J. Doull), pp. 286-309. MacMillan, New York.
- Plack, P. A., Fraser, N. W. (1971) Incorporation of L-¹⁴C-leucine into egg protein by liver-slice from cod. *Biochem. J.* **121**, 857-862.
- Pottinger, T. G. (1986). Estrogen-binding sites in the liver of sexually mature male and female brown trout, *Salmo trutta* (L). *Gen. Comp. Endocrinol.* **61**, 120-126.
- Pudney, J. (1995). Spermatogenesis in nonmammalian vertebrates. *Microsc. Res. Tech.* **32**, 459-497.
- Purdom, C. E., Hardiman, P. A., Bye, V. J., Eno, N. C., Tyler, C. R., Sumpter, J. P. (1994). Estrogenic effects of effluents from sewage treatment works. *J. Chem. Ecol.* **8**, 275-285.
- Ratcliffe, D. A. (1970). Changes attributable to pesticides in egg breakage frequency and egg-shell thickness in some British birds. *J. Appl. Ecol.* **7**, 67-115.
- Raychoudhury, S. S., Blake, C. A., Millette, C. F. (1999). Toxic effects of octylphenol on cultured rat spermatogenic cells and Sertoli cells. *Toxicol. Appl. Pharmacol.* **157**, 192-202.
- Razani, H., Nanba, K., Murachi, S. (1986). Chronic toxic effects of phenol on zebrafish

- Brachydanio rerio*. *Bull. Japan. Soc. Sci. Fish.* **52**, 1553-1558.
- Reel, J. R., Lamb, J., Neal, B. H. (1996). Survey and assessment of mammalian estrogen biological assays for hazard characterization. *Fund. Appl. Toxicol.* **34**, 288-305.
- Ren, L., Lewis, S. K., Lech, J. J. (1996a). Effects of estrogen and nonylphenol on the post-transcriptional regulation of vitellogenin gene expression. *Chemico-Biological Interactions* **100**, 67-76.
- Ren, L., Lattier, D., Lech, J. J. (1996b). Estrogenic activity in rainbow trout determined with a new cDNA probe for vitellogenesis, pSG5Vg1.1. *Bull. Environ. Contam. Toxicol.* **56**, 287-295.
- Routledge, E. J., Sumpter, J. P. (1997). Structural features of alkylphenolic chemicals associated with estrogenic activity. *J. Biol. Chem.* **272**, 3280-3288.
- Routledge, E. J., Sheenan, D., Desbrow, C., Brighty, G. C., Waldock, M., Sumpter, J. (1998). Identification of estrogenic chemicals in STW Effluent 2. *In vivo* responses in trout and roach. *Environ. Sci. Technol.* **32**, 1559-1565.
- Ross, L. S., Parrett, T., Easter, S. S. Jr. (1992). Axonogenesis and morphogenesis in the embryonic zebrafish brain. *J. Neurosci.* **12**, 467-482.
- Ruby, S. M., Idler, D. R., So, Y. P. (1987). Changes in plasma, liver, and ovary vitellogenin in landlocked Atlantic salmon following exposure to sublethal cyanide. *Arch. Environ. Contam. Toxicol.* **16**, 507-510.
- Russel, L. (1980). Sertoli-germ cell interaction: a review. *Gamete Res.* **3**, 179-202.
- Sadovy, Y., Shapiro, D. Y. (1987). Criteria for the diagnosis of hermaphroditism in fishes. *Copeia* **1**, 136-156.
- Safe, S. H. (2000). Endocrine disruptors and human health – is there a problem? An update. *Environ. Health Perspect.* **108**, 487-493.
- Salbert, G., Atteke, C., Bonnec, G., Jego, P. (1993). Differential regulation of the estrogen-receptor messenger-RNA by estradiol in the trout hypothalamus and pituitary. *Mol. Cell. Endocrinol.* **96**, 177-182.
- Saligault, C., Linard, B., Mananos, E., Kah, O., Breton, B., Govoroun, M. (1998). Release of pituitary gonadotropins GtH I and GtH II in the rainbow trout (*Oncorhynchus mykiss*): modulation by estradiol and catecholamines. *Gen. Comp. Endocrinol.* **109**, 302-309.
- Samson, J. C., Shenker, J. (2000). The teratogenic effects of methylmercury on early development of the zebrafish, *Danio rerio*. *Aquat. Toxicol.* **48**, 343-354.
- Sand, O., Petersen, I. M., Korsgaard-Emmersen, B. (1980). Changes in some carbohydrate metabolizing enzymes and glycogen in liver, glucose and lipid in serum during vitellogenesis and after induction by estradiol-17 β in the flounder (*Platichthys flesus* L.). *Comp. Biochem. Physiol. B* **65**, 327-232.
- Sangalang, G. B., O'Halloran, M. J. (1973). Adverse effects of cadmium on brook trout testis on *in vitro* testicular androgen synthesis. *Biol. Reprod.* **9**, 394-403.
- Schäfers, C., Nagel, R., Seitz, A. (1989). Verhalten, Reproduktion und Populationsdynamik des Zebrabärblings (*Brachydanio rerio*) in einem naturnahen Laborsystem. *Fischökologie* **1(2)**, 45-59.
- Scheer, U. (1972). Nuclear pore flow rate of ribosomal RNA and chain growth of its precursor during oogenesis of *Xenopus laevis*. *Develop. Biol.* **30**, 13-28.
- Schmidt, H., Bernet, D., Wahli, T., Meier, W., Burkhardt-Holm, P. (1999). Active biomonitoring with brown trout and rainbow trout in diluted sewage plant effluents. *J. Fish Biol.* **54**, 585-596.
- Schreck, C. B. (1974). Hormonal treatment and sex manipulation in fishes. In: *Control of Sex in Fishes* (ed: C. B. Schreck), pp. 84-106. Virginia Polytechnic Institute and State Univer-

- sity, Blacksburg.
- Schrim, J., Gruber, M., Ab, G. (1973). Post-translational phosphorylation of phosphatidylcholine. *FEBS Lett.* **30**, 167-169.
- Schriock, E. D., Buffington, C. K., Hubert, G. D., Kurtz, B. R., Kitabchi, A. E., Buster, J. E., Givens, J. R. (1988). Divergent correlations of circulating dehydroepiandrosterone sulfate and testosterone with insulin levels and insulin receptor binding. *J. Clin. Endocrinol. Metab.* **66**, 1329-1331.
- Scott, A. P., Bye, V. J., Baynes, S. M., Springate, J. R. C. (1980a). Seasonal variations in plasma concentrations of 11-ketotestosterone and testosterone in male rainbow trout, *Salmo gairdneri* Richardson. *J. Fish. Biol.* **17**, 495-505.
- Scott, A. P., Bye, V. J., Baynes, S. M. (1980b). Seasonal variations in sex steroids of female rainbow trout *Salmo gairdneri* Richardson. *J. Fish. Biol.* **17**, 587-592.
- Seegal, R. F., Brosch, K. O., Bush, B. (1986). Regional alterations in serotonin metabolism induced by oral exposure of rats to polychlorinated biphenyls. *Neurotoxicology* **7**, 155-166.
- Seim, W. K., Curtis, L. R., Glenn, S. W., Chapman, G. A. (1984). Growth and survival of developing steelhead trout (*Salmo gairdneri*) continuously or intermittently exposed to copper. *Can. J. Fish. Aquat. Sci.* **41**, 433-438.
- Selman, K., Wallace, R. A. (1982). The inter- and intracellular passage of proteins through the ovarian follicle in teleosts. In: *Reproductive Physiology of Fish* (eds: C. J. J. Richter, H. J. T. Goos), pp. 151-154. Pudoc, Wageningen.
- Selman, K., Wallace, R. A. (1983). Oogenesis in *Fundulus heteroclitus*. III. Vitellogenesis. *J. Exp. Zool.* **226**, 441-457.
- Selman, K., Wallace, R. A. (1986). Gametogenesis in *Fundulus heteroclitus*. *Am. Zool.* **26**, 173-192.
- Selman, K., Wallace, R. A., Sarka, A., Xiaoping, Q. (1993). Stages of oocyte development in the zebrafish *Brachydanio rerio*. *J. Morphol.* **218**, 203-224.
- Servos, M. R. (1999). Review of the aquatic toxicity, estrogenic responses and bioaccumulation of alkylphenols and alkylphenol polyethoxylates. *Water Qual. Res. J. Can.* **34**, 123-177.
- Shapiro, D. Y. (1992). Plasticity of gonadal development and protandry in fishes. *J. Exp. Zool.* **261**, 194-203.
- Sharpe, R. M. (1993). Falling sperm counts in men - is there an endocrine cause? *J. Endocrinol.* **137**, 357-360.
- Sharpe, R. M., Skakkebaek, N. E. (1993). Are oestrogens involved in falling sperm counts and disorders of the male reproductive tract? *Lancet* **341**, 1392-1395.
- Sharpe, R. M., Fischer, J. S., Millar, M. M., Jobling, S., Sumpter, J. P. (1995). Gestational and lactational exposure of rats to xenoestrogens results in reduced testicular size and sperm production. *Environ. Health Perspect.* **103**, 1136-1143.
- Sherry, J., Gamble, A., Fielden, M., Hodson, P., Burnison, B., Solomon, K. (1999). An ELISA for brown trout (*Salmo trutta*) vitellogenin and its use in bioassays for environmental estrogens. *Sci. Total Environ.* **225**, 13-31.
- Shibata, N., Hamaguchi, S. (1988). Evidence for the sexual bipotentiality of spermatogonia in the fish, *Oryzias latipes*. *J. Exp. Zool.* **245**, 71-77.
- Shioda, T., Wakabayashi, M. (2000). Effect of certain chemicals on the reproduction of medaka (*Oryzias latipes*). *Chemosphere* **40**, 239-243.
- Singhal, R. L., Vijayvargia, R., Shukla, G. S. (1985). Toxic effects of cadmium and lead on reproductive functions. In: *Endocrine Toxicology* (eds: J. A. Thomas, K. S. Korach, J. A. McLachlan), pp. 149-180. Raven Press, New York.

- Sivarajah, K., Franklin, C. S., Williams, W. P. (1978). The effects of polychlorinated biphenyls on plasma steroid levels and hepatic microsomal enzymes in fish. *J. Fish Biol.* **13**, 401-409.
- Smith, J. S., Thomas, P. (1990). Binding characteristics of the hepatic estrogen receptor of the spotted seatrout, *Cynoscion nebulosus*. *Gen. Comp. Endocrinol.* **77**, 29-42.
- Soto, A. M., Justica, H., Wray, J. W., Sonnenschein, C. (1991). *p*-Nonylphenol: an estrogenic xenobiotic released from 'modified' polystyrene. *Environ. Health Perspect.* **92**, 167-173.
- Soto, A., Lin, T., Justicia, H., Silvia, R. M., Sonnenschein, C. (1992). An "in culture" bioassay to assess the estrogenicity of xenobiotics (E-Screen). Chemically-induced alterations in sexual and functional development. In: *The Human Wildlife Connection* (eds: T. Colborn, C. Clement), pp. 295-309. Princeton Scientific Publishing, Princeton, NJ.
- Soto, A., Chung, K. L., Sonnenschein, C. (1994). The pesticides endosulfan, toxaphen, and dieldrin have estrogenic effects on human estrogen sensitive cells. *Environ. Health Perspect.* **102**, 380-383.
- Specker, J. L., Sullivan, C. V. (1993). Vitellogenesis in fishes: status and perspectives. In: *Perspectives in Comparative Endocrinology* (eds: K. G. Davey, R. E. Peter, S. S. Tobe), pp. 304-315. National Research Council of Canada, Ottawa.
- Spurr, A. R. (1969). A low viscosity embedding medium for electron microscopy. *J. Ultrastruct. Res.* **26**, 31-43.
- Stahl, F., Schnorr, D., Pilz, C., Dorner, G. (1992). Dehydroepiandrosterone (DHEA) levels in patients with prostatic cancer, heart diseases and under surgery stress. *Exp. Clin. Endocrinol.* **99**, 68-70.
- Stainier, D. Y., Fishman, M. C. (1992). Patterning the zebrafish heart tube: acquisition of anteroposterior polarity. *Dev. Biol.* **153**, 91-101.
- Stein, H., Gatter, K., Asbahr, H., Mason, D. (1985). Use of freeze-dried paraffin-embedded sections for immunohistologic staining with monoclonal antibodies. *Lab. Invest.* **52**, 676-683.
- Streit, B. (1994). *Lexikon der Ökotoxikologie*, VCH Verlagsgesellschaft, Weinheim.
- Strmac, M., Braunbeck, T. (1999). Effects of triphenyltin acetate on survival, hatching success, and liver ultrastructure of early life stages of zebrafish (*Danio rerio*). *Ecotoxicol. Environ. Saf.* **44**, 25-39.
- Stuart-Kregor, P. A. C., Sumpter, J. P., Dodd, J. M. (1981). The involvement of gonadotropin and sex steroids in the control of reproduction in the parr and adults of Atlantic salmon, *Salmo salar* L. *J. Fish Biol.* **18**, 59-72.
- Sukumar, A., Karpagaganapathy, P. R. (1992). Pesticide-induced atresia in ovary of a fresh water fish, *Colisa lalia* (Hamilton-Buchanan). *Bull. Environ. Contam. Toxicol.* **48**, 457-462.
- Sumpter, J. P. (1992). Control of growth in rainbow trout (*Oncorhynchus mykiss*). *Aquaculture* **100**, 299-321.
- Sumpter J. P. (1995). Feminized responses in fish to environmental estrogens. *Tox. Lett.* **82/83**, 737-742.
- Sumpter, J. P., Jobling, S. (1995). Vitellogenesis as a biomarker for estrogenic contamination of the aquatic environment. *Environ. Health Perspect.* **103**, 173-178.
- Sumpter, J. P., Jobling, S., Tyler, C. R. (1996). Oestrogenic substances in the aquatic environment and their potential impact on animals, particularly fish. In: *Toxicology of Aquatic Pollution - Physiological, Cellular and Molecular Approaches*, Vol. **57** (ed: E. W. Taylor), pp. 205-224. Soc. Exp. Biol. Sem. Ser., Cambridge:
- Sundararaj, B. I., Nath, P. (1981). Steroid-induced synthesis of vitellogenin in the catfish,

- Heteropneustes fossilis* (Bloch). *Gen. Comp. Endocrinol.* **43**, 201-210.
- Suter, G. W., Rosen, A. E., Linder, E., Parkhurst, D. F. (1987). Endpoints for response of fish to chronic toxic exposure. *Environ. Toxic. Chem.* **6**, 793-809.
- Takahashi, H. (1977). Juvenile hermaphroditism in the zebrafish, *Brachydanio rerio*. *Bull. Fac. Fish. Hokkaido Univ.* **28**, 57-65.
- Takashima, F. (1986). Changes in oocyte number during maturation of female masu salmon. *Bull. Japan. Soc. Sci. Fish.* **52**, 231-237.
- Talmage, S. S. (1994). *Environmental and Humans Safety of Major Surfactants: Alcohol Ethoxylates and Alkylphenol Ethoxylates*. Lewis Publishers, Boca Raton, FL.
- Tam, P. P. L., Bun Ng, T., Woo, N. Y. S. (1983). Effects of oestradiol-17 β and testosterone on the histology of pituitary, liver, ovary and skin of previtellogenic *Epinephelus akaara* (Teleostei, Serranidae). *Cell Tissue Res.* **231**, 579-592.
- Tata, J. R. (1976). The expression of the vitellogenin gene. Review. *Cell* **9**, 1-14.
- Tata, J. R., Baker, B. (1975). Differential subnuclear distribution of polyadenylate rich ribonucleic acid during induction of egg yolk protein synthesis in male *Xenopus laevis* liver by estradiol-17 β . *Biochem. J.* **150**, 345-355.
- Taylor, M. R., Holmes, P., Duarte-Davidson, R., Humfrey, C. D. N., Harrison, P. T. C. (1999). A research strategy for investigating the ecological significance of endocrine disruption: report of a UK workshop. *Sci. Total Environ.* **233**, 181-191.
- Thibaut, R., Debrauwer, L., Rao, D., Cravedi, J. P. (1999). Urinary metabolites of 4-n-nonylphenol in rainbow trout (*Oncorhynchus mykiss*). *Sci. Total Environ.* **233**, 193-200.
- Thomas, P. (1989). Effects of Aroclor 1254 and cadmium on reproductive endocrine function and ovarian growth in Atlantic croaker. *Mar. Environ. Res.* **28**, 499-507.
- Thomas, P. (1990). Teleost model for studying the effects of chemicals on female reproductive endocrine function. *J. Exp. Zool.* **4**, 126-128.
- Thomas, P. (1993). Effects of cadmium on gonadotropin secretion from Atlantic croaker pituitaries incubated *in vitro*. *Mar. Environ. Res.* **35**, 141-145.
- Thomas, P., Khan, I. A. (1995). Mechanisms of chemical interference with reproductive endocrine function in sciaenid fishes. In: *Chemically Induced Alterations in Functional Development and Reproduction of Fishes* (eds: R. M. Rolland, M. Gilbertson, R. E. Peterson), pp. 29-51. SETAC Press Racine, Wisconsin.
- Thomas, P., Smith, J. S. (1993). Binding of xenobiotics to the estrogen receptor of spotted seatrout: a screening assay for potential estrogenic effects. *Mar. Environ. Res.* **35**, 147-151.
- Toomey, B. H., Monteverdi, G. H., Di Giulio, R. T. (1999). Octylphenol induces vitellogenin production and cell death in fish hepatocytes. *Environ. Toxicol. Chem.* **18**, 734-739.
- Toppari, J., Larsen, J. C., Christiansen, P., Giwercman, A., Grandjean, P., Guillette, L. J. Jr., Jégou, B., Jensen, T. K., Jouannet, P., Keiding, N., Leffers, H., McLachlan, J. A., Meyer, O., Müller, J., Rajpert-De Meyts, E., Scheike, T., Sharpe, R., Sumpter, J., Skakkebaek, N. E. (1995). *Male Reproductive Health and Environmental Chemicals with Estrogenic Effects*. Ministry of the Environment and Energy, Danish Environmental Protection Agency, Copenhagen.
- Toppari, J., Larsen, J. C., Christiansen, P., Giwercman, A., Grandjean, P., Guillette, L. J. Jr., Jégou, B., Jensen, T. K., Jouannet, P., Keiding, N., Leffers, H., McLachlan, J. A., Meyer, O., Müller, J., Rajpert-De Meyts, R., Scheike, T., Sharpe, R., Sumpter, J., Skakkebaek, N. E. (1996). Male reproductive health and environmental xenoestrogens. *Environ. Health Perspect.* **104**, 741-803.
- Trudeau, V. L. (1997). Neuroendocrine regulation of gonadotropin II release and gonadal growth in the goldfish, *Carassius auratus*. *Rev. Reprod.* **2**, 55-68.

- Trudeau, V. L., Peter, R. E., Soley, B. D. (1991). Testosterone and estradiol potentiate the serum gonadotropin release to gonadotropin releasing hormone in goldfish. *Biol. Reprod.* **48**, 951-960.
- Trudeau, V. L., Méijer, J. C., Erkens, J. H. F., Van de Wiel, D. F. M., Wensing, C. J. G. (1992). Pubertal development in the male pig: effects of treatment with a long-acting gonadotropin releasing hormone agonist on plasma luteinizing hormone, follicle stimulating hormone and testosterone. *Can. J. Vet. Res.* **56**, 102-109.
- Trudeau, V. L., Wade, M. G., Van der Kraak, G., Peter, R. W. (1993). Effects of 17 β -estradiol on pituitary and testicular function of male goldfish. *Can. J. Zool.* **71**, 1131-1135.
- Tsuda, T., Takino, A., Kojima, M., Harada, H., Muraki, K., Tsuji, M. (2000). 4-Nonylphenol and 4-*tert*-octylphenol in water and fish from rivers flowing into Lake Biwa. *Chemosphere* **41**, 757-762.
- Tyler, C. R., Sumpter, J. P., Bromage, N. R. (1988). The selectivity of protein sequestration by vitellogenic oocytes of rainbow trout *Salmo gairdneri* in vivo. *J. Exp. Zool.* **248**, 199-206.
- Tyler, C. R., Van der Eerden, B., Jobling, S., Panter, G., Sumpter, J. P. (1996). Measurement of vitellogenin, a biomarker for exposure to oestrogenic chemicals, in a wide variety of cyprinid fish. *J. Comp. Physiol. B* **166**, 418-426.
- Valtonen, T. (1974). Seasonal and sex-bound variation in the carbohydrate metabolism of the liver of the whitefish. *Comp. Biochem. Physiol. A* **47**, 713-727.
- Van Bohemen, C. G., Lambert, J. G. D., Peute, J. (1981). Annual changes in plasma and liver in relation to vitellogenesis in the female rainbow trout, *Salmo gairdneri*. *Gen. Comp. Endocrinol.* **44**, 94-107.
- Van Bohemen, C. G., Lambert, J. G. D., Goos, H. J. T., van Oordt, P. G. W. (1982). Estrone and estradiol participation during exogenous vitellogenesis in the female rainbow trout, *Salmo gairdneri*. *Gen. Comp. Endocrinol.* **46**, 81-92.
- Van den Hurk, R., t'Hart, L. A., Lambert, J. G. D., van Oordt, P. G. W. J. (1982). On the regulation of sexual behaviour of male zebrafish. *Gen. Comp. Endocrinol.* **46**, 403.
- Van der Kraake, G. J., Munkittrick, K. R., McMaster, M. E., Portt, C. B., Chang, J. P. (1992). Exposure to bleached kraft pulp mill effluent disrupt the pituitary-gonadal axis of white sucker at multiple sites. *Toxicol. Appl. Pharmacol.* **115**, 224-233.
- Van Feld, P. A., Vogelbein, W. K., Cochran, M. K., Goksøyr, A., Stegeman, J. J. (1997). Route-specific cellular expression of cytochrome P4501A (CYP1A) in fish (*Fundulus heteroclitus*) following exposure to aqueous and dietary benzo[a]pyrene. *Toxicol. Appl. Pharmacol.* **142**, 348-359.
- Van Leeuwen, C. J., Griffioen, P. S., Vergouw, W. H. A., Maas-Diepeveen, J. L. (1985). Differences in susceptibility of early life stages of rainbow trout (*Salmo gairdneri*) to environmental pollutants. *Aquat. Toxicol.* **7**, 59-78.
- Van Ree, G. E. (1975). Effects of methallibure (I.C.I. 33,828) and ovine luteinizing hormone on the ovary and the pituitary of the female zebrafish, *Brachydanio rerio*. *J. Endocrinology* **151-170**.
- Vermeulen, A., Verdonck, L. (1976). Radioimmunoassays of 17 β -hydroxy-5 α -androstane-3-one, 4-androstene-3, 17-dione, dehydroepiandrosterone, 17 β -hydroxyprogesterone and progesterone and its application to human male plasma. *J. Steroid Biochem.* **7**, 1-10.
- Villalobos, S. A., Hamm, J. T., Teh, S. J., Hinton, D. E. (2000). Thiobencarb-induced embryotoxicity in medaka (*Oryzias latipes*): stage-specific toxicity and the protective role of chorion. *Aquat. Toxicol.* **48**, 309-326.
- Villeneuve, D. L., Blankenship, A. L., Giesy, J. P. (1997). Estrogen receptors-environmental

- xenobiotics. In: *Toxicant-Receptor Interactions and Modulations of Gene Expression*, Vol. 4 (eds: E. M. S. Denison, W. G. Helferich), pp. 69-99. Lippincott-Raven Pub., Philadelphia.
- Von Westernhagen, H. (1988). Sublethal effects of pollutants on fish eggs and larvae. In: *Fish Physiology: The Physiology of Developing Fish Part A. Eggs and Larvae*. Vol. XI (eds: W. S. Hoar, D. J. Randall), pp. 253-346. Academic Press, San Diego, CA.
- Von Westernhagen, H., Dethlefsen, V., Cameron, P., Berg, J., Furstenberg, G. (1988a). Developmental defects in pelagic fish embryos from the western Baltic. *Helg. Meeresunters.* **42**, 13-36.
- Vos, J. G., Dybing, E., Greim, H. A., Ladefoged, O., Lambre, C., Tarazona, J. V., Brandt, I., Vethaak, A. D. (2000). Health effects of endocrine-disrupting chemicals on wildlife, with special reference to the european situation. *Crit. Rev. Toxicol.* **30**, 71-133.
- Wahli, W., Dawid, I. B., Ryffel, G. U., Weber, R. (1981). Vitellogenesis and the vitellogenin gene family. *Science* **212**, 298-304.
- Wahli, T., Meier, W., Segner, H., Burkhardt-Holm, P. (1998). Immunohistochemical detection of vitellogenin in male brown trout from Swiss rivers. *Histochem. J.* **30**, 753-758.
- Wallace, R. A., Selman, K. (1981). Cellular and dynamic aspects of oocyte growth in teleosts. *Amer. Zool.* **21**, 325-343.
- Wallace, R. A., Selman, K. (1982). A new procedure for the isolation of intact vitellogenin from teleosts. In: *Reproductive Physiology of Fish* (eds: C. J. J. Richter, H. J. T. Goos). Pudoc, Wageningen.
- Wangh, L. J., Knowland, J. (1975). Synthesis of vitellogenin in cultures of male and female liver regulated by estradiol treatment *in vitro*. *Proc. Natl. Acad. Sci. USA* **72**, 3172-3175.
- Warga, R. M., Kimmel, C. B. (1990). Cell movements during epiboly and gastrulation in zebrafish. *Development* **108**, 569-580.
- Wehner, R., Gehring, W. (1990). *Zoologie*. Thieme, Stuttgart – New York.
- Welshons, W. V., Rottinghaus, B. E., Nonneman, D. J., Dolan-Timpe, M., Ross, P. F. (1990). A sensitive bioassay for detection of dietary estrogens in animal feeds. *J. Vet. Diagn. Invest.* **2**, 268-273.
- Wester, P. W., Canton, J. H. (1986). Histopathological study of *Oryzias latipes* (medaka) after long-term β -hexachlorocyclohexane exposure. *Aquat. Toxicol.* **9**, 21-45.
- Westerfield, M. (1995). *The Zebrafish Book. Guide for the Laboratory Use of Zebrafish (Danio rerio)*. 3^{ed}. Institute of Neuroscience, University of Oregon Press, Eugene.
- White, R., Jobling, S., Hoare, S. A., Sumpter, J. P., Parker, M. G. (1994). Environmentally persistent alkylphenolic compounds are estrogenic. *Can. J. Zool.* **71**, 175-182.
- Whiting, S. J., Wiggs, A. J. (1978). Effect of sexual maturation and estradiol-17 β on liver glycogen and tyrosine aminotransferase activity of brook trout, *Salvelinus fontinalis* Mitchill. *Comp. Biochem. Physiol. B* **60**, 463-465.
- Wingfield, J. C., Grimm, A. S. (1976). Preliminary identification of plasma steroids in the plaice, *Pleuronectes platessa* L. *Gen. Comp. Endocrinol.* **29**, 78-83.
- Wingfield, J. C., Grimm, A. S. (1977). Seasonal changes in plasma cortisol testosterone and oestradiol-17 β in the plaice, *Pleuronectes platessa* L. *Gen. Comp. Endocrinol.* **31**, 1-11.
- Wittliff, J. L., Kenney, F. T. (1972a). Regulation of yolk protein synthesis in amphibian liver: I. Induction of lipovitellin synthesis by estrogen. *Biochim. Biophys. Acta (Amst.)* **269**, 485-492.
- Wittliff, J. L., Kenney, F. T. (1972b). Regulation of yolk protein synthesis in amphibian liver: II. Elevation of ribonucleic acid synthesis by estrogen. *Biochim. Biophys. Acta (Amst.)* **269**, 493-504.

- Wright, P. J., Tillitt, D. E. (1999). Embryotoxicity of Great Lakes lake trout extracts to developing rainbow trout. *Aquat. Toxicol.* **47**, 77-92.
- Wyllie, A. H. (1980). Cell death: the significance of apoptosis. *Int. Rev. Cytol.* **68**, 251-302.
- Yadete, F., Arukwe, A., Goksøyr, A., Male, R. (1999). Induction of hepatic estrogen receptor in juvenile Atlantic salmon *in vivo* by the environmental estrogen, 4-nonylphenol. *Sci. Total Environ.* **233**, 201-210.
- Yamamoto, T. (1958). Artificial induction of functional sex-reversal in genotypic females of the medaka (*Oryzias latipes*). *J. Exp. Zool.* **137**, 227-263.
- Yamamoto, T. (1969). Sex differentiation. In: *Fish Physiology*, **Vol. III**. (eds: W. S. Hoar, D. J. Randall), pp. 117-175. Academic Press, New York.
- Yamamoto, M., Egami, N. (1974). Sexual differences and age changes in the fine structure of hepatocytes in the medaka, *Oryzias latipes*. *J. Fac. Sci. Univ. Tokio* **13**, 199-210.
- Yamazaki, F. (1983). Sex control and manipulation of fish. *Aquaculture* **33**, 329-354.
- Yano, T., Matsuyama, H. (1986). Stimulatory effect of PCB on the metabolism of sex hormones in carp hepatopancreas. *Bull. Japan. Soc. Scient. Fish.* **52**, 1847-1852.
- Yokota, H., Tsuruda, Y., Maeda, M., Oshima, Y., Tadokoro, H., Nakazono, A., Honjo, T., Kobayashi, K. (2000). Effect of bisphenol A on the early life stage in Japanese medaka (*Oryzias latipes*). *Environ. Toxicol. Chem.* **19**, 1925-1930.
- Zacharewski, T. (1997). *In vitro* bioassays for assessing estrogenic substances. *Environ. Sci. Technol.* **31**, 613-623.
- Zumoff, B., Levin, J., Rosenfeld, R. S., Markham, M., Strain, G. W., Fukushima, D. K. (1981). Abnormal 24-hr mean plasma concentrations of dehydroepiandrosterone and dehydroisoandrosterone sulfate in women with primary operable breast cancer. *Cancer Res.* **41**, 3360-3363.
- Zwain, I. H., Yen, S. S. C. (1999). Dehydroepiandrosterone: biosynthesis and metabolism in the brain. *Endocrinology* **140**, 880-887.