

Inhaltsverzeichnis

Zusammenfassung.....	4
1. Einleitung.....	5
2. Ergebnisse.....	13
2.1. Versuche zur Etablierung eines Zellsystems mit induzierbarer APM-1-Genexpression.....	13
2.1.1. Einführung in das Tet-On-System.....	13
2.1.2. Etablierung und Analyse von HeLa Tet-On Zellklonen mit stabil integriertem APM-1-Gen.....	14
2.1.3. Auswirkungen der induzierbaren APM-1-Expression auf das klonale Zellwachstum	15
2.1.4. Überprüfung der induzierbaren APM-1-Expression durch RT-PCR-Analyse in doppelt-stabilen Zellklonen	16
2.1.5. Nachweis integrierter TRE-APM-1-DNA.....	17
2.2. Suche nach APM-1-regulierten Zielgenen.....	19
2.3. Mutationsanalyse der proteincodierenden Region des APM-1-Gens	22
2.4. Expressionsprofil des APM-1 Gens in menschlichen Tumorzellen.....	31
2.4.1. Gekoppelte <i>in-vitro</i> -Transkription/Translation der klonierten APM-1-cDNAs	31
2.4.2. RT-PCR-Analyse der APM-1-Genexpression in Zelllinien aus Tumoren verschiedener Gewebe	32
2.4.3. RT-PCR-Analyse der APM-1-Genexpression in Biopsiematerial aus Tumoren verschiedener Gewebe	45
2.4.4. RT-PCR-Analyse der APM-1-Genexpression in Tumorzelllinien verschiedener Gewebe nach Behandlung mit 5-Aza-2'-desoxycytidin	53
2.5. Reporteranalysen zur Untersuchung der APM-1-Promotor-/Enhancer-Aktivität	55
2.5.1. Analyse der Promotor-/Enhancer-Aktivität der genomischen p2-Kontrollregion.....	58
2.5.2. Analyse der Promotor-/Enhancer-Aktivität in der genomischen a31-Kontrollregion	61
2.5.3. Analyse der Promotor-/Enhancer-Aktivität in der genomischen p2-Kontrollregion nach Behandlung mit TPA	64
2.6. Studien zur möglichen regulatorischen Interaktion zwischen APM-1 und p53.....	67
2.6.1. Vergleich von APM-1-mRNA und p53-Protein in Tumorzelllinien verschiedener Gewebe.....	67
2.6.2. Reporteranalyse zur regulatorischen Beziehung zwischen APM-1 und p53.....	70
3. Diskussion.....	75
4. Material und Methoden.....	86
4.1. Restriktionsendonukleasen.....	86
4.2. Modifizierende Enzyme.....	87
4.3. Größenmarker	87
4.3.1. DNA-Größenmarker	87
4.3.2. Protein-Größenmarker	88
4.4. Nucleotide.....	89
4.4.1. Desoxy- und Didesoxynukleotide (dNTPs und ddNTPs)	89
4.4.2. Radioaktiv markierte Nucleotide.....	89

4.5.	Oligonucleotide.....	89
4.6.	Vektoren und Expressionsplasmide	90
4.7.	Hybridisierungssonden.....	91
4.8.	Zelluläre Nucleinsäuren.....	92
4.9.	Menschliche Zelllinien und Biopsieproben; Kulturmedien und Zusätze.....	92
4.9.1.	Menschliche Zelllinien	92
4.9.2.	Menschliche Biopsieproben	94
4.9.3.	Kulturmedien und Zusätze	95
4.10.	Bakterienstämme und Medien	96
4.10.1.	Bakterienstämme	96
4.10.2.	Kulturmedien	96
4.11.	Häufig verwendete Puffer und Lösungen	97
4.12.	Baukastensysteme („Kits“).....	98
4.13.	Zellkultur.....	98
4.14.	Bakterienkultur	98
4.15.	Isolierung und Reinigung von DNA	99
4.15.1.	Extraktion genomischer DNA aus Gewebekulturzellen	99
4.15.2.	Isolierung von Plasmid-DNA.....	99
4.15.2.1.	Aufarbeitung von Plasmid-DNA im kleinen Maßstab.....	99
4.15.2.2.	Aufarbeitung von Plasmid-DNA im großen Maßstab	99
4.15.2.3.	Isolierung von Plasmid-DNA-Fragmenten aus „Low Melting Point“-Agarose.....	99
4.15.2.4.	Isolierung von Plasmid-DNA-Fragmenten aus Agarosegelen durch Säulenaufreinigung.....	99
4.16.	Reinigung und Fällung von DNA	99
4.17.	Isolierung und Reinigung von zytoplasmatischer RNA aus	100
Gewebekulturzellen.....		
4.18.	Selektion von poly(A)⁺-RNA aus Gesamt-RNA	100
4.19.	Bestimmung von Nucleinsäurekonzentrationen.....	100
4.20.	DNA- und RNA-Gelelektrophorese in horizontalen Agarosegelen	100
4.20.1.	Gelelektrophorese von DNA	100
4.20.2.	Gelelektrophorese von RNA	101
4.21.	Transfer von Nucleinsäuren aus Agarosegelen auf Nylonmembranen	101
4.21.1.	DNA-Transfer auf Nylonmembranen (Southern Blot)	101
4.21.2.	RNA-Transfer auf Nylonmembranen (Northern Blot)	101
4.22.	Radioaktive Markierung und Reinigung von DNA	101
4.22.1.	Radioaktive Markierung von DNA-Fragmenten nach der „Random-Priming“-Methode	101
4.22.2.	Reinigung radioaktiv markierter DNA über eine Biogel P30-Säule.....	102
4.23.	Hybridisierung von DNA- und RNA-Filtern mit DNA-Sonden.....	102
4.24.	Isolierung von Protein aus Gewebekulturzellen.....	102
4.24.1.	Extraktion von Gesamtprotein aus Gewebekulturzellen	102
4.24.2.	Extraktion von Kernprotein aus Gewebekulturzellen	103
4.25.	Bestimmung von Proteinkonzentrationen.....	103
4.26.	Immundetektion von Proteinen (Western Analyse)	104
4.26.1.	Auftrennung der Proteine im denaturierenden Polyacrylamidgel	104
4.26.2.	Transfer von Protein auf Nylonmembranen (Western Blot)	105
4.26.3.	Immundetektion	105
4.26.3.1.	Nachweis durch chromogene Detektion	105
4.26.3.2.	Nachweis durch „Enhanced Chemiluminescence“ (ECL)-Detektion	106
4.27.	Enzymatische Reaktionen zur Modifizierung und Klonierung von DNA.....	106
4.27.1.	Spaltung von DNA mit Restriktionsendonukleasen	106
4.27.2.	Umwandlung überstehender 5'- oder 3'-Enden von DNA-Restriktionsfragmenten in glatte Enden	107

4.27.3. Dephosphorylierung von DNA	107
4.27.4. DNA-Ligationen.....	108
4.28. Transformation kompetenter Bakterien	108
4.28.1. Herstellung transformationskompetenter Bakterien	108
4.28.2. Transformation	108
4.29. Sequenzierung doppelsträngiger DNA	108
4.30. Reportergen-Analysen.....	109
4.30.1. Calciumphosphat-Transfektion	109
4.30.2. Messung der Luciferase-Aktivität in eukaryontischen Zellextrakten	109
4.30.3. Messung der β -Galaktosidase-Aktivität in eukaryontischen Zellextrakten.....	110
4.30.4. Auswertung der Reportergen-Analysen	110
4.31. Doxyzyklin-induzierbare Genexpression in Säugerzellen	
(Verwendung des Tet-On-Genexpressions-Systems)	111
4.31.1. Transfektion und Selektion einer doppelt stabilen Tet-On Zelllinie	111
4.31.2. Qualitätskontrolle und Aufbewahrung der doppelt stabilen Zelllinien	112
4.32. Klonales Zellwachstum unter Selektionsbedingungen	
(„Colony Formation Assay“)	112
4.33. Analyse von Genexpressions-Profilen mit Hilfe von cDNA-Arrays.....	113
4.34. Gekoppelte <i>in-vitro</i>-Transkription/Translation von Plasmid-DNA	113
4.34.1. <i>In-vitro</i> -Transkriptions-/Translations-Reaktion.....	113
4.34.2. Analyse der Translationsprodukte im denaturierenden Proteingel	114
4.35. Polymerase-Kettenreaktion („Polymerase Chain Reaction“, PCR).....	114
4.35.1. Konventionelle PCR mit <i>Taq</i> -Polymerase	114
4.35.2. PCR mit Advantage-GC 2 PCR Kit	115
4.35.3. Reaktionsparameter	116
4.36. Sequenzierung von PCR-Produkten nach der „Cycle Sequencing“-Methode ...	116
4.36.1. 5'-Endmarkierung von Oligonucleotid-Primern.....	116
4.36.2. Thermales „Cycle Sequencing“ mit 5'-endmarkiertem Primer.....	117
4.36.2.1. „Nested“-PCR der zu sequenzierenden PCR-Produkte.....	117
4.36.2.2. Aufreinigung der PCR-Produkte.....	117
4.36.2.3. Kombinierung von Matrize, Primer und Polymerase (zum „Präreaktions-Mix“)	117
4.36.2.4. Zugabe der Desoxy-/Didesoxy-Sequenzergemische	118
4.36.2.5. PCR-Reaktionsparameter	118
4.36.3. Analyse der Sequenzierprodukte	118
4.37. Reverse Transkription mit anschließender PCR (RT-PCR)	119
4.37.1. Synthese von Erstrang-cDNA mit SUPERSCRIPT TM II	
(Reverse Transkription)	119
4.37.2. PCR.....	120
4.38. Statistische Auswertung von Messergebnissen	120
4.39. Sequenzanalysen	120
5. Literaturverzeichnis.....	121
6. Abkürzungen	134
7. Anhang	135

5. Literaturverzeichnis

Alam, J. and Cook, J. L. (1990) Reporter Genes: Application to the Study of Mammalian Gene Transcription. *Anal. Biochem.*, **188**, 245-254.

Albagli, O., Dhordain, P., Deweindt, C., Lecocq, G. and Leprince, D. (1995) The BTB/POZ domain: a new protein-protein interaction motif common to DNA- and actin-binding proteins. *Cell Growth Differ.*, **6**, 1193-1198.

Arita, D., Kambe, M., Ishioka, C. and Kanamaru, R. (1997) Induction of p53-independent apoptosis with G2M arrest following DNA damage in human colon cancer cells. *Jpn. J. Cancer Res.*, **88**, 39-43.

Auersperg, N. (1969) Histogenetic behavior of tumors. I. Morphologic variation in vitro and in vivo of two related human carcinoma cell lines. *J. Natl. Cancer Inst.*, **43**, 151-173.

Bardwell, V. J. and Treisman, R. (1994) The POZ domain: a conserved protein-protein interaction motif. *Genes Devel.*, **8**, 1664-1677.

Baylin, S. B. (1997) Tying it all together: epigenetics, genetics, cell cycle, and cancer. *Science*, **277**, 1948-1949.

Baylin, S. B. and Herman, J. G. (2000) DNA hypermethylation in tumorigenesis: epigenetics joins genetics. *Trends Genet.*, **16**, 158-174.

Beijersbergen, R. L. and Bernards, R. (1996) Cell cycle regulation by the retinoblastoma family of growth inhibitory proteins. *Biochim. Biophys. Acta Rev. Cancer*, **1287**, 103-120.

Berndt, P., Hobohm, U. and Langen, H. (1999) Reliable automatic protein identification from matrix-assisted laser desorption/ionization mass spectrometric peptide fingerprints. *Electrophoresis*, **20**, 3521-3526.

Beyer, S. (1998) Mutationsanalyse des potentiellen Tumorsuppressor-Gens APM-1. *Diplomarbeit. Fakultät für Biologie*. Heidelberg, Ruprecht-Karls-Universität.

Bird, A. P. and Wolffe, A. P. (1999) Methylation-induced repression - belts, braces and chromatin. *Cell*, **99**, 451-454.

Bishop, J. M. and Weinberg, R. A., Eds. (1996) *Molecular Oncology*. New York, Scientific American, Inc.

Blackwell, T. K. and Weintraub, H. (1990) Differences and Similarities in DNA-Binding Preferences of MyoD and E2A Protein Complexes Revealed by Binding Site Selection. *Science*, **250**, 1104-1110.

Bowtell, D. D. (1999) Options available - from start to finish - for obtaining expression data by microarray. *Nat. Genet.*, **21**, 25-32.

Brasier, A. R., Tate, J. E. and Habener, J. F. (1989) Optimized use of the firefly luciferase assay as a reporter gene in mammalian cell lines. *BioTechniques*, **7**, 1116-1122.

Brattain, M. G. (1981) Heterogeneity of malignant cells from a human colonic carcinoma. *Cancer Res.*, **41**, 1751-1756.

Burmeister, M. and Lehrach, H. (1989) Isolation of large DNA fragments from agarose gels using Agarase. *Trends Genet.*, **5**, 41.

Butel, J. S. (2000) Viral carcinogenesis: revelation of molecular mechanisms and etiology of human disease. *Carcinogenesis*, **21**, 405-426.

Cahill, D. P., Lengauer, C., Yu, J., Riggins, G. J., Willson, J. K. V., Markowitz, S. D., Kinzler, K. W. and Vogelstein, B. (1998) Mutation of mitotic checkpoint genes in human cancer. *Nature*, **392**, 300-303.

Chaconas, G. and van de Sande, J. H. (1980) 5' 32P labeling of RNA and DNA restriction fragments. *Methods Enzymol.*, **65**, 75-80.

Chambers, A. F. and Tuck, A. B. (1993) Ras-responsive genes and tumor metastasis. *Crit. Rev. Oncogenesis*, **4**, 95-114.

Chang, C.-C., Ye, B. H., Chaganti, R. S. K. and Dalla-Favera, R. (1996) BCL-6, a POZ/zinc-finger protein, is a sequence-specific transcriptional repressor. *Proc. Natl. Acad. Sci. USA*, **93**, 6947-6952.

Chen, C. and Okayama, H. (1987) High-efficiency transformation of mammalian cells by plasmid DNA. *Mol. Cell Biol.*, **7**, 2745-2752.

Chen, W., Zollman, S., Couderc, J.-L. and Laski, F. A. (1995) The BTB/POZ domain of bric à brac mediates dimerization *in vitro*. *Mol. Cell. Biol.*, **15**, 3424-3429.

Chomczynski, P. and Sacchi, N. (1987) Single-step method of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction. *Anal. Biochem.*, **162**, 156-159.

Choo, K. B., Pan, C. C. and Han, S. M. (1987) Integration of human papillomavirus type 16 into cellular DNA of cervical carcinoma: preferential deletion of the E2 gene and invariable retention of the long control region and the E6/E7 open reading frames. *Virology*, **161**, 259-261.

Chow, L. T., Hirochika, H., Nasseri, M., Stoler, M. H., Wolinsky, S. M., Chin, M. T., Hirochika, R., Arvan, D. S. and Broker, T. R. (1987) Human papillomavirus gene expression in papillomaviruses. *Cancer Cells*, **5**, 55.

Chung, R. T. and Liang, T. J. (1999) Hepatitis C virus and hepatocellular carcinoma. In Parsonnet, J. (ed.) *Microbes and Malignancy: Infection as a Cause of Human Cancers*. Oxford University Press, Oxford, UK, pp. 267-288.

Clemens, M. J. and Bommer, U.-A. (1999) Translational control: the cancer connection. *Int. J. Biochem. Cell Biol.*, **31**, 1-23.

Clontech (1998) Tet-OffTM and Tet-OnTM Gene Expression Systems. *User Manual PT3001-1. PR85369*, 29.

Cooley, L. and Theurkauf, W. E. (1994) Cytoskeletal functions during *Drosophila* oogenesis. *Science*, **262**, 590-596.

Counts, J. L. and Goodman, J. I. (1995) Alterations in DNA methylation may play a variety of roles in carcinogenesis. *Cell*, **83**, 13-15.

Couturier, J., Sastre-Garau, X., Schneider-Maunoury, S., Labib, A. and Orth, G. (1991) Integration of papillomavirus DNA near myc genes in genital carcinomas and its consequences for proto-oncogene expression. *J. Virol.*, **65**, 4534-4538.

Cullen, A. P., Reid, R., Campion, M. and Lörincz, A. T. (1991) Analysis of the physical state of different human papillomavirus DNAs in intraepithelial and invasive cervical neoplasm. *J. Virol.*, **65**, 606-612.

de Wet, J. R., Wood, K. V., de Luca, M., Helinski, D. R. and Subramani, S. (1987) Firefly luciferase gene: structure and expression in mammalian cells. *Mol. Cell Biol.*, **7**, 725-737.

Dhordain, P., Albagli, O., Ansieau, S., Koken, M. H. M., Deweindt, C., Quief, S., Lantoine, D., Leutz, A., Kerckaert, J.-P. and Leprince, D. (1995) The BTB/POZ domain targets the LAZ/BCL6 oncoprotein to nuclear dots and mediates homomerization *in vivo*. *Oncogene*, **11**, 2689-2697.

Diller, L., Kassel, J., Nelson, C. E., Gryka, M. A., Litwak, G., Gebhardt, M., Bressac, B., Ozturk, M., Baker, S. J., Vogelstein, B. and Friend, S. H. (1990) p53 functions as a cell cycle control protein in osteosarcomas. *Mol. Cell Biol.*, **10**, 5772-5781.

Drewinko, B. and Yand, L. Y. (1976) Restriction of CEA synthesis to the stationary phase of growth of cultured human colon carcinoma cells. *Exp. Cell Res.*, **101**, 414-416.

Dürst, M., Croce, C. M., Gissmann, L., Schwarz, E. and Huebner, K. (1987) Papillomavirus sequences integrate near cellular oncogenes in some cervical carcinomas. *Proc. Natl. Acad. Sci. USA*, **84**, 1070-1074.

Dürst, M., Kleinheinz, A., Hotz, M. and Gissmann, L. (1985) The physical state of human papillomavirus type 16 DNA in benign and malignant genital tumors. *J. Gen. Virol.*, **66**, 1515.

Dyson, N., Howley, P. M., Münger, K. and Harlow, E. (1989) The human papillomavirus 16 E7 oncoprotein is able to bind to the retinoblastoma gene product. *Science*, **243**, 934-937.

Faisst, S. and Meyer, S. (1992) Compilation of vertebrate-encoded transcription factors. *Nucl. Acids Res.*, **20**, 3-26.

Feinberg, A. P. and Vogelstein, B. (1983) A technique for radiolabeling DNA restriction endonuclease fragments to high specific activity. *Anal. Biochem.*, **132**, 6-13.

Feinberg, A. P. and Vogelstein, B. (1984) A technique for radiolabeling DNA restriction endonuclease fragments to high specific activity. *Addendum Anal. Biochem.*, **137**, 266-267.

Fields, S. and Song, O.-K. (1989) A novel genetic system to detect protein-protein interactions. *Nature*, **340**, 245-246.

Fogh, J., Wright, W. C. and Loveless, J. D. (1977) Absence of HeLa cell contamination in 169 cell lines derived from human tumors. *J. Natl. Cancer Inst.*, **58**, 209-214.

- Fort, P., Marty, L., Piechaczyk, M., el-Sabrouty, S., Dani, C., Jeauteur, P. and Blanchard, J. M. (1985) Various rat adult tissues express only one major mRNA species from the glyceraldehyde-3-phosphate-dehydrogenase multigenic family. *Nucl. Acids Res.*, **13**, 1431-1442.
- Freemont, P. S. (1993) Zinc-finger proteins in oncogenesis. In Slywer, M. A. B., Brinkmann, A. O. and Blankenstein, R. A. (eds.). The New York Academy of Sciences, New York, pp. 174-192.
- Galas, D. J. and Schmitz, A. (1978) DNase footprinting: a simple method for the detection of protein-DNA binding specificity. *Nucl. Acids Res.*, **5**, 3157-3170.
- Garnier, M. M. and Revzin, A. (1981) A gel electrophoretic method for quantifying the binding of proteins to specific DNA regions. *Nucl. Acids Res.*, **9**, 3047-3060.
- Gerard, G. F., D'Alessio, J. M., Kotewicz, M. L. and Noon, M. C. (1986) Influence on stability in *Escherichia coli* of the carboxy-terminal structure of cloned Moloney murine leukemia virus reverse transcriptase. *DNA*, **5**, 271.
- Gey, G. O., Coffman, W. D. and Kubicek, M. T. (1952) Tissue culture studies of the proliferative capacity of cervical carcinoma cell and normal epithelium. *Cancer Res.*, **12**, 264-265.
- Giard, D. J., Aaronson, S. A., Todaro, G. J., Arnstein, P., Kersey, J. H., Dosik, H. and Parks, W. P. (1973) In vitro cultivation of human tumors: establishment of cell lines derived from a series of solid tumors. *J. Natl. Cancer Inst.*, **51**, 1417-1423.
- Goldin, A., Venditti, J. M., Macdonald, J. S., Muggia, F. M., Henney, J. E. and Devita, V. T.-J. (1981) Current results of the screening program at the Division of Cancer Treatment, National Cancer Institute. *Eur. J. Cancer*, **17**, 129-142.
- Goodrich, D. W. and Lee, W. (1993) Molecular characterization of the retinoblastoma susceptibility gene. *Biochim. Biophys. Acta*, **1155**, 43-61.
- Gorman, C., Padmanabhan, R. and Howard, B. H. (1983) High-efficiency DNA-mediated transformation of primate cells. *Science*, **221**, 551-553.
- Gossen, M., Bonin, A. and Bujard, H. (1993) Control of gene activity in higher eukaryotic cells by prokaryotic regulatory elements. *Trends Biochem. Sci.*, **18**, 471-475.
- Gossen, M., Bonin, A. L., Freundlieb, S. and Bujard, H. (1994) Inducible gene expression systems for higher eukaryotic cells. *Curr. Opin. Biotechnol.*, **5**, 516-520.
- Gossen, M. and Bujard, H. (1992) Tight control of gene expression in mammalian cells by tetracycline-responsive promoters. *Proc. Natl. Acad. Sci. USA*, **89**, 5547-5551.
- Gossen, M., Freundlieb, S., Bender, G., Muller, G., Hillen, W. and Bujard, H. (1995) Transcriptional activation by tetracycline in mammalian cells. *Science*, **268**, 1766-1769.
- Green, S., Issemann, I. and Sheer, E. (1988) A versatile *in vivo* and *in vitro* eukaryotic expression vector for protein engineering. *Nucl. Acids Res.*, **16**, 369.
- Haber, D. and Harlow, E. (1997) Tumor-suppressor genes: evolving definitions in the genomic age. *Nature Gen.*, **16**, 320-322.

Hahn, S. A., Schutte, M., Hoque, A. T. M. S., Moskaluk, C. A., da Costa, L. T., Rozenblum, E., Weinstein, C. L., Fischer, A., Yeo, C. J., Hruban, R. H. and Kern, S. E. (1996) *DPC4*, a candidate tumor suppressor gene at human chromosome 18q21.1. *Science*, 350-353.

Hanahan, D. (1983) Studies on transformation of *E. coli* with plasmids. *J. Mol. Biol.*, **166**, 557.

Hanahan, D. and Weinberg, R. A. (2000) The Hallmarks of Cancer. *Cell*, **100**, 57-70.

Hansen, R. and Oren, M. (1997) p53; From inductive signal to cellular effect. *Curr. Opin. Genet. Devel.*, **7**, 46-51.

Henzel, W. J., Billeci, T. M., Stults, J. T. and Wong, S. C. (1993) Identifying proteins from two dimensional gels by molecular mass searching of peptide fragments in protein sequence data bases. *Proc. Natl. Acad. Sci. USA*, **90**, 5011-5015.

Herman, J. G. and Baylin, S. B. (2000) Promotor-Region Hypermethylation and Gene Silencing in Human Cancer. In Jones, P. A. and Vogt, P. K. (eds.), *DNA Methylation and Cancer*. Springer, Berlin - Heidelberg - New York, pp. 35-54.

Herman, J. G., Graff, J. R., Myohanen, S., Hamilton, S. R., Nelkin, B. D. and Baylin, S. B. (1996) Methylation-specific PCR. A novel PCR assay for methylation status of CpG islands. *Proc. Natl. Acad. Sci. USA*, **93**, 9821-9826.

Hoppe-Seyler, F. and Scheffner, M. (1997) E6 protein. In Tommasino, M. (ed.) *Papillomaviruses in human cancer: the role of E6 and E7 oncoproteins*. Mol. Biol. Intelligence Unit, R. G. Landes Company, Austin, USA, pp. 71-102.

Huang, H.-J. S., Yee, J.-K., Shew, J.-Y., Chen, P.-L., Bookstein, R., Friedmann, T., Lee, E. Y.-H. P. and Lee, W. H. (1988) Suppression of the neoplastic phenotype by replacement of the RB gene in human cancer cells. *Science*, **242**, 1563-1566

Hurst, R., Maffitt, M., Murray, E., Kappelman, J., Xu, Q., Mendez, J., Butler, B., Ryan, A. and Beckler, G. S. (1996) The TNT® T7 Quick Coupled Transcription/Translation System. *Promega Notes*, **58**, 8-12.

Inoue, H., Nojima, H. and Okayama, H. (1990) High-efficiency transformation of *E. coli* with plasmids. *Gene*, **96**, 23-28.

International Human Genome Sequencing Consortium (2001) Initial sequencing and analysis of the human genome. *Nature*, **409**, 860-922.

Jackson, R. J. and Kaminski, A. (1995) Internal initiation of translation in eukaryotes: the picornavirus paradigm and beyond. *RNA*, **1**, 985-1000.

Jeon, S., Allen-Hoffmann, B. L. and Lambert, P. F. (1995) Integration of human papillomavirus type 16 into the human genome correlates with a selective growth advantage of cells. *J. Virol.*, **69**, 2989-2997.

Jeon, S. and Lambert, P. F. (1995) Integration of human papillomavirus type 16 DNA into the human genome leads to increased stability of E6 and E7 mRNAs: implications for cervical carcinogenesis. *Proc. Natl. Acad. Sci. USA*, **92**, 1654-1658

Kaplan, J. and Calame, K. (1997) The ZiN/POZ domain of ZF5 is required for both transcriptional activation and repression. *Nucl. Acids Res.*, **25**, 1108-1116.

Katsani, K. R., Hajibagheri, M. A. N. and Verrijzer, C. P. (1999) Co-operative DNA binding by GAGA transcription factor requires the conserved BTB/POZ domain and reorganizes promoter topology. *EMBO J.*, **18**, 698-708.

Kessis, T. D., Connolly, D. C., Hedrick, L. and Cho, K. R. (1996) Expression of HPV16 E6 or E7 increases integration of foreign DNA. *Oncogene*, **13**, 427-431.

Khandjian, E. W. and Meric, C. (1986) A procedure for northern blot analysis of native RNA. *Anal. Biochem.*, **159**, 227-232.

Kinzler, K. W. and Vogelstein, B. (1996) Lessons from hereditary colorectal cancer. *Cell*, **87**, 159-170.

Knudson, A. G. (1971) Mutation and cancer. *Proc. Natl. Acad. Sci. USA*, **68**, 820-823.

Knudson, A. G. (1993) Antioncogenes and human cancer. *Proc. Natl. Acad. Sci. USA*, **90**, 10914-10921.

Ko, L. J. and Prives, C. (1996) p53: Puzzle and paradigm. *Genes Devel.*, **10**, 1054-1072.

Kong, H., Kucera, R. and Jack, W. (1993) Characterization of a DNA polymerase from the extreme thermophile Archaea *Thermococcus litoralis*. *J. Biol. Chem.*, **268**, 1965-1975.

Kotewicz, M. L., D'Alessio, J. M., Driftmier, K. M., Blodgett, K. P. and Gerard, G. F. (1985) Cloning and overexpression of Moloney murine leukemia virus reverse transcriptase in *Escherichia coli*. *Gene*, **35**, 249.

Kozak, M. (1992) A consideration of alternative models for the initiation of translation in eukaryotes. *Crit. Rev. Biochem. Mol. Biol.*, **27**, 385-402.

Kyriazis, A. A., Kyriazis, A. P., Sternberg, C. N., Sloane, N. H. and Loveless, J. D. (1986) Morphological, biological, biochemical, and karyotypic characteristics of human pancreatic ductal adenocarcinoma Capan-2 in tissue culture and the nude mouse. *Cancer Res.*, **46**, 5810-5815.

La Thangue, N. B. (1994) DRTF1/E2F: an expanding family of heterodimeric transcription factors implicated in cell-cycle control. *Trends Biochem. Sci.*, **19**, 108-114.

La Thangue, N. B. (1996) E2F and the molecular mechanisms of early cell cycle control. *Biochemical Society Transactions*, **24**, 54-59.

Laemmli, U. K. (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*, **227**, 680-685.

Lane, D. P. (1992) p53, guardian of the genome. *Nature*, **358**, 15-16.

Lee, S. W., Tsou, A.-P., Chan, H., Thomas, J., Petrie, K., Eugui, E. M. and Allison, A. C. (1988) *Proc. Natl. Acad. Sci. USA*, **85**, 1204-1208.

Leibovitz, A., Stinson, J. C., McCombs, W. B.^{3rd}, McCoy, C. E., Mazur, K. C. and Mabry, N. D. (1976) Classification of human colorectal adenocarcinoma cell lines. *Cancer Res.*, **36**, 4562-4569.

Levine, A. J. (1997) p53, The cellular gatekeeper for growth and division. *Cell*, **88**, 323-331.

Levine, A. J., Perry, M. E., Chang, A., Silver, A., Dittmer, D. and Welsh, D. (1994) The 1993 Walter Hubert Lecture: The role of the p53 tumor suppressor gene in tumorigenesis. *Brit. J. Cancer*, **69**, 409-416.

Link, A. J., Eng, J., Schieltz, D. M., Carmack, E., Mize, G. J., Morris, D. R., Garvik, B. M. and Yates, J. R.^{3rd} (1999) Direct analysis of protein complexes using mass spectrometry. *Nat. Biotechnol.*, **17**, 676-682.

Lipshutz, R. J., Fodor, S. P., Gingeras, T. R. and Lockhart, D. J. (1999) High density synthetic oligonucleotide arrays. *Nat. Genet.*, **21**, 20-24.

Livingstone, L. R., White, A., Sprouse, J., Livanos, E., Jacks, T. and Tlsty, T. D. (1992) Altered cell cycle arrest and gene amplification potential accompany loss of wild-type p53. *Cell*, **70**, 923-935.

Lynch, E. D., Ostermeyer, E. A., Lee, M. K., Arena, J. F., Ji, H., Dann, J., Swisselm, K., Suchard, D., Macleod, P. M., Kvinnslund, S., Gjertsen, B. T., Heimdal, K., Lubs, H., Moller, P. and King, M. C. (1997) Inherited mutations in PTEN that are associated with breast cancer, cowden disease and juvenile polyposis. *Am. J. Hum. Genet.*, **61**, 1254-1260.

Macleod, K. (2000) Tumor suppressor genes. *Curr. Opin. Genet. Devel.*, **10**, 81-93.

Marcu, K. B., Patel, A. J. and Yang, Y. (1997) Differential regulation of the c-MYC P1 and P2 promoters in the absence of functional tumor suppressors: implications for mechanisms of deregulated MYC transcription. *Curr. Top. Microbiol. Immunol.*, **224**, 47-56.

Markowitz, S., Wang, J., Myeroff, L., Parsons, R. P., Sun, L., Lutterbaugh, J., Fan, R. S., Zborowska, E., Kinzler, K. W., Vogelstein, B. et al. (1995) Inactivation of type II TGF- β receptor in colon cancer cells with microsatellite instability. *Science*, **268**, 1336-1338.

Marshall, C. J., Franks, L. M. and Carbonell, A. W. (1977) Markers of neoplastic transformation in epithelial cell lines derived from human carcinomas. *J. Natl. Cancer Inst.*, **58**, 1743-1747.

Mayo, E. K., Warren, R. and Palmiter, R. D. (1982) The mouse metallothionein-I gene is transcriptionally regulated by cadmium following transfection into human or mouse cells. *Cell*, **29**, 99-108.

McMahon, M. and Woods, D. (2001) Regulation of the p53 pathway by Ras, the plot thickens. *Biochim. Biophys. Acta*, **1471**, M63-M71.

Meinkoth, J. and Wahl, G. (1984) Hybridization of nucleic acids immobilized on solid supports. *Anal. Biochem.*, **138**, 267.

Meyers, S., Downing, J. R. and Hiebert, S. W. (1993) Identification of AML-1 and the (8;21) translocation protein (AML-1/ETO) as sequence-specific DNA-binding proteins: the runt homology domain is required for DNA binding and protein-protein interactions. *Mol. Cell. Biol.*, **13**, 6336-6345.

- Michiels, F., Burmeister, M. and Lehrach, H. (1987) Derivation of clones close to *met* by Preparative Field Inversion Gel Electrophoresis. *Science*, **236**, 1305-1308.
- Momparler, R. L. and Bovenzi, V. (2000) DNA Methylation and Cancer. *J. Cell. Physiol.*, **183**, 145-154.
- Mullokandov, M. R., Kholodilov, N. G., Atkin, N. B., Burk, R. D., Johnson, A. B. and Klinger, H. B. (1996) Genomic alterations in cervical carcinoma: losses of chromosome heterozygosity and human papillomavirus tumor status. *Cancer Res.*, **56**, 197-205
- Nazari, N. (2000) Identifikation und Darstellung der genomischen 5' nichttranslatierten Bereiche des APM-1 Gens. *Diplomarbeit. Fakultät für Biologie*. Heidelberg, Ruprecht-Karls-Universität.
- Nouer, L. (1991) In Nouer, L. (ed.) *Heat Shock Response*. CRC, Boca Raton, FL, pp. 167-220.
- Numoto, M., Niwa, O., Kaplan, J., Wong, K.-K., Merell, K., Kamiya, K., Yanagihara, K. and Calame, K. (1993) Transcriptional repressor ZF5 identifies a new conserved domain in zinc finger proteins. *Nucl. Acids Res.*, **21**, 3767-3775.
- Okada, M. and Hirose, S. (1998) Chromatin remodeling mediated by *Drosophila* GAGA factor and ISWI activates *fushi tarazu* gene transcription *in vitro*. *Mol. Cell Biol.*, **18**, 2455-2461.
- Orlando, C., Pinzani, P. and Pazzaglia, M. (1998) Developments in quantitative PCR. *Clin. Chem. Lab. Medicine*, **36**, 255-269.
- Pandey, A. and Mann, M. (2000) Proteomics to study genes and genomes. *Nature*, **405**, 837-846.
- Pattilio, R. A. (1977) Tumor antigen and human chorionic gonadotropin in CaSki cells: a new epidermoid cervical cell line. *Science*, **196**, 1456-1458.
- Pengue, G., Calabro, V., Cannada Bartoli, P., Pagliuca, A. and Lania, L. (1994) Repression of transcriptional activity at a distance by the evolutionarily conserved KRAB domain present in a subfamily of zinc finger protein. *Nucl. Acids Res.*, **22**, 2908-2914.
- Perler, F., Comb, D., Jack, W., Moran, L., Qiang, B. Q., Kucera, R., Benner, J., Slatko, B., Nwankwo, D., Hempstead, K., Carlow, C. and Jannasch, H. (1992) Novel intervening sequences in an Archaea DNA polymerase gene. *Proc. Natl. Acad. Sci. USA*, **89**, 5577-5581.
- Popescu, N. C. and DiPaolo, J. A. (1990) Integration of human papillomavirus 16 DNA in genomic rearrangements in immortalized human keratinocyte lines. *Cancer Res.*, **50**, 1316-1323.
- Prives, C. and Hall, P. A. (1999) The P53 pathway. *J. Pathol.*, **187**, 112-126.
- Pschyrembel Klinisches Wörterbuch (1990) Berlin; New York; de Gruyter: pp. 600-601, 700-705
- Quelle, D. E., Zindy, F., Ashmun, R. A. and Sherr, C. J. (1995) Alternative reading frames of the INK4a tumor suppressor gene encode two unrelated proteins capable of inducing cell cycle arrest. *Cell*, **83**, 993-1000.
- Quinn, L. A., Moore, G. E., Morgan, R. T. and Woods, L. K. (1979) Cell lines from human colon carcinoma with unusual cell products, double minutes, and homogeneously staining regions. *Cancer Res.*, **39**, 4914-4924.

Raab-Traub, N. (1999) Epstein-Barr virus, lymphoproliferative diseases and nasopharyngeal carcinoma. In Parsonnet, J. (ed.) *Microbes and Malignancy: Infection as a Cause of Human Cancers*. Oxford University Press, Oxford, UK, pp. 180-206

Reisman, D. and Loging, W. T. (1998) Transcriptional regulation of the p53 tumor suppressor gene. *Semin. Cancer Biol.*, **8**, 317-324.

Renan, M. J. (1993) How many mutations are required for tumorigenesis? Implications from human cancer data. *Mol. Carcinogenesis*, **7**, 139-146.

Resnitzky, D., Gossen, M., Bujard, H. and Reed, S. I. (1994) Acceleration of the G1/S phase transition by expression of cyclins D1 and E using an inducible system. *Mol. Cell Biol.*, **14**, 1669-1679.

Reuter, S. (1995) Identifizierung eines neuen Zinkfingergens im Integrationsbereich von Papillomavirus-DNA im Genom der Zervixkarzinomzelllinie ME180 und Charakterisierung der viralen Integratstruktur. *Inaugural-Dissertation zur Erlangung der Doktorwürde. Naturwissenschaftlich-Mathematische Gesamtfakultät*. Heidelberg, Ruprecht-Karls-Universität.

Reuter, S., Bartelmann, M., Vogt, M., Geisen, C., Napierski, I., Kahn, T., Delius, H., Lichter, P., Weitz, S., Korn, B. and Schwarz, E. (1998) APM-1, a novel human gene, identified by aberrant cotranscription with papillomavirus oncogenes in a cervical carcinoma cell line, encodes a BTB/POZ-zinc finger protein with growth inhibitory activity. *EMBO J.*, **17**, 215-222.

Reuter, S., Delius, H., Kahn, T., Hofmann, B., zur Hausen, H. and Schwarz, E. (1991) Characterization of a novel human papillomavirus DNA in the cervical carcinoma cell line ME180. *J. Virol.*, **65**, 5564-5568.

Rigby, C. C. and Franks, L. M. (1970) A human tissue culture cell line from a transitional cell tumour of the urinary bladder: growth, chromosome pattern and ultrastructure. *Brit. J. Cancer*, **24**, 746-757.

Robertson, K. D. and Jones, P. A. (2000) DNA methylation: past, present and future directions. *Carcinogenesis*, **21**, 461-467.

Robertson, K. D. and Wolffe, A. P. (2000) DNA Methylation in Health and Disease. *Nature Reviews*, **1**, 11-19.

Robinson, W. S. (1999) Hepatitis B virus and hepatocellular carcinoma. In Parsonnet, J. (ed.) *Microbes and Malignancy: Infection as a Cause of Human Cancers*. Oxford University Press, Oxford, UK, pp. 223-266.

Rösl, F. and Schwarz, E. (1997) Regulation of E6 and E7 oncogene transcription. In Tommasino, M. (ed.) *Papillomaviruses in human cancer: the role of E6 and E7 oncoproteins*. Mol. Biol. Intelligence Unit, R. G. Landes Company, Austin, USA, pp. 25-70.

Sambrook, J. and Russell, D. W. (2001) *Molecular Cloning: A Laboratory Manual (Third edition)*. Cold Spring Harbor, New York, Cold Spring Harbor Laboratory Press.

Sanger, F., Nicklen, S. and Coulson, A. R. (1977) DNA-sequencing with chain-terminating inhibitors. *Proc. Natl. Acad. Sci. USA*, **74**, 5463-5467.

Sastre-Garau, X., Favre, M., Couturier, J. and Orth, G. (2000) Distinct patterns of alteration of myc genes associated with integration of human papillomavirus type 16 or type 45 DNA in two genital tumours. *J. Gen. Virol.*, **81**, 1983-1993.

Scheffner, M., Werness, B. A., Huibregtse, J. M., Levine, A. J. and Howley, P. M. (1990) The E6 oncoprotein encoded by human papillomavirus types 16 and 18 promotes the degradation of p53. *Cell*, **63**, 1129-1136.

Scheidereit, C. (1996) Transcription factors: important tools and targets for molecular medicine. *J. Mol. Med.*, **74**, 707-709.

Schwarz, E., Freese, U. K., Gissmann, L., Mayer, W., Roggenbuck, B., Strelzlau, A. and zur Hausen, H. (1985) Structure and transcription of human papillomavirus sequences in cervical carcinoma cell lines. *Nature*, **314**, 111-114.

Serrano, M., Lee, H. W., Chin, L., Cordon-Cardo, C., Beach, D. and DePinho, R. A. (1996) Role of the *INK4a* locus in tumor suppression and cell mortality. *Cell*, **85**, 27-37.

Seyfert, V. L., Allman, D., He, Y. and Staudt, L. M. (1996) Transcriptional repression by the proto-oncogene BCL-6. *Oncogene*, **12**, 2331-2342.

Smith, M. (1985) *In vitro* mutagenesis. *Ann. Rev. Genet.*, **19**, 432-462.

Somasundaram, K. and El-Deiry, W. S. (2000) Tumor suppressor p53: regulation and function. *Frontiers in Bioscience*, **5**, 424-437.

Soto, U., Das, B. C., Lengert, M., Finzer, P., zur Hausen, H. and Rösl, F. (1999) Conversion of HPV18-positive non-tumorigenic HeLa-fibroblast hybrids to invasive growth involves loss of TNF-alpha mediated repression of viral transcription and modification of the AP-1 transcription complex. *Oncogene*, **18**, 3187-3198.

Soto, U., Denk, C., Finzer, P., Hutter, K.-J., zur Hausen, H. and Rösl, F. (2000) Genetic complementation to non-tumorigenicity in cervical-carcinoma cells correlates with alterations in AP-1 composition. *Int. J. Cancer*, **86**, 811-817.

Southern, E. M. (1975) Detection of specific sequences among DNA fragments separated by gel electrophoresis. *J. Mol. Biol.*, **98**, 503-517.

Southern, P. J. and Berg, P. (1982) Transformation of mammalian cells to antibiotic resistance with a bacterial gene under the control of the SV40 early region promotor. *J. Mol. Appl. Genet.*, **1**, 327-341.

Steenbergen, R. D. M., Hermsen, M. A. J. A., Walboomers, J. M. M., Joenje, H., Arwert, F., Meijer, C. J. L. M. and Snijders, P. J. F. (1995) Integrated human papillomavirus type 16 and loss of heterozygosity at 11q22 and 18q21 in an oral carcinoma and its derivative cell line. *Cancer Res.*, **55**, 5465-5471.

Sykes, J. A., Whitescarver, J., Jernstrom, P., Nolan, J. F. and Byatt, P. (1970) Some properties of a new epithelial cell line of human origin. *J. Natl. Cancer Inst.*, **45**, 107-122.

- Tabor, S., Huber, H. E. and Richardson, C. C. (1987) *Escherichia coli* thioredoxin stabilizes complexes of bacteriophage T7 DNA polymerase and primed templates. *J. Biol. Chem.*, **262**, 16223-16232.
- Tan, M. H. (1981) Differential localization of human pancreas cancer-associated antigen and carcinoembryonic antigen in homologous pancreatic tumoral xenograft. *J. Natl. Cancer Inst.*, **67**, 563-569.
- Tom, B. H. (1976) Human colonic adenocarcinoma cells. I. Establishment and description of a new line. *In Vitro*, **12**, 180-191.
- Tommasino, M. and Jansen-Dürr, P. (1997) E7 protein. In Tommasino, M. (ed.) *Papillomaviruses in human cancer: the role of E6 and E7 oncoproteins*. Mol. Biol. Intelligence Unit, R. G. Landes Company, Austin, USA, pp. 103-136.
- Towbin, H., Staehelin, T. and Gordon, I. (1985) Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: Procedure and some applications. *Proc. Natl. Acad. Sci. USA*, **76**, 4350-4354.
- Vanden Heuvel, J. P., Tyson, F. L. and Bell, D. A. (1993) Construction of recombinant RNA templates for use as internal standards in quantitative RT-PCR. *BioTechniques*, **14**, 395-398.
- Velculescu, V. E., Zhang, L., Vogelstein, B. and Kinzler, K. W. (1995) Serial Analysis of Gene Expression. *Science*, **270**, 484-487.
- Vogelstein, B. and Kinzler, K. W. (1992) p53 function and dysfunction. *Cell*, **70**, 523-526.
- Vogt, M. (1997) Funktionen und Translationseigenschaften des neuen potentiellen Tumorsuppressor-Gens *APM-1*. *Diplomarbeit. Biologische Fakultät*. Heidelberg, Ruprecht-Karls-Universität.
- Vousden, K. (1993) Interactions of human papillomavirus transforming proteins with the products of tumor suppressor genes. *FASEB J.*, **7**, 872-879.
- Wang, A. M., Doyle, M. V. and Mark, D. F. (1989) Quantitation of mRNA by the polymerase chain reaction. *Proc. Natl. Acad. Sci. USA*, **86**, 9717-9721.
- Warnecke, P. M. and Bestor, T. H. (2000) Cytosine methylation and human cancer. *Curr. Opin. Oncol.*, **12**, 68-73.
- Weinberg, R. A. (1991) Tumor suppressor genes. *Science*, **254**, 1138-1146.
- Weinberg, R. A. (1992) The retinoblastoma gene and gene product. *Cancer Surveys*, **12**, 43-57.
- Weinberg, R. A. (1995) The retinoblastoma protein and cell cycle control. *Cell*, **81**, 323-330.
- Welte, K., Platzer, E., Lu, L., Gabrilove, J. L., Levi, E., Mertelsmann, R. and Moore, M. A. (1985) Purification and biochemical characterization of human pluripotent hematopoietic colony-stimulating factor. *Proc. Natl. Acad. Sci. USA*, **82**, 1526-1530.
- Wisdom, R. (1999) AP-1: One Switch for Many Signals. *Exp. Cell Res.*, **253**, 180-185.

- Yamamoto, M., Wakatsuki, T., Hada, A. and Ryo, A. (2001) Use of serial analysis of gene expression (SAGE) technology. *J. Immunol. Methods*, **250**, 45-66.
- Yap, E. P. H., Lo, Y.-M. D., Fleming, K. A. and McGee, J. O. D. (1994) In Griffen, H. G. and Griffen, A. M. (eds.), *PCR technology*, pp. 249-258.
- Yin, D. X. and Schimke, R. T. (1995) Bcl-2 expression delays drug-induced apoptosis but does not increase clonogenic survival after drug treatment in HeLa cells. *Cancer Res.*, **55**, 4922-4928.
- Yin, D. X., Zhu, L. and Schimke, R. T. (1996) Tetracycline controlled gene expression system achieves high-level and quantitative control of gene expression. *Anal. Biochem.*, **235**, 195-201.
- Yin, Y., Tainsky, M. A., Bischoff, F. Z., Strong, L. C. and Wahl, G. M. (1992) Wild-type p53 restores cell cycle control and inhibits gene amplification in cells with mutant p53 alleles. *Cell*, **70**, 937-948.
- Yoshida, M. (1999) Human C-type oncoviruses and T-cell leukemia/lymphoma. In Parsonnet, J. (ed.) *Microbes and Malignancy: Infection as a Cause of Human Cancers*. Oxford University Press, Oxford, UK, pp. 289-309.
- Yu, J., Zhang, L., Hwang, P. M., Rago, C., Kinzler, K. W. and Vogelstein, B. (1999) Identification and classification of p53-regulated genes. *Proc. Natl. Acad. Sci. USA*, **96**, 14517-14522.
- Zhang, L., Zhou, W., Velculescu, V. E., Kern, S. E., Hruban, R. H., Hamilton, S. R., Vogelstein, B. and Kinzler, K. W. (1997) Gene Expression Profiles in Normal and Cancer Cells. *Science*, **276**, 1268-1272.
- Zhou, C., Yang, Y. and Jong, A. Y. (1990) Mini-Prep in Ten Minutes. *BioTechniques*, **8**, 172-173.
- Zollman, S., Godt, D., Privé, G. G., Couderc, J.-L. and Laski, F. A. (1994) The BTB domain, found primarily in zinc finger proteins, defines an evolutionarily conserved family that includes several developmentally regulated genes in *Drosophila*. *Proc. Natl. Acad. Sci. USA*, **91**, 10717-10721.
- zur Hausen, H. (1996) Papillomavirus infections - a major cause of human cancers. *Biochim. Biophys. Acta Rev. Cancer*, **1228**, F55-F78.
- zur Hausen, H. (1997) Human papillomaviruses and cancer: a retrospective. In Tommasino, M. (ed.) *Papillomaviruses in human cancer: the role of E6 and E7 oncoproteins*. Mol. Biol. Intelligence Unit, R. G. Landes Company, Austin, USA, pp. 1-24.
- zur Hausen, H. (1999) Viral oncogenesis. In Parsonnet, J. (ed.) *Microbes and Malignancy: Infection as a Cause of Human Cancers*. Oxford University Press, Oxford, UK, pp. 107-130.
- zur Hausen, H. (2000) Papillomaviruses Causing Cancer: Evasion From Host-Cell Control in Early Events in Carcinogenesis. *J. Natl. Cancer Inst.*, **92**, 690-698.

6. Abkürzungen

5Aza2dC	5-Aza-2'-desoxycytidin
APM	„affected by papillomavirus DNA integration in <u>ME180</u> cells“
BTB	<u>B</u> road Complex- <u>t</u> ramtrack- <u>b</u> ric à brac
CFA	„Colony Formation Assay“
<i>E. coli</i>	<i>Escherichia coli</i>
hCMV	humane Cytomegalovirus
HNO	Hals-Nasen-Ohren
HPV	Humanes Papillomvirus
hsp	„heat shock protein“
LOH	„loss of heterozygosity“
ORF	„open reading frame“
RT-PCR	Reverse Transkription-„Polymerase Chain Reaction“
rtTA	<u>r</u> everse <u>T</u> etrazyklin-kontrollierter <u>T</u> ransaktivator
SV40	simian virus 40
T	Tera
TPA	12- <i>O</i> -Tetradecanoyl-13-phorbolacetat
U	„unit“ (Einheit) Enzymaktivität
UTR	Untranslatierte Region
ZF	Zinkfinger

7. Anhang

In den folgenden Tabellen ist die vollständige Auswertung der Analysen mit den „Atlas™ Human Cancer 1.2 Arrays“ (Cat.# 7851-1) der Firma Clontech gezeigt. Zusammengestellt wurde jeweils der Vergleich des nicht-induzierbaren HeLa Tet-On-Zellklons II F1 als Kontrolle mit den Zelllinien HeLa transfiziert mit pSG5-APM-1 (Tabelle 1), LX-1 (Tabelle 2), CX-2 (Tabelle 3), Capan-2 (Tabelle 4) und dem HeLa Tet-On-Zellklon I B1 (Tabelle 5). Gene, bei denen eine Veränderung des Expressionsmusters im Vergleich zur Kontrolle beobachtet wurde, sind mit Name, Array-Koordinate und Gruppenzugehörigkeit laut Hersteller-Angaben aufgeführt. Der Befund einer Erhöhung der Signalintensität ist durch einen senkrechten Pfeil nach oben (↑), der Befund einer Reduktion der Signalintensität durch einen Pfeil nach unten (↓) angedeutet.

Die komplette Liste der Gene, die durch die cDNA-Fragmente des „Atlas™ Human Cancer 1.2-Arrays“ repräsentiert werden, ist unter der Internet-Adresse „<http://atlasinfo.clontech.com/atlasinfo/AtlasInfo2/dynamicScripts/cDNAList.ssc?listClontechArrayUid=19&listClontechCatNo=7851-1>“ einsehbar.

Tabelle 1: Vergleich HeLa+pSG5-APM-1 mit HeLa Tet-On II F1

Gen	Array Koordinate	Gruppe	Befund
nucleoside diphosphate kinase B (NDP kinase B; NDKB); expressed in non-metastatic cells 2 protein (NME2); myc purine-binding transcription factor (PUF); NM23B	A09b	Oncogenes & Tumor Suppressors Apoptosis-Associated Proteins Transcription Activators & Repressors	↑
nucleoside diphosphate kinase A (NDKA); NDP kinase A; tumor metastatic process-associated protein; metastasis inhibition factor NM23 (NM23-H1)	A10b	Oncogenes & Tumor Suppressors Apoptosis-Associated Proteins Transcription Activators & Repressors	↑
ras homolog gene family member A (RHOA; ARHA); aplysia ras-related homolog 12 (ARH12; RHOH12)	A13e	Oncogenes & Tumor Suppressors G Proteins	↑
fibroblast adenine nucleotide translocator 2 (ANT2)	B02a	Symporters & Antiporters Energy Metabolism	↑
B-cell receptor-associated protein (hBAP)	B04n	Other Intracellular Transducers, Effectors & Modulators	↑
STE20-like kinase 3; MST3	B05e	Intracellular Kinase Network Members	↑
placental calcium-binding protein; calvasculin; S100 calcium-binding protein A4; MTS1 protein	B07l	Calcium-Binding Proteins	↑
RHO GDP-dissociation inhibitor 1 (RHO-GDI 1); RHO-GDI alpha (GDIA1); ARHGDIA	B14j	GTP/GDP Exchangers & GTPase Activity Modulators	↑
tumor necrosis factor type 1 receptor-associated protein (TRAP1)	C04b	Death Receptor-Associated Proteins & Adaptors	↑
growth arrest & DNA damage-inducible protein 153 (GADD153); DNA damage-inducible transcript 3 (DDIT3); C/EBP homologous protein (CHOP)	C05d	Other Apoptosis-Associated Proteins	↓

Tabelle 1: Vergleich HeLa+pSG5-APM-1 mit HeLa Tet-On II F1 (Fortsetzung)

Gen	Array Koord inate	Gruppe	Befu nd
cadherin 5 (CDH5); vascular endothelial cadherin (VE-cadherin); 7B4 antigen	D02d	Cell-Cell Adhesion Receptors	↑
paxillin (PXN)	D08f	Matrix Adhesion Receptors	↑
alpha1 catenin (CTNNA1); cadherin-associated protein	D09d	Matrix Adhesion Receptors	↑
glutathione-S-transferase-like protein (GSTTLP28); glutathione transferase omega (GSTO1)	D09m	Other Stress Response Proteins Apoptosis-Associated Proteins DNA Synthesis, Recombination & Repair Proteins Metabolism of Cofactors, Vitamins & Related Substances	↑
70-kDa heat shock protein 5 (HSPA5); 78-kDa glucose-regulated protein (GRP78); immunoglobulin heavy chain binding protein (BIP)	E02n	Other Immune System Proteins	↓
ubiquitin-conjugating enzyme E2 32-kDa complementing protein; ubiquitin-protein ligase; ubiquitin carrier protein; CDC34	E08l	Other Enzymes involved in Protein Turnover	↑
prostate differentiation factor (PDF); macrophage inhibitory cytokine 1 (MIC1); growth differentiation factor 15 (GDF15)	E09e	Growth Factors, Cytokines & Chemokines	↑
protease inhibitor 7 (PI7); glia-derived nexin; protease nexin I (PN1); glia-derived neurite-promoting factor (GDNPF)	E13j	Cell Signaling & Extracellular Communication Proteins Protease Inhibitors	↑
60S ribosomal protein L10 (RPL10); tumor suppressor QM	F01k	Ribosomal Proteins	↑
40S ribosomal protein S5 (RPS5)	F02k	Ribosomal Proteins	↑
thioredoxin reductase	F11d	Nucleotide Metabolism Stress Response Proteins	↑
ubiquitin C (UBC)	G11	Housekeeping Genes Other Stress Response Proteins Protein Turnover	↑

Tabelle 2: Vergleich LX-1 mit HeLa Tet-On II F1

Gen	Array Koord inate	Gruppe	Befu nd
nucleoside diphosphate kinase A (NDKA); NDP kinase A; tumor metastatic process-associated protein; metastasis inhibition factor NM23 (NM23-H1)	A10b	Oncogenes & Tumor Suppressors Apoptosis-Associated Proteins Transcription Activators & Repressors	↓
fibroblast adenine nucleotide translocator 2 (ANT2)	B02a	Syporters & Antiporters Energy Metabolism	↓
Hint protein; protein kinase C inhibitor 1 (PKCI1)	B02m	Kinase Activators & Inhibitors	↓
placental calcium-binding protein; calvasculin; S100 calcium-binding protein A4; MTS1 protein	B07l	Calcium-Binding Proteins	↑
PTP-CAAX1 nuclear tyrosine phosphatase (PRL-1)	B08h	Intracellular Protein Phosphatases Cell Cycle-Related Proteins	↓
tumor necrosis factor type 1 receptor-associated protein (TRAP1)	C04b	Death Receptor-Associated Proteins & Adaptors	↓
growth arrest & DNA damage-inducible protein 153 (GADD153); DNA damage-inducible transcript 3 (DDIT3); C/EBP homologous protein (CHOP)	C05d	Other Apoptosis-Associated Proteins	↓

Tabelle 2: Vergleich LX-1 mit HeLa Tet-On II F1 (Fortsetzung)

Gen	Array Koord inate	Gruppe	Befu nd
sentrin; ubiquitin-like protein SMT3C; ubiquitin-homology domain protein PIC1; UBL1; SUMO-1; GAP modifying protein 1; GMP1	C06d	Other Apoptosis-Associated Proteins Other Enzymes involved in Protein Turnover	↓
TIS11B protein; butyrate response factor 1 (BRF1); EGF response factor 1 (ERF1)	C12i	Transcription Activators & Repressors	↑
cadherin 5 (CDH5); vascular endothelial cadherin (VE-cadherin); 7B4 antigen	D02d	Cell-Cell Adhesion Receptors	↑
integrin beta 4 (ITGB4)	D06e	Cell-Cell Adhesion Receptors	↑
high mobility group protein isoforms I & Y (HMGIY)	D08a	Chromatin Proteins	↑
alpha1 catenin (CTNNA1); cadherin-associated protein	D09d	Matrix Adhesion Receptors	↑
CD9 antigen; leukocyte antigen MIC3	E02i	Other Extracellular Communication Proteins Cell Surface Antigens	↑
MHC class I truncated HLA-G lymphocyte antigen; HLA class I histocompatibility antigen AW-80(A-1) alpha chain; MHC class I antigen HLA-B; HLA-C	E02m	Major Histocompatibility Complex Proteins	↑
70-kDa heat shock protein 5 (HSPA5); 78-kDa glucose-regulated protein (GRP78); immunoglobulin heavy chain binding protein (BIP)	E02n	Other Immune System Proteins	↓
interleukin 1 beta (IL1-beta ; IL1B); catabolin	E07f	Interleukins & Interferons	↑
ubiquitin-conjugating enzyme E2 32-kDa complementing protein; ubiquitin-protein ligase; ubiquitin carrier protein; CDC34	E08l	Other Enzymes involved in Protein Turnover	↑
prostate differentiation factor (PDF); macrophage inhibitory cytokine 1 (MIC1); growth differentiation factor 15 (GDF15)	E09e	Growth Factors, Cytokines & Chemokines	↑
60S ribosomal protein L10 (RPL10); tumor suppressor QM	F01k	Ribosomal Proteins	↑
40S ribosomal protein S5 (RPS5)	F02k	Ribosomal Proteins	↑
type II cytoskeletal 8 keratin (KRT8); cytokeratin 8 (CK8)	F03g	Intermediate Filament Proteins	↑
vimentin (VIM)	F04g	Intermediate Filament Proteins	↓
polyhomeotic 2 homolog (HPH2)	F04m	Functionally Unclassified Proteins	↑
L-lactate dehydrogenase H subunit (LDHB)	F06d	Simple Carbohydrate Metabolism	↓
early growth response alpha (EGR alpha)	F06n	Functionally Unclassified Proteins	↑
keratin 18 (KRT18; KT18)	F08f	Intermediate Filament Proteins	↑
keratin 19 (KRT19; KT19)	F09f	Intermediate Filament Proteins	↑
major histocompatibility complex class I C (HLAC)	G31	Housekeeping Genes	↑

Tabelle 3: Vergleich CX-2 mit HeLa Tet-On II F1

Gen	Array Koord inate	Gruppe	Befu nd
ezrin; cytovillin 2; villin 2 (VIL2)	A03b	Oncogenes & Tumor Suppressors Intracellular Transducers, Effectors & Modulators	↑
c-myc-binding protein MM-1; prefoldin 5 (PFDN5; PFD5)	A03g	Oncogenes & Tumor Suppressors Other Transcription Proteins	↑
cell division protein kinase 6 (CDK6); serine/threonine protein kinase PLSTIRE	A05j	Cell Cycle-Regulating Kinases Intracellular Kinase Network Members	↑
matrix metalloproteinase 11 (MMP11); stromelysin 3	A10f	Oncogenes & Tumor Suppressors Metalloproteinases	↓

Tabelle 3: Vergleich CX-2 mit HeLa Tet-On II F1 (Fortsetzung)

Gen	Array Koordinate	Gruppe	Befunden
ras homolog gene family member A (RHOA; ARHA); aplysia ras-related homolog 12 (ARH12; RHOH12)	A13e	Oncogenes & Tumor Suppressors G Proteins	↑
erbB3 proto-oncogene; HER3	A14d	Oncogenes & Tumor Suppressors Intracellular Transducers, Effectors & Modulators Growth Factor & Chemokine Receptors Protein Kinase Receptors	↓
linker for activation of T-cells (LAT)	B01m	Kinase Activators & Inhibitors Cell Cycle-Related Proteins	↑
stratifin (SFN); 14-3-3 protein sigma; epithelial cell marker protein 1; HME1	B03m	Kinase Activators & Inhibitors Oncogenes & Tumor Suppressors	↑
B-cell receptor-associated protein (hBAP)	B04n	Other Intracellular Transducers, Effectors & Modulators	↑
PTPCAAX1 nuclear tyrosine phosphatase (PRL-1)	B08h	Intracellular Protein Phosphatases Cell Cycle-Related Proteins	↓
growth arrest & DNA damage-inducible protein 153 (GADD153); DNA damage-inducible transcript 3 (DDIT3); C/EBP homologous protein (CHOP)	C05d	Other Apoptosis-Associated Proteins	↓
TIS11B protein; butyrate response factor 1 (BRF1); EGF response factor 1 (ERF1)	C12i	Transcription Activators & Repressors	↑
early growth response protein 1 (EGR1); transcription factor ETR103; KROX24; zinc finger protein 225 (ZNF225); AT225	C12j	Transcription Activators & Repressors	↑
proliferating cyclic nuclear antigen (PCNA); cyclin	C13e	DNA Polymerases, Replication Factors & Topoisomerases	↑
cadherin 5 (CDH5); vascular endothelial cadherin (VE-cadherin); 7B4 antigen	D02d	Cell-Cell Adhesion Receptors	↑
integrin beta 4 (ITGB4)	D06e	Cell-Cell Adhesion Receptors	↑
high mobility group protein isoforms I & Y (HMGIY)	D08a	Chromatin Proteins	↑
integrin alpha 7B (IGA7B)	D08e	Cell-Cell Adhesion Receptors	↑
paxillin (PXN)	D08f	Matrix Adhesion Receptors	↑
alpha1 catenin (CTNNA1); cadherin-associated protein	D09d	Matrix Adhesion Receptors	↑
glutathione-S-transferase-like protein (GSTTLP28); glutathione transferase omega (GSTO1)	D09m	Other Stress Response Proteins Apoptosis-Associated Proteins DNA Synthesis, Recombination & Repair Proteins Metabolism of Cofactors, Vitamins & Related Substances	↑
ephrin-B2; EPH-related receptor tyrosine kinase ligand 5 (LERK-5); HTK ligand (HTK-L)	E01h	Intracellular Transducers, Effectors & Modulators Other Extracellular Communication Proteins	↑
CD9 antigen; leukocyte antigen MIC3	E02i	Other Extracellular Communication Proteins Cell Surface Antigens	↑
70-kDa heat shock protein 5 (HSPA5); 78-kDa glucose-regulated protein (GRP78); immunoglobulin heavy chain binding protein (BIP)	E02n	Other Immune System Proteins	↓
PDGF-associated protein	E04i	Other Extracellular Communication Proteins Apoptosis-Associated Proteins	↑
platelet-derived growth factor A subunit (PDGFA; PDGF1)	E08c	Growth Factors, Cytokines & Chemokines	↑

Tabelle 3: Vergleich CX-2 mit HeLa Tet-On II F1 (Fortsetzung)

Gen	Array Koordinat e	Gruppe	Befund
Kunitz-type serine protease inhibitor 2 (SPINT2); placental bikinin; hepatocyte growth factor activator inhibitor 2 (HAI2)	E08k	Protease Inhibitors	↑
prostate differentiation factor (PDF); macrophage inhibitory cytokine 1 (MIC1); growth differentiation factor 15 (GDF15)	E09e	Growth Factors, Cytokines & Chemokines	↑
fibroblast growth factor 8 (FGF8); androgen-induced growth factor (AIGF); HBGF8	E14d	Growth Factors, Cytokines & Chemokines	↑
40S ribosomal protein S5 (RPS5)	F02k	Ribosomal Proteins	↑
type II cytoskeletal 8 keratin (KRT8); cytokeratin 8 (CK8)	F03g	Intermediate Filament Proteins	↑
vimentin (VIM)	F04g	Intermediate Filament Proteins	↓
60S ribosomal protein L5 (RPL5)	F04k	Ribosomal Proteins	↑
keratin 18 (KRT18; KT18)	F08f	Intermediate Filament Proteins	↑
keratin 19 (KRT19; KT19)	F09f	Intermediate Filament Proteins	↑
inosine-5'-monophosphate dehydrogenase 2 (IMP dehydrogenase 2; IMPD2)	F10c	Nucleotide Metabolism	↑
bifunctional purine biosynthesis protein	F12c	Nucleotide Metabolism	↑
BIGH3	F14e	Microfilament Proteins	↑

Tabelle 4: Vergleich Capan-2 mit HeLa Tet-On II F1

Gen	Array Koordinat e	Gruppe	Befund
interferon-inducible protein 9-27	A01h	Oncogenes & Tumor Suppressors Cell Cycle-Related Proteins Intracellular Transducers, Effectors & Modulators	↑
ezrin; cytovillin 2; villin 2 (VIL2)	A03b	Oncogenes & Tumor Suppressors Intracellular Transducers, Effectors & Modulators	↑
myc proto-oncogene	A03c	Oncogenes & Tumor Suppressors Transcription Activators & Repressors Intracellular Transducers, Effectors & Modulators Apoptosis-Associated Proteins	↑
c-myc-binding protein MM-1; prefoldin 5 (PFDN5; PFD5)	A03g	Oncogenes & Tumor Suppressors Other Transcription Proteins	↑
cell division protein kinase 6 (CDK6); serine/threonine protein kinase PLSTIRE	A05j	Cell Cycle-Regulating Kinases Intracellular Kinase Network Members	↑
G1/S-specific cyclin D1 (CCND1); cyclin parathyroid adenomatosis 1 (PRAD1); bcl-1 oncogene	A06i	Cyclins	↑
met proto-oncogene; hepatocyte growth factor receptor (HGF receptor; HGFR)	A10d	Oncogenes & Tumor Suppressors Intracellular Transducers, Effectors & Modulators Growth Factor & Chemokine Receptors Protein Kinase Receptors	↑
matrix metalloproteinase 11 (MMP11); stromelysin 3	A10f	Oncogenes & Tumor Suppressors Metalloproteinases	↓

Tabelle 4: Vergleich Capan-2 mit HeLa Tet-On II F1 (Fortsetzung)

Gen	Array Koordinate	Gruppe	Befunden
cyclin-dependent kinase regulatory subunit 1 (CKS1)	A10k	Cell Cycle-Regulating Kinases Intracellular Kinase Network Members	↑
FOS-related antigen 1 (FRA1); FOS-like antigen 1 (FOSL1)	A13c	Oncogenes & Tumor Suppressors Transcription Activators & Repressors Intracellular Transducers, Effectors & Modulators	↑
ras homolog gene family member A (RHOA; ARHA); aplysia ras-related homolog 12 (ARH12; RHOH12)	A13e	Oncogenes & Tumor Suppressors G Proteins	↑
erbB3 proto-oncogene; HER3	A14d	Oncogenes & Tumor Suppressors Intracellular Transducers, Effectors & Modulators Growth Factor & Chemokine Receptors Protein Kinase Receptors	↓
stratifin (SFN); 14-3-3 protein sigma; epithelial cell marker protein 1; HME1	B03m	Kinase Activators & Inhibitors Oncogenes & Tumor Suppressors	↑
B-cell receptor-associated protein (hBAP)	B04n	Other Intracellular Transducers, Effectors & Modulators	↑
calmodulin (CALM; CAM)	B05l	Calcium-Binding Proteins	↑
RHO-associated coiled-coil containing protein kinase (p160ROCK)	B07e	Intracellular Kinase Network Members	↑
placental calcium-binding protein; calvasculin; S100 calcium-binding protein A4; MTS1 protein	B07l	Calcium-Binding Proteins	↓
PTPCAAX1 nuclear tyrosine phosphatase (PRL-1)	B08h	Intracellular Protein Phosphatases Cell Cycle-Related Proteins	↓
RHO GDP-dissociation inhibitor 1 (RHO-GDI 1); RHO-GDI alpha (GDIA1); ARHGDIA	B14j	GTP/GDP Exchangers & GTPase Activity Modulators	↑
growth arrest & DNA damage-inducible protein 153 (GADD153); DNA damage-inducible transcript 3 (DDIT3); C/EBP homologous protein (CHOP)	C05d	Other Apoptosis-Associated Proteins	↓
TIS11B protein; butyrate response factor 1 (BRF1); EGF response factor 1 (ERF1)	C12i	Transcription Activators & Repressors	↑
proliferating cyclic nuclear antigen (PCNA); cyclin	C13e	DNA Polymerases, Replication Factors & Topoisomerases	↑
integrin beta 4 (ITGB4)	D06e	Cell-Cell Adhesion Receptors	↑
alpha1 catenin (CTNNA1); cadherin-associated protein	D09d	Matrix Adhesion Receptors	↑
glutathione-S-transferase-like protein (GSTTLP28); glutathione transferase omega (GSTO1)	D09m	Other Stress Response Proteins Apoptosis-Associated Proteins DNA Synthesis, Recombination & Repair Proteins Metabolism of Cofactors, Vitamins & Related Substances	↑
CD9 antigen; leukocyte antigen MIC3	E02i	Other Extracellular Communication Proteins Cell Surface Antigens	↑
MHC class I truncated HLA-G lymphocyte antigen; HLA class I histocompatibility antigen AW-80(A-1) alpha chain; MHC class I antigen HLA-B; HLA-C	E02m	Major Histocompatibility Complex Proteins	↑
70-kDa heat shock protein 5 (HSPA5); 78-kDa glucose-regulated protein (GRP78); immunoglobulin heavy chain binding protein (BIP)	E02n	Other Immune System Proteins	↓
cathepsin D (CTSD)	E03j	Aspartic Proteases	↑

Tabelle 4: Vergleich Capan-2 mit HeLa Tet-On II F1 (Fortsetzung)

Gen	Array Koordinat e	Gruppe	Befund
leukocyte elastase inhibitor (LEI); monocyte/neutrophil elastase inhibitor (EI)	E06j	Protease Inhibitors	↑
interleukin 1 beta (IL1-beta ; IL1B); catabolin	E07f	Interleukins & Interferons	↑
HLA-DR antigen-associated invariant subunit	E07m	Major Histocompatibility Complex Proteins	↑
matrix metalloproteinase 7 (MMP7); matrilysin	E08i	Metalloproteinases	↑
Kunitz-type serine protease inhibitor 2 (SPINT2); placental bikinin; hepatocyte growth factor activator inhibitor 2 (HAI2)	E08k	Protease Inhibitors	↑
ubiquitin-conjugating enzyme E2 32-kDa complementing protein; ubiquitin-protein ligase; ubiquitin carrier protein; CDC34	E08l	Other Enzymes Involved in Protein Turnover	↑
CD59 glycoprotein; membrane attack complex inhibition factor (MACIF); MAC inhibitory protein (MACIP); MEM43 antigen; protectin; membrane inhibitor of reactive lysis (MIRL); HRF20; 1F5 antigen	E11l	Immune System Proteins Cell Surface Antigens	↑
tissue-type plasminogen activator (T-plasminogen activator; TPA)	E13k	Serine Proteases	↑
keratin 7 (KRT7; KT7)	F02g	Intermediate Filament Proteins	↑
40S ribosomal protein S5 (RPS5)	F02k	Ribosomal Proteins	↑
type II cytoskeletal 8 keratin (KRT8); cytokeratin 8 (CK8)	F03g	Intermediate Filament Proteins	↑
vimentin (VIM)	F04g	Intermediate Filament Proteins	↓
neutrophil gelatinase-associated lipocalin (NGAL); 25-kDa alpha-2-microglobulin-related subunit of MMP9; lipocalin 2; oncogene 24P3	F04i	Other Trafficking & Targeting Proteins Oncogenes & Tumor Suppressors	↑
60S ribosomal protein L5 (RPL5)	F04k	Ribosomal Proteins	↑
L-lactate dehydrogenase H subunit (LDHB)	F06d	Simple Carbohydrate Metabolism	↓
keratin 18 (KRT18; KT18)	F08f	Intermediate Filament Proteins	↑
keratin 19 (KRT19; KT19)	F09f	Intermediate Filament Proteins	↑
inosine-5'-monophosphate dehydrogenase 2 (IMP dehydrogenase 2; IMPD2)	F10c	Nucleotide Metabolism	↑
elongation factor 1 alpha (EF1-alpha; EF1A)	F12j	Translation Factors	↑
BIGH3	F14e	Microfilament Proteins	↑
40S ribosomal protein S16 (RPS16)	F14j	Ribosomal Proteins	↑

Tabelle 5: Vergleich HeLa Tet-On I B1 mit HeLa Tet-On II F1

Gen	Array Koordinat e	Gruppe	Befund
nucleoside diphosphate kinase B (NDP kinase B; NDKB); expressed in non-metastatic cells 2 protein (NME2); myc purine-binding transcription factor (PUF); NM23B	A09b	Oncogenes & Tumor Suppressors Apoptosis-Associated Proteins Transcription Activators & Repressors	↑
nucleoside diphosphate kinase A (NDKA); NDP kinase A; tumor metastatic process-associated protein; metastasis inhibition factor NM23 (NM23-H1)	A10b	Oncogenes & Tumor Suppressors Apoptosis-Associated Proteins Transcription Activators & Repressors	↑
matrix metalloproteinase 11 (MMP11); stromelysin 3	A10f	Oncogenes & Tumor Suppressors Metalloproteinases	↑
ras homolog gene family member A (RHOA; ARHA); aplysia ras-related homolog 12 (ARH12; RHOH12)	A13e	Oncogenes & Tumor Suppressors G Proteins	↑

Tabelle 5: Vergleich HeLa Tet-On I B1 mit HeLa Tet-On II F1 (Fortsetzung)

Gen	Array Koord inate	Gruppe	Befund
erbB3 proto-oncogene; HER3	A14d	Oncogenes & Tumor Suppressors Intracellular Transducers, Effectors & Modulators Growth Factor & Chemokine Receptors Protein Kinase Receptors	↓
fibroblast adenine nucleotide translocator 2 (ANT2)	B02a	Syporters & Antiporters Energy Metabolism	↑
hint protein; protein kinase C inhibitor 1 (PKCI1)	B02m	Kinase Activators & Inhibitors	↑
placental calcium-binding protein; calvasculin; S100 calcium-binding protein A4; MTS1 protein	B07l	Calcium-Binding Proteins	↑
PTP-CAAX1 nuclear tyrosine phosphatase (PRL-1)	B08h	Intracellular Protein Phosphatases Cell Cycle-Related Proteins	↑
growth arrest & DNA damage-inducible protein 153 (GADD153); DNA damage-inducible transcript 3 (DDIT3); C/EBP homologous protein (CHOP)	C05d	Other Apoptosis-Associated Proteins	↑
cadherin 5 (CDH5); vascular endothelial cadherin (VE-cadherin); 7B4 antigen	D02d	Cell-Cell Adhesion Receptors	↑
high mobility group protein isoforms I & Y (HMGIY)	D08a	Chromatin Proteins	↑
alpha1 catenin (CTNNA1); cadherin-associated protein	D09d	Matrix Adhesion Receptors	↑
glutathione-S-transferase-like protein (GSTTLP28); glutathione transferase omega (GSTO1)	D09m	Other Stress Response Proteins Apoptosis-Associated Proteins DNA Synthesis, Recombination & Repair Proteins Metabolism of Cofactors, Vitamins & Related Substances	↑
70-kDa heat shock protein 5 (HSPA5); 78-kDa glucose-regulated protein (GRP78); immunoglobulin heavy chain binding protein (BIP)	E02n	Other Immune System Proteins	↑
macrophage migration inhibitory factor (MIF); glycosylation-inhibiting factor (GIF)	E07h	Other Extracellular Communication Proteins Apoptosis-Associated Proteins	↑
prostate differentiation factor (PDF); macrophage inhibitory cytokine 1 (MIC1); growth differentiation factor 15 (GDF15)	E09e	Growth Factors, Cytokines & Chemokines	↑
tissue inhibitor of metalloproteinase 1 (TIMP1); erythroid potentiating activity protein (EPA); collagenase inhibitor (CLGI)	E10j	Protease Inhibitors	↑
fibroblast growth factor 8 (FGF8); androgen-induced growth factor (AIGF); HBGF8	E14d	Growth Factors, Cytokines & Chemokines	↑
fibroblast growth factor 7 (FGF7); keratinocyte growth factor (KGF)	E14b	Growth Factors, Cytokines & Chemokines	↑
keratin 7 (KRT7; KT7)	F02g	Intermediate Filament Proteins	↑
40S ribosomal protein S5 (RPS5)	F02k	Ribosomal Proteins	↑
heterogeneous nuclear ribonucleoprotein K (HNRNPK); dC-stretch-binding protein (CSBP); transformation-upregulated nuclear protein	F07i	mRNA Processing, Turnover & Transport Proteins	↑
ribosomal protein S21 (RPS21)	F11k	Ribosomal Proteins	↑
elongation factor 1 alpha (EF1-alpha; EF1A)	F12j	Translation Factors	↑
glycyl tRNA synthetase (GLYRS; GARS)	F13k	Other Proteins Involved in Translation tRNA Processing, Turnover & Transport Proteins	↑
40S ribosomal protein S16 (RPS16)	F14j	Ribosomal Proteins	↑