

6. Anhang

6.1 Abbildungsverzeichnis

Abb. 1.1:	Schematische Darstellung eines Neurons und dessen Kompartimentierung.....	3
Abb. 1.2:	Verwandtschaftsverhältnisse der Lymphozyten.....	7
Abb. 1.3:	Aktivierung von T-Zellen.....	9
Abb. 1.4:	Wege der Aktivierung des Komplementsystems.....	10
Abb. 1.5:	Schematische Darstellung des Mannose-Rezeptors.....	17
Abb. 2.1:	<i>C. albicans</i> in Mikroglia-Zellen.....	64
Abb. 3.1:	Proliferation von Mikroglia nach Stimulation mit IFN- γ	68
Abb. 3.2:	Proliferation von Mikroglia nach Stimulation mit IL4 (0-500 U/ml).....	70
Abb. 3.3:	Proliferation von Mikroglia nach Stimulation mit IL4 (0-100 U/ml).....	71
Abb. 3.4:	Western-Blot Analyse der Mannose-Rezeptor Expression nach IFN γ -Stimulation.....	73
Abb. 3.5:	Expression des Mannose-Rezeptors nach Stimulation mit INF- γ	73
Abb. 3.6:	Western-Blot Analyse der Mannose-Rezeptor Expression nach IL-4-Stimulation.....	74
Abb. 3.7:	Mannose-Rezeptor Expression nach Stimulation mit IL4.....	75
Abb. 3.8:	Titration von mAlbumin-FITC.....	81
Abb. 3.9:	mAlbumin-FITC Aufnahme über den Mannose-Rezeptor bei verschiedenen Liganden-Konzentrationen.....	82
Abb. 3.10:	FACS-Analyse CD45.....	83
Abb. 3.11:	Gesamte mAlbumin-FITC Aufnahme in Mikroglia-Zellen (Konzentration)....	85
Abb. 3.12:	Gesamte mAlbumin-FITC Aufnahme in Mikroglia-Zellen (Zeit).....	86
Abb. 3.13:	Nicht inhibierbare mAlbumin-FITC Aufnahme in Mikroglia-Zellen (Konzentration).....	87
Abb. 3.14:	Nicht inhibierbare mAlbumin-FITC Aufnahme in Mikroglia-Zellen (Zeit)....	88
Abb. 3.15:	mAlbumin-FITC Aufnahme über den Mannose-Rezeptor (Konzentration)....	89
Abb. 3.16:	mAlbumin-FITC Aufnahme über den Mannose-Rezeptor (Zeit).....	90
Abb. 3.17:	Gesamte mAlbumin-FITC Aufnahme in Mikroglia-Zellen (Konzentration)....	92
Abb. 3.18:	Gesamte mAlbumin-FITC Aufnahme in Mikroglia-Zellen (Zeit).....	93

Abb. 3.19:	Nicht inhibierbare mAlbumin-FITC Aufnahme in Mikroglia-Zellen (Konzentration).....	95
Abb. 3.20:	Nicht inhibierbare mAlbumin-FITC Aufnahme in Mikroglia-Zellen (Zeit).....	96
Abb. 3.21:	mAlbumin-FITC Aufnahme über den Mannose-Rezeptor (Konzentration).....	97
Abb. 3.22:	mAlbumin-FITC Aufnahme über den Mannose-Rezeptor (Zeit).....	98
Abb. 3.23:	Kinetik der Aufnahme von <i>C. albicans</i> in Mikroglia-Zellen.....	100
Abb. 3.24:	Kinetik der Aufnahme von <i>C. albicans</i> in Mikroglia-Zellen.....	101
Abb. 3.25:	Phagozytose von <i>C. albicans</i> nach Zugabe verschiedener Mannan- Konzentrationen.....	103
Abb. 3.26:	Kinetik der Aufnahme von <i>C. albicans</i> mit Inhibitoren des Mannose- bzw. β -Glucan-Rezeptors.....	105
Abb. 3.27:	Kinetik der Aufnahme von <i>C. albicans</i> in Mikroglia-Zellen mit und ohne Inhibition durch Mannan.....	106
Abb. 3.28:	Prozentualer Anteil der über den Mannose-Rezeptor vermittelten Aufnahme von <i>C.</i> <i>albicans</i> in Mikroglia-Zellen.....	107
Abb. 3.29:	Verteilung der Hefen in Mikroglia-Zellen.....	107
Abb. 3.30:	Elektronen-mikroskopische Aufnahme von Mikroglia-Zellen mit <i>C. albicans</i>	108
Abb. 3.31:	Aufnahme von <i>C. albicans</i> in Mikroglia-Zellen nach INF- γ Stimulation.....	109
Abb. 3.32:	Aufnahme von <i>C. albicans</i> in Mikroglia-Zellen nach IL4 Stimulation.....	111
Abb. 3.33:	Analyse der MHC II-Expression in Mikroglia-Zellen.....	113
Abb. 3.34:	Schnittkulturen.....	115
Abb. 3.35:	Immunfärbung von Gehirn-Schnittkulturen.....	116
Tab. 1.1:	Einige der bisher bekannten Aufgaben der Glia-Zellen.....	4
Tab. 1.2:	Einige Zytokine vom Typ-1 und Typ-2.....	13
Tab. 1.3:	Pathogene, die vom Mannose-Rezeptor gebunden werden können.....	20
Tab. 2.1:	Primärantikörper.....	35
Tab. 2.2:	Sekundärantikörper.....	35
Tab. 2.3:	Volumina für HRP-Assay.....	54
Tab. 3.1:	Effekt von IFN- γ und IL-4 auf die Proliferation von Mikroglia-Zellen.....	71

Tab. 3.2:	Auswirkung der Stimulation mit IL-4 auf die Expression des Mannose-Rezeptors in Mikroglia-Zellen.....	76
Tab. 3.3:	Effekt von IFN- γ und IL-4 auf die Expression des Mannose-Rezeptors in Mikroglia-Zellen.....	76
Tab. 3.4:	Einfluss der Stimulation mit IFN- γ auf die Endozytose in Mikroglia-Zellen.....	91
Tab. 3.5:	Effekt der Stimulation mit IL-4 auf die Endozytose in Mikroglia-Zellen.....	99
Tab. 3.6:	Effekt von IFN- γ auf die Phagozytose von <i>C. albicans</i> in Mikroglia-Zellen.....	110
Tab. 3.7:	Effekt von IL-4 auf die Phagozytose von <i>C. albicans</i> in Mikroglia-Zellen.....	112
Tab. 3.8:	Ergebnis der Ermittlung (ELISA-Assay) der Zytokin-Ausschüttung durch Mikroglia-Zellen.....	114

6.2 Abkürzungsverzeichnis

A	Ampere
Abb.	Abbildung
AI	Aufnahme-Index
APC	Antigen-präsentierende Zelle
APS	Ammoniumpersulfat
BBB	Blut-Hirn-Schranke
BCA	Bi-cinchoninic Acid
BME	Basal Medium Eagle
BSA	Rinderserumalbumin
bzw.	beziehungsweise
°C	Grad Celsius
CD	Differenzierungs-Cluster
cm	Zentimeter
CR	Komplement Rezeptor
CRD	Kohlehydrat-bindende Domäne
CR-Domäne	Cystein-reiche Domäne
DB	DMEM/BSA
DMEM	Dulbecco's Modified-Eagle-Medium
DTAF	5-8(4,6-Dichloritriazin-2yl)amino)-fluoreszein
ECL	verstärkte Chemilumineszenz
EDTA	Ethylen-diamin-tetra-acetat
ELISA	Enzym-linked immunosorbent assay
evtl.	eventuell
FACS	Fluoreszenz-aktivierter Zellsorter
Fc	kristalisierbares Fragment von IgGs
FcR	Fc-Rezeptor
FCS	Fetales Kälberserum
FITC	Fluoreszein Isothiocyanat
g	Gramm
GalNAc	N-Acetyl-Galaktosamin
GFAP	Glial Fibrillary Acidic Protein
h	Stunde

HBSS	Hank's gepufferte Salzlösung
HIV	menschliches Immunschwäche-Virus
HRP	Meerrettich-Peroxidase
IF	Immunfluoreszenz
IgG	Immunglobulin Subtyp G
IL	Interleukin
IFN	Interferon
kDa	Kilodalton
l	Liter
M	Molar (g/l)
mA	Milliampere
mAlbumin	mannosliertes Albumin
MAP	Mikrotubuli assoziiertes Protein
MBP	Mannose-bindendes Protein
MEM	Minimum Essential Medium
mg	Milligramm
MHC	Haupt-Histokompatibilitäts-Komplex
µg	Mikrogramm
µl	Mikroliter
µm	Mikrometer
min	Minute
ml	Milliliter
mm	Millimeter
mM	Millimolar
M _r	relative Molekularmasse
MS	Microsoft
MTS	3-(4,5-dimethylthiazol-2-yl)-5-(3-carboxymethoxyphenyl)-2-(4-sulfofenyl)-2H-tetrazolium
mV	Millivolt
n.d.	nicht durchgeführt
NaDoc	Natrium Deoxycholat
nm	Nanometer
OD	optische Dichte
P4	Postnatal Tag 4

PAGE	Polyacrylamid-Gelelektrophorese
PBA	PBS/BSA/Azid
PBS	Phosphat gepufferte Salzlösung
PC	Personalcomputer
PLL	Poly-L-Lysin
PM	PBS/Milch
PMSF	Phenylmethylsulfonylfluorid
PMT	PBS/Milch/Tween 20
%(w/v)	Volumenprozent
%(w/w)	Gewichtsprozent
PS	Polysterol
rpm	Umdrehungen pro Minute
RT	Raumtemperatur
SDS	Natrium-dodecyl-sulfat
sog.	sogenannt
Tab.	Tabelle
TMB	3,3',5,5'tetramethylbenzidine
TNF	Tumor-Necrosis-Faktor
TX-100	Trinton X 100
U	Einheiten (Units)
u.a.	unter anderem
V	Volt
vgl.	vergleiche
WB	Western-Blot
z.B.	zum Beispiel
ZNS	zentrales Nervensystem

6.3 Literaturverzeichnis

- Abbas, A. K., Murphy, K. M., Sher, A. 1996. Functional diversity of helper T lymphocytes. *Nature* 383:787-93.
- Akiyama, H., McGeer, P. L. 1990. Brain microglia constitutively express beta-2 integrins. *J Neuroimmunol* 30:81-93.
- Al-Ali, S. Y., Al-Zuhair, A. G., Dawod, B. 1988. Ultrastructural study of phagocytic activities of young astrocytes in injured neonatal rat brain following intracerebral injection of colloidal carbon. *Glia* 1:211-8
- al-Ali, S. Y., al-Hussain, S. M. 1996. An ultrastructural study of the phagocytic activity of astrocytes in adult rat brain. *J Anat* 188:257-62.
- Alliot, F., Godin, I., Pessac, B. 1999. Microglia derive from progenitors, originating from the yolk sac, and which proliferate in the brain. *Brain Res Dev Brain Res* 117:145-52.
- Aloisi, F., Ria, F., Penna, G., Adorini, L. 1998. Microglia are more efficient than astrocytes in antigen processing and in Th1 but not Th2 cell activation. *J Immunol* 160:4671-80.
- Aloisi, F., Ria, F., Columba-Cabezas, S., Hess, H., Penna, G., Adorini, L. 1999. Relative efficiency of microglia, astrocytes, dendritic cells and B cells in naive CD4+ T cell priming and Th1/Th2 cell restimulation. *Eur J Immunol* 29:2705-14.
- Aloisi, F., Serafini, B., Adorini, L. 2000. Glia-T cell dialogue. *J Neuroimmunol* 107:111-7.
- Aloisi, F., De Simone, R., Columba-Cabezas, S., Penna, G., Adorini, L. 2000. Functional maturation of adult mouse resting microglia into an APC is promoted by granulocyte-macrophage colony-stimulating factor and interaction with Th1 cells. *J Immunol* 164:1705-12.
- Aloisi, F. 2001. Immune function of microglia. *Glia* 36:165-79.
- Asumendi, A., Alvarez, A., Martinez, I., Smedsrod, B., Vidal-Vanaclocha, F. 1996. Hepatic sinusoidal endothelium heterogeneity with respect to mannose receptor activity is interleukin-1 dependent. *Hepatology* 23:1521-9.
- Barrett-Bergshoeff, M., Noorman, F., Bos, R., Rijken, D. C. 1997. Monoclonal antibodies against the human mannose receptor that inhibit the binding of tissue-type plasminogen activator. *Thromb Haemost* 77:718-24.
- Bechmann, I., Nitsch, R. 1997. Astrocytes and microglial cells incorporate degenerating fibers following entorhinal lesion: a light, confocal, and electron microscopical study using a phagocytosis-dependent labeling technique. *Glia* 20:145-54.
- Benveniste, E. N. 1992. Inflammatory cytokines within the central nervous system: sources, function, and mechanism of action. *Am J Physiol* 263:C1-16.
- Beyer, M., Gimsa, U., Eyupoglu, I. Y., Hailer, N. P., Nitsch, R. 2000. Phagocytosis of neuronal or glial debris by microglial cells: upregulation of MHC class II expression and multinuclear giant cell formation in vitro. *Glia* 31:262-6.

- Blum, J. S., Stahl, P. D., Diaz, R., Fiani, M. L. 1991. Purification and characterization of the D-mannose receptor from J774 mouse macrophage cells. *Carbohydr Res* 213:145-53.
- Bonetti, B., Pohl, J., Gao, Y. L., Raine, C. S. 1997. Cell death during autoimmune demyelination: effector but not target cells are eliminated by apoptosis. *J Immunol* 159:5733-41.
- Brown, V. I., Greene, M. I. 1991. Molecular and cellular mechanisms of receptor-mediated endocytosis. *DNA Cell Biol* 10:399-409.
- Burnette, W. N. 1981. "Western blotting": electrophoretic transfer of proteins from sodium dodecyl sulfate--polyacrylamide gels to unmodified nitrocellulose and radiographic detection with antibody and radioiodinated protein A. *Anal Biochem* 112:195-203.
- Burudi, E. M., Riese, S., Stahl, P. D., Regnier-Vigouroux, A. 1999. Identification and functional characterization of the mannose receptor in astrocytes. *Glia* 25:44-55.
- Cannella, B., Raine, C. S. 1995. The adhesion molecule and cytokine profile of multiple sclerosis lesions. *Ann Neurol* 37:424-35.
- Carson, M. J., Reilly, C. R., Sutcliffe, J. G., Lo, D. 1998. Mature microglia resemble immature antigen-presenting cells. *Glia* 22:72-85.
- Cella, M., Engering, A., Pinet, V., Pieters, J., Lanzavecchia, A. 1997. Inflammatory stimuli induce accumulation of MHC class II complexes on dendritic cells. *Nature* 388:782-7.
- Chan, A., Magnus, T., Gold, R. 2001. Phagocytosis of apoptotic inflammatory cells by microglia and modulation by different cytokines: mechanism for removal of apoptotic cells in the inflamed nervous system. *Glia* 33:87-95.
- Chroneos, Z., Shepherd, V. L. 1995. Differential regulation of the mannose and SP-A receptors on macrophages. *Am J Physiol* 269:L721-6.
- Cinco, M., Cini, B., Murgia, R., Presani, G., Prodan, M., Perticarari, S. 2001. Evidence of involvement of the mannose receptor in adhesion of *Borrelia burgdorferi* to monocyte/macrophages. *Infect Immun* 69:2743-7.
- Cross, A. K., Woodroffe, M. N. 2001. Immunoregulation of microglial functional properties. *Microsc Res Tech* 54:10-7.
- Czech, K. A., Ryan, J. W., Sagen, J., Pappas, G. D. 1997. The influence of xenotransplant immunogenicity and immunosuppression on host MHC expression in the rat CNS. *Exp Neurol* 147:66-83.
- De Simone, R., Giampaolo, A., Giometto, B., Gallo, P., Levi, G., et al. 1995. The costimulatory molecule B7 is expressed on human microglia in culture and in multiple sclerosis acute lesions. *J Neuropathol Exp Neurol* 54:175-87.
- DeFife, K. M., Jenney, C. R., McNally, A. K., Colton, E., Anderson, J. M. 1997. Interleukin-13 induces human monocyte/macrophage fusion and macrophage mannose receptor expression. *J Immunol* 158:3385-90.

- Doherty, T. M. 1995. T-cell regulation of macrophage function. *Curr Opin Immunol* 7:400-4.
- Domer, J. E. 1989. Candida cell wall mannan: a polysaccharide with diverse immunologic properties. *Crit Rev Microbiol* 17:33-51
- Dong, X., Storkus, W. J., Salter, R. D. 1999. Binding and uptake of agalactosyl IgG by mannose receptor on macrophages and dendritic cells. *J Immunol* 163:5427-34.
- Engering, A. J., Cella, M., Fluitsma, D., Brockhaus, M., Hoefsmit, E. C., et al. 1997. The mannose receptor functions as a high capacity and broad specificity antigen receptor in human dendritic cells. *Eur J Immunol* 27:2417-25.
- Engering, A. J., Cella, M., Fluitsma, D. M., Hoefsmit, E. C., Lanzavecchia, A., Pieters, J. 1997. Mannose receptor mediated antigen uptake and presentation in human dendritic cells. *Adv Exp Med Biol* 417:183-7
- Epstein, J., Eichbaum, Q., Sheriff, S., Ezekowitz, R. A. 1996. The collectins in innate immunity. *Curr Opin Immunol* 8:29-35.
- Ezekowitz, R. A., Stahl, P. D. 1988. The structure and function of vertebrate mannose lectin-like proteins. *J Cell Sci Suppl* 9:121-33
- Ezekowitz, R. A., Sastry, K., Bailly, P., Warner, A. 1990. Molecular characterization of the human macrophage mannose receptor: demonstration of multiple carbohydrate recognition-like domains and phagocytosis of yeasts in Cos-1 cells. *J Exp Med* 172:1785-94.
- Ezekowitz, R. A., Williams, D. J., Koziel, H., Armstrong, M. Y., Warner, A., et al. 1991. Uptake of *Pneumocystis carinii* mediated by the macrophage mannose receptor. *Nature* 351:155-8.
- Fabry, Z., Raine, C. S., Hart, M. N. 1994. Nervous tissue as an immune compartment: the dialect of the immune response in the CNS. *Immunol Today* 15:218-24.
- Fedoroff, S., Zhai, R., Novak, J. P. 1997. Microglia and astroglia have a common progenitor cell. *J Neurosci Res* 50:477-86.
- Fiete, D. J., Beranek, M. C., Baenziger, J. U. 1998. A cysteine-rich domain of the "mannose" receptor mediates GalNAc-4-SO₄ binding. *Proc Natl Acad Sci U S A* 95:2089-93.
- Fontana, A., Fierz, W., Wekerle, H. 1984. Astrocytes present myelin basic protein to encephalitogenic T-cell lines. *Nature* 307:273-6.
- Ford, A. L., Goodsall, A. L., Hickey, W. F., Sedgwick, J. D. 1995. Normal adult ramified microglia separated from other central nervous system macrophages by flow cytometric sorting. Phenotypic differences defined and direct ex vivo antigen presentation to myelin basic protein- reactive CD4⁺ T cells compared. *J Immunol* 154:4309-21.
- Ford, A. L., Foulcher, E., Lemckert, F. A., Sedgwick, J. D. 1996. Microglia induce CD4 T lymphocyte final effector function and death. *J Exp Med* 184:1737-45.

- Fraser, I. P., Koziel, H., Ezekowitz, R. A. 1998. The serum mannose-binding protein and the macrophage mannose receptor are pattern recognition molecules that link innate and adaptive immunity. *Semin Immunol* 10:363-72.
- Fraser, I. P., Takahashi, K., Koziel, H., Fardin, B., Harmsen, A., Ezekowitz, R. A. 2000. *Pneumocystis carinii* enhances soluble mannose receptor production by macrophages. *Microbes Infect* 2:1305-10.
- Frei, K., Siepl, C., Groscurth, P., Bodmer, S., Schwerdel, C., Fontana, A. 1987. Antigen presentation and tumor cytotoxicity by interferon-gamma-treated microglial cells. *Eur J Immunol* 17:1271-8.
- Frei, K., Fontana, A. 1997. Antigen presentation in the CNS. *Mol Psychiatry* 2:96-8.
- Garner, R. E., Rubanowice, K., Sawyer, R. T., Hudson, J. A. 1994. Secretion of TNF-alpha by alveolar macrophages in response to *Candida albicans* mannan. *J Leukoc Biol* 55:161-8.
- Garner, R. E., Hudson, J. A. 1996. Intravenous injection of *Candida*-derived mannan results in elevated tumor necrosis factor alpha levels in serum. *Infect Immun* 64:4561-6.
- Gehrmann, J., Matsumoto, Y., Kreutzberg, G. W. 1995. Microglia: intrinsic immune effector cell of the brain. *Brain Res Brain Res Rev* 20:269-87.
- Giaimis, J., Lombard, Y., Makaya-Kumba, M., Fonteneau, P., Poindron, P. 1992. A new and simple method for studying the binding and ingestion steps in the phagocytosis of yeasts. *J Immunol Methods* 154:185-93.
- Giaimis, J., Lombard, Y., Fonteneau, P., Muller, C. D., Levy, R., et al. 1993. Both mannose and beta-glucan receptors are involved in phagocytosis of unopsonized, heat-killed *Saccharomyces cerevisiae* by murine macrophages. *J Leukoc Biol* 54:564-71.
- Grau, V., Herbst, B., van der Meide, P. H., Steiniger, B. 1997. Activation of microglial and endothelial cells in the rat brain after treatment with interferon-gamma in vivo. *Glia* 19:181-9.
- Gresser, O., Hein, A., Riese, S., Regnier-Vigouroux, A. 2000. Tumor necrosis factor alpha and interleukin-1 alpha inhibit through different pathways interferon-gamma-induced antigen presentation, processing and MHC class II surface expression on astrocytes, but not on microglia. *Cell Tissue Res* 300:373-82.
- Hailer, N. P., Jarhult, J. D., Nitsch, R. 1996. Resting microglial cells in vitro: analysis of morphology and adhesion molecule expression in organotypic hippocampal slice cultures. *Glia* 18:319-31.
- Hailer, N. P., Heppner, F. L., Haas, D., Nitsch, R. 1998. Astrocytic factors deactivate antigen presenting cells that invade the central nervous system. *Brain Pathol* 8:459-74.
- Harling-Berg, C. J., Park, T. J., Knopf, P. M. 1999. Role of the cervical lymphatics in the Th2-type hierarchy of CNS immune regulation. *J Neuroimmunol* 101:111-27.

- Harris, N., Super, M., Rits, M., Chang, G., Ezekowitz, R. A. 1992. Characterization of the murine macrophage mannose receptor: demonstration that the downregulation of receptor expression mediated by interferon-gamma occurs at the level of transcription. *Blood* 80:2363-73.
- Harris, N., Peters, L. L., Eicher, E. M., Rits, M., Raspberry, D., et al. 1994. The exon-intron structure and chromosomal localization of the mouse macrophage mannose receptor gene *Mrc1*: identification of a Ricin-like domain at the N-terminus of the receptor. *Biochem Biophys Res Commun* 198:682-92.
- Hayes, G. M., Woodroffe, M. N., Cuzner, M. L. 1987. Microglia are the major cell type expressing MHC class II in human white matter. *J Neurol Sci* 80:25-37.
- Hickey, W. F., Kimura, H. 1988. Perivascular microglial cells of the CNS are bone marrow-derived and present antigen in vivo. *Science* 239:290-2.
- Iacono, R. F., Berria, M. I., Lascano, E. F. 1991. A triple staining procedure to evaluate phagocytic role of differentiated astrocytes. *J Neurosci Methods* 39:225-30.
- Irjala, H., Johansson, E. L., Grenman, R., Alanen, K., Salmi, M., Jalkanen, S. 2001. Mannose receptor is a novel ligand for L-selectin and mediates lymphocyte binding to lymphatic endothelium. *J Exp Med* 194:1033-42.
- Janeway C. A., Jr. 1998. *Spektrum der Wissenschaft Spezial 2*. Spektrum Verlag
- Janeway C. A., Jr. 1997. *Immunologie*. Spektrum Verlag
- Kaposzta, R., Marodi, L., Hollinshead, M., Gordon, S., da Silva, R. P. 1999. Rapid recruitment of late endosomes and lysosomes in mouse macrophages ingesting *Candida albicans*. *J Cell Sci* 112:3237-48.
- Karbassi, A., Becker, J. M., Foster, J. S., Moore, R. N. 1987. Enhanced killing of *Candida albicans* by murine macrophages treated with macrophage colony-stimulating factor: evidence for augmented expression of mannose receptors. *J Immunol* 139:417-21.
- Kaur, C., Hao, A. J., Wu, C. H., Ling, E. A. 2001. Origin of microglia. *Microsc Res Tech* 54:2-9.
- Kery, V., Krepinsky, J. J., Warren, C. D., Capek, P., Stahl, P. D. 1992. Ligand recognition by purified human mannose receptor. *Arch Biochem Biophys* 298:49-55.
- Kloss, C. U., Kreutzberg, G. W., Raivich, G. 1997. Proliferation of ramified microglia on an astrocyte monolayer: characterization of stimulatory and inhibitory cytokines. *J Neurosci Res* 49:248-54.
- Knolle, P. A., Uhrig, A., Hegenbarth, S., Loser, E., Schmitt, E., et al. 1998. IL-10 down-regulates T cell activation by antigen-presenting liver sinusoidal endothelial cells through decreased antigen uptake via the mannose receptor and lowered surface expression of accessory molecules. *Clin Exp Immunol* 114:427-33.
- Kreutzberg, G. W. 1996. Microglia: a sensor for pathological events in the CNS. *Trends Neurosci* 19:312-8.

- Kruskal, B. A., Sastry, K., Warner, A. B., Mathieu, C. E., Ezekowitz, R. A. 1992. Phagocytic chimeric receptors require both transmembrane and cytoplasmic domains from the mannose receptor. *J Exp Med* 176:1673-80.
- Lawson, L. J., Perry, V. H., Dri, P., Gordon, S. 1990. Heterogeneity in the distribution and morphology of microglia in the normal adult mouse brain. *Neuroscience* 39:151-70
- Lennartz, M. R., Cole, F. S., Stahl, P. D. 1989. Biosynthesis and processing of the mannose receptor in human macrophages. *J Biol Chem* 264:2385-90.
- Lenschow, D. J., Walunas, T. L., Bluestone, J. A. 1996. CD28/B7 system of T cell costimulation. *Annu Rev Immunol* 14:233-58
- Linehan, S. A., Martinez-Pomares, L., Stahl, P. D., Gordon, S. 1999. Mannose receptor and its putative ligands in normal murine lymphoid and nonlymphoid organs: In situ expression of mannose receptor by selected macrophages, endothelial cells, perivascular microglia, and mesangial cells, but not dendritic cells. *J Exp Med* 189:1961-72.
- Linehan, S. A., Martinez-Pomares, L., Gordon, S. 2000. Macrophage lectins in host defence. *Microbes Infect* 2:279-88.
- Ling, E. A., Ng, Y. K., Wu, C. H., Kaur, C. 2001. Microglia: its development and role as a neuropathology sensor. *Prog Brain Res* 132:61-79
- Liu, Z. H., Striker, G. E., Stetler-Stevenson, M., Fukushima, P., Patel, A., Striker, L. J. 1996. TNF- α and IL-1 α induce mannose receptors and apoptosis in glomerular mesangial but not endothelial cells. *Am J Physiol* 270:C1595-601.
- Longoni, D., Piemonti, L., Bernasconi, S., Mantovani, A., Allavena, P. 1998. Interleukin-10 increases mannose receptor expression and endocytic activity in monocyte-derived dendritic cells. *Int J Clin Lab Res* 28:162-9
- Marodi, L., Forehand, J. R., Johnston, R. B., Jr. 1991. Mechanisms of host defense against *Candida* species. II. Biochemical basis for the killing of *Candida* by mononuclear phagocytes. *J Immunol* 146:2790-4.
- Marodi, L., Korchak, H. M., Johnston, R. B., Jr. 1991. Mechanisms of host defense against *Candida* species. I. Phagocytosis by monocytes and monocyte-derived macrophages. *J Immunol* 146:2783-9.
- Marodi, L., Schreiber, S., Anderson, D. C., MacDermott, R. P., Korchak, H. M., Johnston, R. B., Jr. 1993. Enhancement of macrophage candidacidal activity by interferon-gamma. Increased phagocytosis, killing, and calcium signal mediated by a decreased number of mannose receptors. *J Clin Invest* 91:2596-601.
- Martinez-Pomares, L., Kosco-Vilbois, M., Darley, E., Tree, P., Herren, S., et al. 1996. Fc chimeric protein containing the cysteine-rich domain of the murine mannose receptor binds to macrophages from splenic marginal zone and lymph node subcapsular sinus and to germinal centers. *J Exp Med* 184:1927-37.

- Martinez-Pomares, L., Mahoney, J. A., Kaposzta, R., Linehan, S. A., Stahl, P. D., Gordon, S. 1998. A functional soluble form of the murine mannose receptor is produced by macrophages in vitro and is present in mouse serum. *J Biol Chem* 273:23376-80.
- Martinez-Pomares, L., Crocker, P. R., Da Silva, R., Holmes, N., Colominas, C., et al. 1999. Cell-specific glycoforms of sialoadhesin and CD45 are counter-receptors for the cysteine-rich domain of the mannose receptor. *J Biol Chem* 274:35211-8.
- Marzolo, M. P., von Bernhardt, R., Inestrosa, N. C. 1999. Mannose receptor is present in a functional state in rat microglial cells. *J Neurosci Res* 58:387-95.
- May, R. C., Machesky, L. M. 2001. Phagocytosis and the actin cytoskeleton. *J Cell Sci* 114:1061-77.
- Medzhitov, R., Janeway, C. A., Jr. 1997. Innate immunity: the virtues of a nonclonal system of recognition. *Cell* 91:295-8.
- Merrill, J. E., Ignarro, L. J., Sherman, M. P., Melinek, J., Lane, T. E. 1993. Microglial cell cytotoxicity of oligodendrocytes is mediated through nitric oxide. *J Immunol* 151:2132-41.
- Merrill, J. E., Benveniste, E. N. 1996. Cytokines in inflammatory brain lesions: helpful and harmful. *Trends Neurosci* 19:331-8.
- Mullin, N. P., Hitchen, P. G., Taylor, M. E. 1997. Mechanism of Ca²⁺ and monosaccharide binding to a C-type carbohydrate- recognition domain of the macrophage mannose receptor. *J Biol Chem* 272:5668-81.
- Mullin, N. P., Hitchen, P. G., Taylor, M. E. 1997. Mechanism of Ca²⁺ and monosaccharide binding to a C-type carbohydrate- recognition domain of the macrophage mannose receptor. *J Biol Chem* 272:5668-81.
- Murai, M., Aramaki, Y., Tsuchiya, S. 1995. Contribution of mannose receptor to signal transduction in Fc gamma receptor-mediated phagocytosis of mouse peritoneal macrophages induced by liposomes. *J Leukoc Biol* 57:687-91.
- Murai, M., Aramaki, Y., Tsuchiya, S. 1996. alpha 2-macroglobulin stimulation of protein tyrosine phosphorylation in macrophages via the mannose receptor for Fc gamma receptor-mediated phagocytosis activation. *Immunology* 89:436-41.
- Nadeau, S., Rivest, S. 2000. Role of microglial-derived tumor necrosis factor in mediating CD14 transcription and nuclear factor kappa B activity in the brain during endotoxemia. *J Neurosci* 20:3456-68.
- Neumann, H., Boucraut, J., Hahnel, C., Misgeld, T., Wekerle, H. 1996. Neuronal control of MHC class II inducibility in rat astrocytes and microglia. *Eur J Neurosci* 8:2582-90.
- Nguyen, K. B., Pender, M. P. 1998. Phagocytosis of apoptotic lymphocytes by oligodendrocytes in experimental autoimmune encephalomyelitis. *Acta Neuropathol (Berl)* 95:40-6.
- Nichols, B. J., Lippincott-Schwartz, J. 2001. Endocytosis without clathrin coats. *Trends Cell Biol* 11:406-12.

- Nigou, J., Zelle-Rieser, C., Gilleron, M., Thurnher, M., Puzo, G. 2001. Mannosylated lipoarabinomannans inhibit IL-12 production by human dendritic cells: evidence for a negative signal delivered through the mannose receptor. *J Immunol* 166:7477-85.
- Ohsumi, Y., Lee, Y. C. 1987. Mannose-receptor ligands stimulate secretion of lysosomal enzymes from rabbit alveolar macrophages. *J Biol Chem* 262:7955-62.
- Perry, V. H., Brown, M. C., Gordon, S. 1987. The macrophage response to central and peripheral nerve injury. A possible role for macrophages in regeneration. *J Exp Med* 165:1218-23.
- Perry, V. H., Gordon, S. 1988. Macrophages and microglia in the nervous system. *Trends Neurosci* 11:273-7.
- Perry, V. H., Brown, M. C. 1992. Role of macrophages in peripheral nerve degeneration and repair. *Bioessays* 14:401-6.
- Perry, V. H. 1994. Modulation of microglia phenotype. *Neuropathol Appl Neurobiol* 20:177.
- Perry, V. H. 1998. A revised view of the central nervous system microenvironment and major histocompatibility complex class II antigen presentation. *J Neuroimmunol* 90:113-21.
- Pontow, S. E., Blum, J. S., Stahl, P. D. 1996. Delayed activation of the mannose receptor following synthesis. Requirement for exit from the endoplasmic reticulum. *J Biol Chem* 271:30736-40.
- Prigozy, T. I., Sieling, P. A., Clemens, D., Stewart, P. L., Behar, S. M., et al. 1997. The mannose receptor delivers lipoglycan antigens to endosomes for presentation to T cells by CD1b molecules. *Immunity* 6:187-97.
- Raveh, D., Kruskal, B. A., Farland, J., Ezekowitz, R. A. 1998. Th1 and Th2 cytokines cooperate to stimulate mannose-receptor-mediated phagocytosis. *J Leukoc Biol* 64:108-13.
- Sallusto, F., Cella, M., Danieli, C., Lanzavecchia, A. 1995. Dendritic cells use macropinocytosis and the mannose receptor to concentrate macromolecules in the major histocompatibility complex class II compartment: downregulation by cytokines and bacterial products. *J Exp Med* 182:389-400.
- Schlesinger, P. H., Doebber, T. W., Mandell, B. F., White, R., DeSchryver, C., et al. 1978. Plasma clearance of glycoproteins with terminal mannose and N-acetylglucosamine by liver non-parenchymal cells. Studies with beta-glucuronidase, N-acetyl-beta-D-glucosaminidase, ribonuclease B and agalacto-orosomucoid. *Biochem J* 176:103-9.
- Schreiber, S., Perkins, S. L., Teitelbaum, S. L., Chappel, J., Stahl, P. D., Blum, J. S. 1993. Regulation of mouse bone marrow macrophage mannose receptor expression and activation by prostaglandin E and IFN-gamma. *J Immunol* 151:4973-81.
- Shepherd, V. L., Abdolrasulnia, R., Garrett, M., Cowan, H. B. 1990. Down-regulation of mannose receptor activity in macrophages after treatment with lipopolysaccharide and phorbol esters. *J Immunol* 145:1530-6.

- Shepherd, V. L., Hoidal, J. R. 1990. Clearance of neutrophil-derived myeloperoxidase by the macrophage mannose receptor. *Am J Respir Cell Mol Biol* 2:335-40.
- Shepherd, V. L., Cowan, H. B., Abdolrasulnia, R., Vick, S. 1994. Dexamethasone blocks the interferon-gamma-mediated downregulation of the macrophage mannose receptor. *Arch Biochem Biophys* 312:367-74.
- Shepherd, V. L., Lane, K. B., Abdolrasulnia, R. 1997. Ingestion of *Candida albicans* down-regulates mannose receptor expression on rat macrophages. *Arch Biochem Biophys* 344:350-6.
- Shibata, Y., Metzger, W. J., Myrvik, Q. N. 1997. Chitin particle-induced cell-mediated immunity is inhibited by soluble mannan: mannose receptor-mediated phagocytosis initiates IL-12 production. *J Immunol* 159:2462-7.
- Shrikant, P., Benveniste, E. N. 1996. The central nervous system as an immunocompetent organ: role of glial cells in antigen presentation. *J Immunol* 157:1819-22.
- Simpson, D. Z., Hitchen, P. G., Elmhirst, E. L., Taylor, M. E. 1999. Multiple interactions between pituitary hormones and the mannose receptor. *Biochem J* 343 Pt 2:403-11.
- Smith, M. E., van der Maesen, K., Somera, F. P. 1998. Macrophage and microglial responses to cytokines in vitro: phagocytic activity, proteolytic enzyme release, and free radical production. *J Neurosci Res* 54:68-78.
- Smith, M. E. 2001. Phagocytic properties of microglia in vitro: implications for a role in multiple sclerosis and EAE. *Microsc Res Tech* 54:81-94.
- Soeiro, M., Paiva, M. M., Barbosa, H. S., Meirelles, M., Araujo-Jorge, T. C. 1999. A cardiomyocyte mannose receptor system is involved in *Trypanosoma cruzi* invasion and is down-modulated after infection. *Cell Struct Funct* 24:139-49.
- Stahl, P. D., Rodman, J. S., Miller, M. J., Schlesinger, P. H. 1978. Evidence for receptor-mediated binding of glycoproteins, glycoconjugates, and lysosomal glycosidases by alveolar macrophages. *Proc Natl Acad Sci U S A* 75:1399-403.
- Stahl, P., Schlesinger, P. H., Sigardson, E., Rodman, J. S., Lee, Y. C. 1980. Receptor-mediated pinocytosis of mannose glycoconjugates by macrophages: characterization and evidence for receptor recycling. *Cell* 19:207-15.
- Stahl, P. D. 1992. The mannose receptor and other macrophage lectins. *Curr Opin Immunol* 4:49-52.
- Stahl, P. D., Ezekowitz, R. A. 1998. The mannose receptor is a pattern recognition receptor involved in host defense. *Curr Opin Immunol* 10:50-5.
- Stein, M., Gordon, S. 1991. Regulation of tumor necrosis factor (TNF) release by murine peritoneal macrophages: role of cell stimulation and specific phagocytic plasma membrane receptors. *Eur J Immunol* 21:431-7.

- Stein, M., Keshav, S., Harris, N., Gordon, S. 1992. Interleukin 4 potently enhances murine macrophage mannose receptor activity: a marker of alternative immunologic macrophage activation. *J Exp Med* 176:287-92.
- Stoll, G., Jander, S. 1999. The role of microglia and macrophages in the pathophysiology of the CNS. *Prog Neurobiol* 58:233-47.
- Stoppini, L., Buchs, P. A., Muller, D. 1991. A simple method for organotypic cultures of nervous tissue. *J Neurosci Methods* 37:173-82.
- Streit, W. J., Kreutzberg, G. W. 1988. Response of endogenous glial cells to motor neuron degeneration induced by toxic ricin. *J Comp Neurol* 268:248-63.
- Streit, W. J., Kincaid-Colton, C. A. 1995. The brain's immune system. *Sci Am* 273:54-5, 58-61.
- Sung, S. S., Nelson, R. S., Silverstein, S. C. 1985. Mouse peritoneal macrophages plated on mannan- and horseradish peroxidase-coated substrates lose the ability to phagocytose by their Fc receptors. *J Immunol* 134:3712-7.
- Suzumura, A., Sawada, M., Itoh, Y., Marunouchi, T. 1994. Interleukin-4 induces proliferation and activation of microglia but suppresses their induction of class II major histocompatibility complex antigen expression. *J Neuroimmunol* 53:209-18.
- Szelenyi, J. 2001. Cytokines and the central nervous system. *Brain Res Bull* 54:329-38.
- Taylor, M. E., Bezouska, K., Drickamer, K. 1992. Contribution to ligand binding by multiple carbohydrate-recognition domains in the macrophage mannose receptor. *J Biol Chem* 267:1719-26.
- Tietze, C., Schlesinger, P., Stahl, P. 1980. Chloroquine and ammonium ion inhibit receptor-mediated endocytosis of mannose-glycoconjugates by macrophages: apparent inhibition of receptor recycling. *Biochem Biophys Res Commun* 93:1-8.
- Tietze, C., Schlesinger, P., Stahl, P. 1982. Mannose-specific endocytosis receptor of alveolar macrophages: demonstration of two functionally distinct intracellular pools of receptor and their roles in receptor recycling. *J Cell Biol* 92:417-24.
- van Praag, H., Schinder, A. F., Christie, B. R., Toni, N., Palmer, T. D., Gage, F. H. 2002. Functional neurogenesis in the adult hippocampus. *Nature* 415:1030-4.
- von Zahn, J., Moller, T., Kettenmann, H., Nolte, C. 1997. Microglial phagocytosis is modulated by pro- and anti-inflammatory cytokines. *Neuroreport* 8:3851-6.
- Ward, D. M., Ajioka, R., Kaplan, J. 1989. Cohort movement of different ligands and receptors in the intracellular endocytic pathway of alveolar macrophages. *J Biol Chem* 264:8164-70.
- Williams, K., Ulvestad, E., Antel, J. P. 1994. B7/BB-1 antigen expression on adult human microglia studied in vitro and in situ. *Eur J Immunol* 24:3031-7.
- Woodrooffe, M. N., Hayes, G. M., Cuzner, M. L. 1989. Fc receptor density, MHC antigen expression and superoxide production are increased in interferon-gamma-treated microglia isolated from adult rat brain. *Immunology* 68:421-6.

Xaus, J., Cardo, M., Villedor, A. F., Soler, C., Lloberas, J., Celada, A. 1999. Interferon gamma induces the expression of p21waf-1 and arrests macrophage cell cycle, preventing induction of apoptosis. *Immunity* 11:103-13.

Yamamoto, Y., Klein, T. W., Friedman, H. 1997. Involvement of mannose receptor in cytokine interleukin-1beta (IL-1beta), IL-6, and granulocyte-macrophage colony-stimulating factor responses, but not in chemokine macrophage inflammatory protein 1beta (MIP-1beta), MIP-2, and KC responses, caused by attachment of *Candida albicans* to macrophages. *Infect Immun* 65:1077-82.

Yera, H., Sendid, B., Francois, N., Camus, D., Poulain, D. 2001. Contribution of serological tests and blood culture to the early diagnosis of systemic candidiasis. *Eur J Clin Microbiol Infect Dis* 20:864-70.

Zimmer, H. 1998. Funktionelle Charakterisierung und Regulation des Mannose-Rezeptors in Mikroglia-Zellen