

# Literatur

- Alonso, M. & Fin, E.J. 1977: Physik. Addison-Wesley Verl. Berlin, 767.
- Andersen, A., Dahlmann, B., Gee, D.G & Small, S., 1985: The Scandinavian alum shales. *SGU Ca56*, 1-50.
- Andersen, T.B., Jamtveit, B., Dewey, J.F. & Swensson, E., 1991: Subduction and exhumation of continental crust: major mechanisms during continent-continent collision and orogenic extensional collapse, a model based on the south Norwegian Caledonides. *Terra Nova*, 3, 303-310.
- Bartusch, J.M., 1995: Kartierbericht über das Nordufer des Vojmsjön zwischen Dikanäs und Daikanvik, Västerbotten, Nord-Schweden. Diplom-Kartierung, Ruprecht-Karls-Universität, Heidelberg, Sver. geol. unders. BRAP 98017. 101 pp.
- Bartusch, J.M., 1996: Konvektion mit Scherströmung im Erdmantel: Analoge Experimente zur Plattentektonik. *Zbl. Geol. Paläont. I*, H3/4, 229-242.
- Bartusch, J.M., 1998: Die Sedimente im Mittleren Allochthon der Kaledoniden zwischen Storuman und Malgomaj, Västerbotten, Schweden. *Terra Nostra* 98/3: P9.
- Bartusch, J.M., 1999: Two phase nappe system. Thrust Tectonics 99, Royal Holloway University of London, TT99 J Conference: 136-138.
- Bartusch, J.M., 2000: Deckenstapelung am Ostrand der Kaledoniden, Västerbotten Schweden - eine Fallstudie. *Terra Nostra* 2000/5, 6.
- Bartusch, J.M., 2000: Tektonischer und Lithostratigraphischer Zusammenhang zwischen Mittlerem und Unterem Allochthon, Västerbotten, Schweden. *Terra Nostra* 2000/5, 7.
- Bartusch, J.M. & Febroni, S., 1998: Die tektonische Entwicklung des Mittleren Allochthons am Ostrand der Kaledoniden zwischen Vojmsjön und Storuman, Västerbotten, Schweden. *Freiberger Forschungshefte C471*: 18-20.
- Bartusch, J.M. & Greiling, R.O., 1999: The transition from metamorphic ductile nappes to brittle duplex structures (Middle Allochthon, Central Scandinavian Caledonides). *EUG10 J Conference*: 94.
- Bierlein, F.P., 1990: Geologische Kartierung im Unteren und Mittleren Allochthon der Schwedischen Kaledoniden südlich Stalon im Süd-Västerbotten, Schweden - Diplomkartierung Universität Heidelberg. *SGU BRAP 93002:82*.
- Bierlein, F.P., 1991: Strukturgeologie und Erzmobilisation am Ostrand der zentralen Skandinavischen Kaledoniden in Västerbotten, Nordschweden, sowie Untersuchungen über mögliche Vererzungen in diesem Gebiet - Diplomarbeit Universität Heidelberg. *SGU BRAP 93002:82*.
- Bierlein, F.P. & Greiling, R.O., 1993: New constraints on the basal sole thrust at the eastern Caledonian margin in northern Sweden. *GFF* 115: 109-116.
- Bjørlykke, A. & Sangster, D.F., 1981: An overview of sandstonelead deposits and their relationships to red-bed copper and carbonate-hosted lead-zinc deposits. *Econ. Geol., Seventy fifth Anniv. Vol.*, 179-213.
- Bockelie, J.F. & Nystuen, J.P., 1985: The southeastern part of the Scandinavian Caledonides. In: Gee, D.G. & Sturt, B.A. (eds) *The Caledonide Orogen - Scandinavia and Related Areas*. John Wiley & Sons, Chichester, 69-88.
- Boyer, S.E., 1976: Formation of the Grandfather Mountain window duplex thrusting. *GSA*, Denver, 788-789.
- Braathen, A., Nordgulen, Ø., Osmundsen, P.-T., Andersen, T.B., Solli, A. & Roberts, D. 2000: Devonian, orogen-parallel opposed extension in the Central Norwegian Caledonides. *Geology* 28/7, 615-618.

- Breuer, H., 1994: DTV-Atlas zur Physik. DTV, 397.
- Bronstein, I.N. & Semendjajew, K.A., 1987: Taschenbuch der Mathematik. Harri Deutsch, Ffm, 840.
- Brynhi, I. & Sturt, B.A., 1985: Caledonides of southwestern Norway. In: Gee, D.G. & Sturt, B.A. (eds) The Caledonide Orogen - Scandinavia and Related areas. John Wiley & Sons Ltd, New York, 89-107.
- Cuthbert, S.J. & Carswell, D.A., 1990: Formation and exhumation of medium-temperature eclogites in the Scandinavian Caledonides. In Carswell, D.A. (ed) Eclogite Facies Rocks. Blackie, Glasgow and London, 180-203.
- Chauvet, A. & Séranne, M., 1994: Extension-parallel folding in the Scandinavian Caledonides: implications for late-orogenic processes. Tectonophysics, 238, 31-54.
- Chapple, W.M., 1978: Mechanics of thin-skinned fold-and-thrust belts. Geol. Soc. Am. Bull, 89, 1189-1198.
- Dachroth, W., 2002: Handbuch der Baugeologie und Geotechnik. Springer Heidelberg, 640 S.
- Dahlen, F.A., Suppe, J. & Davis, D., 1984: Mechanics of fold-and-thrust belts and accretionary wedges: Cohesive Coulomb theory. J. Geophys. Res., 89, 10,087-10,101.
- Dallmeyer, R.D. & Gee, D.G., 1986:  $^{40}\text{Ar}/^{39}\text{Ar}$  mineral dates from retrogressed eclogites within the Baltoscandian miogeosyncline: implications for a polyphase Caledonian orogenic evolution. Geological Society of America Bulletin, 97, 26-34.
- Dallmeyer, R.D., Andréasson, P.G. & Svenningsen, O., 1991: Early tectonothermal evolution of the Scandinavian Caledonides: Constraints from  $^{40}\text{Ar}/^{39}\text{Ar}$  mineral ages within the Sveve terranes of the Sared Mts., north Sweden. J Metamorph Geol 9: 203-218.
- Dahlström, C.D.A., 1970: Structural geology in the eastern margin of the Canadian Rocky Mountains. Bulletin of Canadian Petroleum Geology, v. 18, 407-439.
- Degen, T.J., Greiling, R.O. & Zachrisson, E., 1989: Caledonian evolution and thrust sequence in the Middle Allochthon of north-central Scandinavia (Hettenjaure Window). Terra Abstr. 1, 8.
- Degen, T. J. 1995: Deformation und Metamorphose im Gebiet zwischen Borgafjäll und Børgefjell in den nördlichen Kaledoniden Skandinaviens. Inaug.-Diss., Nat.-wiss.-Math., Heidelberg, 93 S.
- Davis, D., Suppe, J. & Dahlen, F.A., 1983: Mechanics of Fold-and-Thrust Belts and Accretionary Wedges. J. Geophys. Res. 88, B2, 1153-1172.
- Dewey, J. F., Ryan, P.D. & Andersen, T.B., 1993: Orogenic uplift and collapse, crustal thickness, fabrics and metamorphic phase changes: the role of eclogites. In: Prichard, H.M., Alabaster, T., Harris, N.B.W. & Neary, C.R. (eds) Magmatic Processes and Plate Tectonics, Geological Society Special Publication 76, 325 - 343.
- DuRietz, T., 1943: Kvartsitskollorna i Ormsjö-Täsjötraktn. SGU C 448.
- Febbroni, S., 1997: Rilevamento Geologico e dei valori della Suscettività Magnetica nelle Caleodinci della Lapponia, Svedese, Tesi di Laurea, az Marmi, 12/97, pp 50.
- Fossen, H., 1992: The role of extension in the Caledonides of south Norway. J.S.G.14, 8/9, 1033-1046.
- Füchtbauer, H., 1988: Sedimente und Sedimentgesteine, Teil II. -Scheitnerbart'sche Verl.ges., Stuttgart, 1141 S.
- Gale, G.H. & Roberts, D., 1974: Trace element geochemistry of Norwegian Lower palaeozoic basic volcanics and its tectonic implication. Earth Plane. Sci. lett. 22, 380-390.
- Garfunkel, Z., & Greiling, R.O., 1998: A thin orogenic wedge upon thick foreland lithosphere and the missing foreland basin. - Geol. Rundsch. 87, 314-325.

- Gayer, R.A., & Rice, A.H.N., 1989: Palaeogeographic reconstruction of the pre- to syn-Iapetus rifting sediments in the Caledonides of Finnmark. In: Gayer, R.A. (ed) *The Caledonide Geology of Scandinavia*. Graham and Trotman London: 127-139.
- Gayer, R.A., & Greiling, R.O., 1989: Caledonian nappe geometry in north-central Sweden and basin evolution on the Baltoscandian margin. *Geol. Mag.* 129, 499-513.
- Gavelin, S., 1955: Urbergsområdet inom Västerbottens län. *SGU Ca37*: 1-99.
- Gee, D.G., 1972: The regional geological context of the Tåsjö uranium project, Caledonian front, central Sweden. *SGU C671*: 1-36.
- Gee, D. G., 1975: A tectonic model for the central part of the Scandinavian Caledonides. *Amer. J. Sci.* 275-A, 468-515.
- Gee, D. G., 1978: Nappe displacement in the Scandinavian Caledonides. *Tectonophysics* 47, 393-419.
- Gee, D.G., Karis, L., Kumpulainen, R. & Thelander, T., 1974: A summary of Caledonian front stratigraphy, northern Jämtland, southern Västerbotten, central Swedish Caledonides. - *Geologiska Föreningens i Stockholm Förhandlingar* 96, 389-397.
- Gee, D.G., Kumpulainen, R & Thelander, E., 1978: The Tåsjö décollement, central Swedish Caledonides. *Sver. Geol. Unders. C 742*, 1-35.
- Gee, D.G. & Zachrisson, E., 1979: The Caledonides in Sweden. - *SGU C 769*: 1-48.
- Gee, D.G., Kumpulainen, R., Roberts, D., Stephens, M.B., Thon, A. & Zachrisson, E., 1985: *De skandinaviska Kaledoniderna*. Tektonostratigrafisk karta, 1:2 millj. *SGU Ba 36*. (English version, *SGU Ba 35*); International geological correlation programme, Proj. nr. 27: The Caledonide Orogen, IGCP-CO)
- Gerthsen, C. Kneser, H.O. & Vogel, H., 1986: *Physik*, Springer, Berlin Heidelberg, 920.
- Gilotti, J.A. & Hull, J.M., 1993: Kinematic stratification in the hinterland of the central Scandinavian Caledonides. *Journal of Structural Geology*, 15, 629-646.
- Greiling, R.O., 1984: Structure and metamorphism at the base of major far-travelled nappes: an example from the Middle Allochthon of the Central Scandinavian Caledonides. *Sci. Géol. Bull.*, 37,1, Strasbourg, p. 13-22.
- Greiling, R.O., 1985: Strukturelle und metamorphe Entwicklung an der Basis großer, weit-transportierter Deckeneinheiten am Beispiel des Mittleren Allochthons in den zentralen Skandinavischen Kaledoniden (Stalon-Deckenkomplex in Västerbotten, Schweden). *Geotekt. Forsch.* 69: 1-129.
- Greiling, R.O., 1989: The Middle Allochthon in Västerbotten, northern Sweden: tectonostratigraphy and tectonic evolution. In: Gayer, R.A. (ed) *The Caledonide Geology of Scandinavia*. Graham and Trotman London: 69-77.
- Greiling, R.O., Kaus, A. & Leipziger, K., 1989: A Seve duplex (Upper Allochthon) at the northern margin of the Grong district (Caledonides of Central Norway). *Norsk Geologisk Tidsskrift* 69, Oslo, 83-93.
- Greiling, R.O. & Kumpulainen, R., 1989: The Middle Allochthon of the Scandinavian Caledonides at Kvikkjokk, northern Sweden: Sedimentology and Tectonics. In: Gayer, R.A. (ed) *The Caledonide Geology of Scandinavia*. Graham and Trotman London: 79-89.
- Greiling, R.O., Gayer, R.A. & Stephens, M.B., 1993: A basement culmination in the Scandinavian Caledonides formed by antiformal stacking (Bångonåive, northern Sweden) - *Geol Mag* 130 Cambridge: 471 - 482.
- Greiling, R.O. & Schwab, M., 1995: Das nördliche Vorland der Varisciden-Entwicklung im Altpaläozoikum und mögliche Einflüsse auf das Rheohercynikum und den Bereich des Harzes. *Nova Acta Leopoldina NF* 71, Nr. 291, 87-99.

- Greiling, R.O., Zachrisson, E., Björk, L. & Kero, L., 1996a: Berggrundskartan 22G Vilhelmina NO, 1:50 000. SGU Ai86.
- Greiling, R.O. & E. Zachrisson, E., 1996b: Current Problems, Ideas, and Results in Geology. - GFF 118, pp 1-3.
- Greiling, R.O., Z. Garfunkel, & Zachrisson, E., 1998: The orogenic wedge in the central Scandinavian Caledonides: Scandian structural evolution and possible influence on the foreland basin. - GFF, 120, pp.
- Greiling, R.O. & Zachrisson, E., 1999a: Berggrundskartan 23G Dikanäs NV, 1:50 000. Sver. geol. Unders. Ai 122.
- Greiling, R.O. & Zachrisson, E., 1999b: Berggrundskartan 23G Dikanäs SV, 1:50 000. Sver. geol. Unders. Ai 123.
- Greiling, R.O., Zachrisson, E., Thelander, T. & Sträng, T., 1999a: Berggrundskartan 23G Vilhelmina NO, 1:50 000. SGU Ai124.
- Greiling, R.O., Zachrisson, E., Thelander, T. & Sträng, T., 1999b: Berggrundskartan 23G Vilhelmina SO, 1:50 000. SGU Ai125.
- Greiling, R.O., Jensen, S. & Smith, A.G., 1999: Vendian-Cambrian subsidence of the passive margin of western Baltica - application of new stratigraphic data from the Scandinavian Caledonian margin. Norsk Geologisk Tidsskrift 79.
- Greiling, R.O., Stephens, M.B. & Persson, P.-O., 2002: Crystalline basement rocks in the Lower and Middle Allochthons, Västerbotten, Sweden: Palaeoproterozoic U-Pb zircon ages from the north-central Swedish Caledonides. In: Bergman, S. (ed.): Radiometric dating results 5. Uppsala 2002. SGU C 834, 31-42.
- Gross, D., Hauger, W. & Schnell, W., 1998: Technische Mechanik 1 - Statik. Springer Heidelberg, 207 S.
- Hill, R., 1950: The mathematical theory of plasticity. London, Oxford University Press, 355 p.
- Hossack, J.R. & Cooper, M.A., 1986: Collision tectonics in the Scandinavian Caledonides. - In: Coward, M.P. & Ries, A.C. (eds) Collision Tectonics. Special Publication, Geological Society of London, 19, 287 - 304.
- Kulling, O. 1942. Grunddragen av fjällkedjerandens bergbyggnad inom Västerbottens län. Sveriges Geologiska Undersökning C 445, 320 pp.
- Hynes, A., Arkani-Hamed, J. & Greiling, R., 1996: Subduction of continental margins and the uplift of high-pressure metamorphic rocks. Earth Pl. Sci. L. 140, 13-25.
- Kisch, H.J., 1980: Incipient metamorphism of Cambro-Silurian clastic rocks from the Jämtland Supergroup, Central Scandinavian Caledonides, Western Sweden: illite crystallinity and „vitrinite“ reflectance. J. Geol. Soc. London, 137, 271-288.
- Knerr, R., 1986: Lexikon der Physik. Franz Spiegel Buch, Ulm, 660.
- Kruse, R., 1998: Hochtemperatur-Scherzonen an der Basis des Jotun-Komplexes und ihre mögliche Bedeutung für die frühkaledonische Entwicklung in den südnorwegischen Kaledoniden. Freiburger Forschungshefte C471, 118-119.
- Kuchling, H., 1987: Taschenbuch der Physik. Harri Deutsch, Ffm, 678.
- Kulling, O., 1941: Om södra Lapplands bergbyggnad. GFF, 63, H2, 101-116.
- Kulling, O., 1942: Grunddragen av fjällkedjerandens bergbyggnad inom Västerbottens Län. SGU C445: 1-319.
- Kulling, O., 1955: Den kaledoniska fjällkedjans berggrund inom Västerbottens län. SGU Ca37: 101-296.
- Kulling, O., 1972: The Swedish Caledonides. In: Strand, T. & Kulling, O. (eds) The Scandinavian Caledonides. Wiley-Interscience, London, 147-285.
- Kumpulainen, R. & Nystuen, J.P., 1985: Late Proterozoic basin evolution and sedimentation in the westernmost part of Baltoscandia. In:

- Gee, D.G. & Sturt, B.A. (eds) *The Caledonide Orogen-Scandinavia and Related Areas*. John Wiley NY, 213-232.
- Leisi, H.-J., 1996: *Klassische Physik, Bd. 1, Mechanik*. Birkhäuser Verl. Basel, 430.
- Lidén, R., 1911: *Kalkstenförekomster utefter inlandsbanan mellan Ströms Vattudal och Pite älf*. SGU C 235.
- Lindroos, A., Romer, R. L., Ehlers, C & Alviola, R., 1996: Late-orogenic Svecofennian deformation in SW Finland constrained by pegmatite emplacement ages - *Terra Nova* 8, 567-574.
- Marder, M. & Fineberg, J. 1996: How Things break. *Physics Today*, 49/9, Am. Inst. Phys., 24-29.
- Markert, R., 2002: *Technische Mechanik, Teil A. Skript zu den Vorlesungen Technische Mechanik sowie Mechnik*. TU Darmstadt Hochschulstraße 1, 64289 Darmstadt, 315 S.
- Mencl, V., 1968: *Plastilitätslehre und das wirkliche Verhalten von Gebirgsmassen*. Felsmechanik u. Ingenieurgeol. Suppl. IV, 1-8.
- Milnes, A.G., Wennberg, O.P. Skår, Ø. & Koestler, A.G., 1997: Contraction, extension and timing in the South Norwegian Caledonides - The Sognefjord transect. In: Burg, J.P. & Ford, M. (eds) *Orogeny Through Time*, Geological Society Special Publication, 121, 221-234.
- Moore, E.M. & Twiss, R.J., 1995: *Tectonics*. Freeman & Comp., NY, 415 S.
- Nickelsen, R.P., Hossack, J.R., Garton, M & Repetsky, J., 1985: Late Precambrian to ordovician stratigraphy and correlation in the Valdres and Synnfjell thrust sheets of the Valdres area, southern Norwegian Caledonides; with some comments on sedimentation. In: Gee, D.G. & Sturt, B.A. (eds) *The Caledonide Orogen - Scandinavia and Related Areas*. John Wiley & Sons, Chichester, 369-378.
- Nystuen, J.P., 1987: Synthesis of the tectonic and sedimentological evolution of the late Proterozoic-early Cambrian Hedmark Basin, the Caledonian Thrust Belt, southern Norway. - *Norge Geol. unders.* 375, 1-74.
- Ockendon, H. & Turcotte, D.L., 1998: On the nonlinear dynamics of rupture. *Nonlin. Proc. Geophys.* 5, EGS, 81-92.
- Paquin, J., Altherr, R., DeWall, H. & Greiling, R.O., 1998: Retrograde metamorphic development and magnetic fabric of Eklogitrelikten der Sveve-Einheit (Oberes Allochthon), skandinavische Caledoniden. *Freiberger Forschungshefte C471*: 163-165.
- Platt, J.P., 1988: The mechanics of frontal imbrication: a first-order analysis. *Geol. Rundsch.* 77/2, Stuttgart, 577-589.
- Platt, J.P., 1990: Thrust Mechanics in Highly Overpressured Accretionary Wedges. *J. Geophys. Res.* 95, B6, 9025-9034.
- Ramberg, H., 1981: The Role of Gravity in Orogenic Belts. *Geol. Soc. London. Spec. Publ.* 9 125-140.
- Ramsay, D.M. & Sturt, B.A., 1976: The sym-metamorphic emplacement of the Magerøy Nappe. *Norsk Geol. Tidsskr.* 56, 291-308.
- Recknagel, A., 1979: *Physik, Mechanik*. 13. Aufl. VEB Berlin, 443.
- Rey, P., 1993: Seismic and tectonometamorphic characters of the lower continental crust in Phanerozoic areas: A consequence of post-thickening extension. *Tectonics*, 12, 580-590.
- Rey, P., Burg, J.-P & Casey, M., 1997: The Scandinavian Caledonides and their relationship to the Variscan belt. In: Burg, J.P. & Ford, M. (eds) *Orogeny Through Time*, Geological Society Special Publication, 121, 179-200.
- Roberts, D. & Sturt, B.A., 1980: Caledonian deformation in Norway. *J. Geol. Soc. Lond.* 137, 241-250.
- Roberts, D. & Gee, D.G., 1985: An introduction to the structure of the Scandinavian Caledonides. In: Gee, D.G. & Sturt, B.A. (eds) *The Caledonide Orogen - Scandinavia and Related Areas*. John Wiley & Sons Ltd, New York, 55-68.

- Romer, R. L., 1996: Contiguous Laurentia and Baltica before the Grenvillian-Sveconorwegian orogeny? - *Terra Nova* 8, 173-181.
- Ryan, P.D., Skevington, D. & Williams, D.M., 1980: A revised interpretation of the Ordovician stratigraphy of Sør-Trøndelag and its implications for the evolution of the Scandinavian Caledonides. In: D.R. Wones (ed) *The Caledonides in the USA*, Virginia Polytech Inst. and State Univ., Dept. Geol. Sci. Mem. 2, pp. 99-103.
- Satzke, T., 1996: Diplomkartierung, unpubliziert, Geologisch-Paläontologisches Institut der Universität Heidelberg.
- Schmid, R., Altenberger, U. & Oberhänsli, R., 1998: Multiple tectonometamorphic overprint in the Bergen Arcs, Caledonides, SW-Norway. *Freiberger Forschungsheft*, C471, 191-192.
- Schnell, W., Gross, D. & Hauger, W., 2002: *Technische Mechanik 2 - Elastostatik*. Springer Heidelberg, 243 S.
- Séranne, M., Chauvet, A. & Faure, J.-L., 1991: Cinématique de l' extension tardi-orogénique (Dévonien) dans les Calédonides Scandinaves et Britanniques. *Comptes Rendus de l' Académie des Sciences de Paris*, 313 II, 1305-1312.
- Soper, N.J., Strachan, R.A., Holdsworth, R.E., Gayer, R.A. & Greiling, R.O., 1992: Sinistral transpression and the Silurian closure of Iapetus. *Journal of the Geological Society of London*, 149, 871-880.
- Stephens, M.B., 1986: Metallogeny of stratabound sulphide deposits in the central Scandinavian Caledonides. In: Stephens, M.B. (ed) *Stratabound sulphide deposits in the central Scandinavian Caledonides*. SGU Ser. Ca 60, 5-16.
- Stephens, M.B., 1988: The Scandian Caledonides: a complexity of collisions. *Geology Today*, 01/02, 20-26.
- Stephens, M.B. & Gee, D., 1985: A tectonic model for the evolution of the eugeosynclinal terranes in the central Scandinavian Caledonides. In: Gee, D.G. & Sturt, B.A. (eds) *The Caledonide Orogen - Scandinavia and Related Areas*. John Wiley & Sons Ltd, New York, 953-978.
- Stephens, M.B., Kullerud, K. & Claesson, S., 1985: The Caledonides of central-north Scandinavian - a tectonostratigraphic review. In: Gee, D.G. & Sturt, B.A. (eds) *The Caledonide Orogen - Scandinavia and Related Areas*. John Wiley NY: 135-162.
- Stephens, M.B. & Gee, D., 1989: Terranes and polyphase accretionary history in the Scandinavian Caledonides. *Geological Society of America, Special Paper*, 230, 17-30.
- Sidenblath, E., 1874: Om siluriska bildningar i Lappland. *GFF* 2, 88-96.
- Suppe, J., 1985: *Principles of structural geology*. Prentice-Hall, Englewood, New Jersey, 537.
- Twiss, R.J. & Moores, E.M., 1992: *Structural Geology*. Freeman & Comp., NY, 532 S.
- Tietzsch-Tyler, D., 1989: Evidence of intracratonic Finnmarkian orogeny in Central Norway. In: Gayer, R. A. (ed.): *The Caledonide Geology of Scandinavia*. Graham & Trotman, 47-62.
- Townsend C., & Gayer, R.A., 1989: The timing of orogenesis in northern Norway: did the Finnmarkian Orogeny occur? In: Gayer, R. A. (ed) *The Caledonide Geology of Scandinavia*. Graham & Trotman, 63-65.
- Townsend C., Rice, A.H.N. & Mackay, A., 1989: The structure and stratigraphy of the southwestern portion of the Gaissa Thrust Belt and the adjacent Kalak Nappe complex, Finnmark, N Norway. In: Gayer, R.A. (ed) *The Caledonide Geology of Scandinavia*. Graham and Trotman London: 111-126.
- van Roermund, H.L.M., 1985: Eclogites of the Seve Nappe, central Scandinavian Caledonides. In: Gee, D.G. & Sturt, B.A. (eds) *The Caledonide Orogen-Scandinavia and Related Areas*. Wiley, Chichester, 873-886.
- Wallbrecher, E., 1986: *Tektonische und gefügebanalytische Arbeitsweisen*. Enke, Stuttgart, 244 S.

- Wallbrecher, E., 1979: Methoden zum quantitativen Vergleich von Regelungsgraden und -formen strukturgeologischer Datenmengen mit Hilfe von Vektorstatistik und Eigenwert-Analyse. N. Jb. Geol. Paläont., Abh. 159, 113-149.
- Warr, L.N., Greiling, R.O. & Zachrisson, E., 1996: Thrust-related very low grade metamorphism in the marginal part of an orogenic wedge, Scandinavian Caledonides. *Tectonics* V15/6: 1213-1229.
- Wilks, W.J. & Cuthbert, S.J., 1994: The evolution of the Hornelen Basin detachment system, western Norway: implications for the style of late orogenic extension in the southern Scandinavian Caledonides. *Tectonophysics*, 238, 1-30.
- Winkler, H. G. F., 1979: *Petrogenesis of Metamorphic Rocks*. Springer, NY, 220S.
- Wiman, C., 1898: Kabrisch-silurische Faciesbildungen in Jämtland. *Bull. Geol. Inst. Upsala*. 3, 269-304.
- Württemberg, G., 1982: *Tabellenbuch Metall*. Europa Verl. Wuppertal, 238.
- Wurfschmidt, J., 1984: Bestimmung der Zugfestigkeit von Festgesteinen. Diplomarbeit, Geol.-Paläont. Inst. Uni. Heidelberg, 114.
- Woodward, N.B., 1987: Geological applicability of critical-wedge thrust-belt models. *Geol. Soc. Am. Bull.*, 99, New York, 827-832.
- Woodcock, N.H., 1977: Specification of fabric shapes using an eigenvalue method. *Geol. Soc. Am., Bull.*, 88, New York, 1231-1236.
- Zahid, M. & den Brok, B., 2000: Experimentelle Untersuchung über Kataklastische Deformationsprozesse im Drucklösungsregime. *Terra Nostra* 2000/5, 65.
- Zachrisson, E., 1969: Caledonian geology of northern Jämtland - southern Västerbotten. SGU C644: 1-33.
- Zachrisson, E., 1991: Berggrundskartorna 23E Sipmeke NO och SV-SO 1:50 000. SGU Ai73-74
- Zachrisson, E., 1993: Berggrundskartorna 23F Fatmomakke NV och SV 1:50 000. SGU Ai75-76.
- Zachrisson, E., 1996: Berggrundskartorna 22G Vilhelmina SV och SO 1:50 000. SGU Ai73-74.
- Zachrisson, E., 1997: Berggrundskartorna 22F Risbäck SV, NV, SO och NO 1:50 000. SGU Ai 102-105.
- Zachrisson, E. & Greiling, R.O., 1993: Berggrundskartorna 23F Fatmomakke NO och SO, 1:50 000. SGU Ai77-78
- Zachrisson, E. & Greiling, R.O., 1996: Berggrundskartan 22G Vilhelmina NV 1:50 000. SGU Ai84.
- Zienert, A., 1993: *Wetter-Witterung-Klima*. ISBN 3-89063-452-4, 75 S.

