

Literaturverzeichnis

- Adams, R.D., Laylandy, R., Payeny, C., Dattay, T. (1996): *Syntheses, structural analyses and unusual magnetic properties of Ba₂CoSi₂O₇ and BaCo₂Si₂O₇*. - Inorganic Chemistry 35, 3492-3497.
- Agarwala, R.P. (1961): *Structure of Cadmium Rhodite, CdRh₂O₄*. - Zeit. allg. anorg. Chem. 307, 205-207.
- Arsène, J., Lenglet, M., Erb, A., Granger, P. (1978): *Étude en spectrométrie infrarouge et RPE du chromate et du chromite cuivrique*. - Rev. Chimie Minér. 15, 318-326.
- Barth, F.W., Posnjak, E. (1932): *Silicate structures of the cristobalite type: III. Structural relationship of the high-cristobalite, α-carnegieite and Na₂CaSiO₄*. - Z. Kristallogr. 81, 376-385.
- Basak, D., Ghose, J. (1994): *Studies on the conduction process of cadmium-substituted copper chromite spinels*. - J. solid State Chem. 112, 222-227.
- Baur, H.W., Ohta, T., Shannon, R.D. (1981): *Structure of magnesium disodium silicate Na₂MgSiO₄ and ionic conductivity in tetrahedral structures*. - Acta Cryst. B37, 1483-1491.
- Bayer, G. (1973): *Thermal expansion of new Leucite-type compounds*. - Naturwiss. 60, 102.
- Behruzi, M., Breuer, K.H., Eysel, W. (1986): *Copper(II) silicates and germantes with chain structures. I. CaCuGe₂O₆, a strongly deformed pyroxene*. - Z. Kristallogr. 176, 205-217.
- Bertaut, E.F., Dulac, J. (1961): *Sur l'isomorphisme d'oxydes ternaires de chrome et de rhodium trivalents*. - J. Phys. Chem. Sol. 21, 118-119.
- Bertaut, F., Forrat, F., Dulac, J. (1959): *Rhodites spinelles*. - C. R. Acad. Sci. Fr. 249, 726-727.
- Blanke, W. (1989): *Eine neue Temperaturskala – Die internationale Temperaturskala von 1990 (IST-90)*. - PTB-Mitteilungen 99 6/89, 411-418.
- Blasse, G. (1963): *New type of superexchange in the spinel structure: some magnetic properties of oxides M²⁺Co₂O₄ and M²⁺Rh₂O₄ with spinel structure*. - Phillips Res. Repts. 18, 383-392.
- Bohlin, H. (1920): *Eine neue Anordnung für röntgenkristallographische Untersuchungen von Kristallpulver*. - Ann. Phy. 61, 421-439.
- Bragg, W.H. (1915): *The structure of the spinel group of crystals*. - Philos. Mag. 30, 305-315.

- Breuer, K.-H., Eysel, W. (1982): *The calorimetric calibration of differential scanning calorimetry cells.* - *Thermochimica Acta* 57, 317-329.
- Breuer, K.-H., Eysel, W., Behruzi, M. (1986): *Copper(II) silicates and germanates with chain structures. II. Crystal chemistry.* - *Z. Kristallogr.* 176, 219-232.
- Carlin, R. L., Burriel, R., Palacio, F., Carlin, R.A., Keij, S.F., Carnegie Jr., D.W. (1985): *Linear chain antiferromagnetic interactions in Cs₂CuCl₄.* - *J. Appl. Phys.* 57(1), 3351-3352.
- Clark, J.R., Appleman, D.E., Papike, J.J. (1973): *Crystal-chemical characterization of clinopyroxenes based on eight new structure refinements.* - *Am. Mineral.* 58, 594-618.
- Colbeau-Justin, C., Elfakir, A., Quarton, M. (1994): *A monotitanate with stuffed cristobalite structure type.* - *Powder Diffr.* 9(2), 146-147.
- Crystal Impact GbR (1998): *Diamond 2.0: A visual crystal structure information system.* - Postfach 1251, D-53002 Bonn, Deutschland
- De, K.S., Ghose, J., Murthy K.S.R.C. (1981): *Thermal effects on cation distribution of CuCr₂O₄.* - *J. Therm. Anal.* 22, 13-16.
- De, K.S., Ghose, J., Murthy K.S.R.C. (1982): *Electrical properties of the CuCr₂O₄ spinel catalyst.* - *J. solid State Chem.* 43, 261-266.
- De, K.S., Ghose, J., Murthy K.S.R.C. (1983): *Solid state studies on substituted CuCr₂O₄ spinel.* - *J. solid State Chem.* 47, 264-277.
- Dinnebier, R.E. (1993): *GUFI, ein Programmsystem zur Messung und Auswertung von Röntgen-Beugungsaufnahmen an Pulvern.* – Dissertation. Heidelberger Geowissenschaftliche Abhandlungen 89, ISBN 3-931161-15-3.
- Do Dinh, C., Durif, A. (1964): *Étude cristallographique de quelques silicates et germanates du type Al₂BaO₄.* - *Bull. Soc. franc. Minér. Crist.* 87, 108-109.
- Dollase, W.A. (1996): *X-ray powder diffraction study of K₂MSiO₄, M=Mg, Zn, Co, Cd.* - *Powder Diffr.* 11(1), 51-55.
- Dollase, W.A., O'Neill, H.St.C. (1997): *The spinels CuCr₂O₄ and CuRh₂O₄.* - *Acta Cryst.* C53, 657-659.
- Dudley, R.J., Hathaway, B.J., Hodgson, P.G. (1972): *The single-crystal electronic and electron spin resonance spectra of Bis-(2,2'-bipyridylamine)copper(II) Diperchlorate.* - *J. Chem. Soc., Dalton Trans.(A)*, 882-886.
- Dulac, J. (1969): *Spinelles déformés dans le système rhodite de nickel et de cuivre.* - *Bull. Soc. fr. Minéral. Cristallogr.* 92, 25-29.
- Dunitz, J.D., Orgel, L.E. (1957): *Electronic properties of transition-metal oxides - I.* - *J. Phys. Chem. Solids* 3, 20-29.

- Dunitz, J.D., Orgel, E. (1960): *Stereochemistry of ionic solids*. - Adv. Inorg. Radiochem. 2, 1-60.
- Effenberger, H. (1984): *Synthese und Kristallstruktur des rhombischen Kalium-kupfer(II)-phosphates $KCuPO_4$* . - Z. Kristallogr. 168, 113-119.
- Eysel, W., Breuer, K.-H. (1984): *Differential Scanning Calorimetry: Simultaneous temperature and calorimetric calibration*. - In: „Analyt. Calorimetry“ (eds. Johnson, J.F., Gill, P.S.), Plenum Publishing Corporation, 67-80.
- Friebel, C., Reinen, D. (1974): *Existieren tetragonal gestauchte Koordinationsoktaeder mit zweiwertigem Kupfer?* - Z. anorg. allg. Chem. 407, 193-200.
- Gabelica-Robert, M., Bertaut, E.-F. (1981): *Sur une nouvelle famille de pyrophosphates, pyroarséniates et pyrovanadates du type $A^I_2B^II X^V_2O_7$* . - C. R. Acad. Sc. Paris, Ser. II, t. 293, 497-499.
- Golden Software (1998): *Grapher 2.0, Graphing Software for Scientists and Engineers*, 809 14th Street, Golden, CO 80401-1866, U.S.A.
- Grins, J., Louër, D. (1990): *A Rietveld refinement of the structure of K_2ZnGeO_4 and its relationship to a revised model of the $KGaO_2$ structure type*. - J. Solid State Chem. 87, 114-123.
- Hagiya, K., Ohmasa, M. (1993): *The modulated structure of synthetic Co-Åkermanite, $Ca_2CoSi_2O_7$* . - Acta Cryst. B49, 172-179.
- Hahn, T. (Ed.): *International tables for crystallography*. - IUCr, D. Reidel Publishing Company, Dordrecht: Holland / Boston:U.S.A. (1983).
- Heinrich, A.R., Baerlocher, Ch. (1991): *X-ray Rietveld structure determination of $Cs_2CuSi_5O_{12}$, a Pollucite analouge*. - Acta Cryst. C47, 237-241.
- Helmholtz, L., Kruh, F. (1952): *The crystal structure of Cesium Chlorocuprate, $CsCu_2Cl_4$, and the spectrum of the Chlorocuprate ion*. - J. Am. Chem. Soc. 74, 1176-1181.
- Hemminger, W.F., Cammenga, H.K.: *Methoden der Thermischen Analyse*. - Springer-Verlag, Berlin, Heidelberg, 1989.
- Henning, F.: *Temperaturmessung*. - Ed. H. Moser, Springer, Berlin-Heidelberg-New York, ³1977.
- Hesse, K.-F., Liebau, F., Böhm, H. (1977): *Disodiumzincosilicate, $Na_2ZnSi_3O_8$* . - Acta Cryst. B33, 1333-1337.
- Hill, R.J. (1995): *Data collection strategies: fitting the experiment to the need*. - In: „The Rietveld method“ (ed. Young, R.A.), International Union of crystallography, Oxford university press, Oxford, GB, 61-101.

- Hill, R.J., Craig, J.R., Gibbs, G.V. (1979): *Systematics of the spinel structure type*. - Phys. Chem. Minerals 4, 317-339.
- Hubbard, C., Stalick, J., Mighell, A. (1983): *NBS*AIDS83: A program for the analysis and evaluation of crystallographic data* – Centre for material science, NBS, Washington, U.S.A.
- ICDD-International Centre for Diffraction Data (1998): *Powder Diffraction File PDF-2, Set 47, PC-PDF: A search/display system utilizing the CD-ROM and complete powder diffraction file*. - ICDD, Swarthmore, PA, U.S.A.
- ICSD-*Inorganic Crystal Structure Database* (1999). - Fachinformationszentrum Karlsruhe, Hermann-von-Helmholtz-Platz 1, D-76344 Eggenstein-Leopoldshafen.
- Iishi, K., Fujimoto, K., Fujino, K. (1989): *Single crystal growth of Åkermanites $Ca_2Mg_{1-x}Co_xSi_2O_7$ with modulated structure*. - N. Jb. Miner. Mh. 5, 219-226.
- Inaba, H., Haruyoshi, Y., Naito, K. (1986): *Heat capacity anomalies due to the cooperative Jahn-Teller effect in $Cu_{1-x}Ni_xCr_2O_4$* . - J. solid State Chem. 64, 67-75.
- Ismundar, Kennedy, B.J., Hunter, B.A. (1999): *Phase transformation in $CuRh_2O_4$: a powder diffraction study*. - Mat. Res. Bull. 34.1, 135-143.
- Ito, J., Peiser, H.S. (1969): *Distorted tetrahedra in strontium copper Åkermanite*. - J. Res. Natl. Bur. Stand., Sect. A, 73, 69-74 (1969)
- Jenck, J., Germain, J.E. (1980): *High pressure competitive hydrogenation of ketones on copper chromite catalyst*. - J. Catalysis 65, 133-140.
- Joubert-Bettan, C.A., Lachenal, R., Bertaut, E.F., Parthé, É. (1969): *The crystal structures of Na_2ZnSiO_4 , Na_2ZnGeO_4 , Na_2MgGeO_4* . - J. solid State Chem. 1, 1-5.
- Kern, A. (1998): *Hochtemperatur-Rietveldanalysen: Möglichkeiten und Grenzen*. - Dissertation, Heidelberger Geowissenschaftliche Abhandlungen 89, ISBN 3-931161-15-3.
- Khanolkar, D.D. (1961): *Crystal structure data of some rhodites and rhutenites*. - Current Sci. (India) 30, 52-53.
- Kimata, M., Ii, N. (1981): *The crystal structure of synthetic åkermanite, $Ca_2MgSi_2O_7$* . - N. Jb. Miner. Mh.1, 1-10.
- Kimata, M. (1983): *The structural properties of synthetic Sr-åkermanite, $Sr_2MgSi_2O_7$* . - Z. Kristallogr. 163, 295-304.
- Kino, Y., Miyahara, S. (1966): *Crystal deformation of copper and nickel chromite system*. - J. Phys. Soc. Japan 21, 2732.
- Klockow, B., Seifert, H.J., Renkenberger, C., Lambert, U., Eysel, W.: *Neue oxidische Cu(II)-Verbindungen*. - Fortschr. Mineral. 66, Beiheft 1, 81 (1988)

- Krischner, H., Koppelhuber-Bitschnau, B.: *Röntgenstrukturanalyse und Rietveldmethode*. - Vieweg, Braunschweig/Wiesbaden, ⁵1994.
- Krishnan, V.G. (1978): *Electron spin resonance studies on Cu²⁺ doped at tetrahedrally coordinated Zn²⁺ sites in the single crystals of guanadium zinc sulfate*. - J. Chem. Phys. 68(2), 660-662.
- Lambert, U. (1988): *Kristallchemie von Cu(I) und Cu(II) in oxidischer Bindung*. - Heidelberger Geowissenschaftliche Abhandlungen 18, ISBN 3-89257-017-5.
- Liebau, F.: *Structural Chemistry of Silicates*. - Springer-Verlag, Berlin-Heidelberg, 1985.
- Liu, B., Barbier, J. (1993): *Structures of the Tridymite derivatives, BaMSiO₄ (M=Co, Zn, Mg)*. - J. solid State Chem. 102, 115-125.
- Louisnathan S.J. (1969): *Refinement of the crystal structure of Hardystonite, Ca₂ZnSi₂O₇*. - Z. Kristallogr. 130, 427-437
- Malinovskii, Y.A. (1984): *Crystal structure of Ba₂CuSi₂O₇*. -Sov. Phys. Dokl. 29(9), 706
- Molter, F. (1992): *Rietveldverfeinerungen von Phasen im System CuO-MgO-Cr₂O₃-Rh₂O₃*. - Diplomarbeit, Mineralogisches Institut, Universität Heidelberg.
- Molter, F., Neining, K., Eysel, W. (1992): *Kristallchemie der Phasen im System CuO-Rh₂O₃-Cr₂O₃*. - Z. Kristallogr., Suppl. 5, 167
- Molter, F., Eysel, W. (1993): *Intensitätskorrekturen von Guinierfilm-Aufnahmen für Rietveldverfeinerungen*. - Z. Kristallogr. Suppl. 7, 134.
- Morosin, B., Lingafelter, E.C. (1960): *The Crystal Structure of Cesium Tetrabromocuprate(II)*. - Acta Cryst. 1, 807-809.
- Murashova, E.V., Velikodnyi, Yu.A., Trunov, V.K. (1988): *The structure of the double pyrovanadate K₂MgV₂O₇*. - Russ. J. Inorg. Chem. 33(6), 904-905.
- Murthy K.S.R.C., Ghose, J. (1987): *Electrical studies on CuRh₂O₄*. - J. solid State Chem. 71, 441-443.
- NBS (1983): *CuCr₂O₄*, PDF Nr. 34-424
- Neining, K.(1991): *Kristallchemie der Systeme CuO-Cr₂O₃-Rh₂O₃ und CuO-Bi₂O₃-Rh₂O₃*. - Diplomarbeit, Mineralogisches Institut, Universität Heidelberg
- Nguyen, N., Choisnet, J., Raveau, B. (1980): *Silicate syntétiques à structure milarite*. - J. solid State Chem. 34, 1-9.
- O'Keeffe, M., Hyde, B.G. (1976): *Cristobalite and topologically-related structures*. - Acta Cryst. B32, 2923-2936.
- O'Keeffe, M., Hyde, B.G. (1978): *Non-bonded interactions and the crystal chemistry of tetrahedral structures related to the Wurtzite type*. - Acta Cryst. B34, 3519-3528.

- Ochi Y., Tanakay K., MorikawayH., Marumoy F. (1982): *The crystal structure of Sr₂ZnGe₂O₇*. - Kobutsugaku Zasshi (J. Min. Soc. Jap.) 15, 331-341.
- Ohnishi, H., Teranishi, T. (1961): *Crystal distortion in copper ferrite-chromite series*. - J. Phys. Soc. Japan. 16, 35-43.
- Oliviera, J., Bosse, N., Eysel, H.H., Eysel, W. (1991): *Untersuchungen an Germanaten und Silikaten mit Åkermanitstruktur*. - Beih. z. Eur. J. Minerl. Vol.3., No.1.
- Oliviera, J., Klockow, B., Eysel, W. (1993): *Compounds and Solid Solutions in the System CuO-BaO-SiO₂-GeO₂*. - Mater. Sci. Forum. Vol. 133-136, 621-626.
- Ostertag, W., Fischer, G.R. (1968). *Temperature measurement with metal ribbon high temperature X-ray furnace*. - Rev. Sci. Instr. 39.6, 888-889.
- Padmanaban, N., Avasthi, B.N., Ghose, J. (1990): *Solid state studies on rhodium-substituted CuCr₂O₄ spinel oxides*. - J. solid State Chem. 86, 286-292.
- Perati, B., Guth, J.-L., Jordan, D., Kalt, A., Wey, R. (1978): *Na₂CuSi₃O₈, un nouveau silicate de cuivre et de sodium: synthèse et caractéristiques cristallographiques*. - C. R. Acad. Sc. Paris, t. 287, Série D, 1083-1086.
- Prince, E. (1957): *Crystal and magnetic structure of copper chromite*. - Acta Cryst. 10, 554-556.
- Prince, E. (1961): *Structure of Nickel Chromit*. - J. Appl. Phys. 32, 68-69.
- Rao, C.N., Rao, K.J.: *Phase transitions in solids*. - McGraw-Hill, Bangalore/India, 1978.
- Rastogi, R.P., Singh, G., Dubey, B.L., Shukla, C.S. (1980): *Solid state chemistry of copper chromite used as a catalyst for the burning of ammonium perchlorate / polystyrene propellants*. - J. Catalysis 65, 25-30.
- Reinen, D, Friebel, C.(1979): *Local and cooperative Jahn Teller interactions in model structures*. - Structure and Bonding 37, 1-60.
- Reinen, D., Grefer, J. (1973): *Der Jahn-Teller-Effekt des Cu²⁺-Ions in tetraedrischer Sauerstoffkoordination*. - Z. Naturforsch. 28a, 1185-1192.
- Reinen, D. (1979): *The Jahn-Teller effect in solid state chemistry of transition metal compounds*. - J. solid state Chem. 27, 71-85.
- Reinen, D. (1983): *Cu²⁺, a chameleon in coordination chemistry*. - Comments Inorg. Chem. 2, 227-246.
- Reinen, D., Friebel, C., Allmann, R. (1985): *Cu²⁺ and Ni²⁺ in tetrahedral coordination – experimental evidence for Jahn-Teller distortion?* - Proc. Conf. Coord. Chem. 10th, 333-335.

- Reinen, D. Allmann, R., Baum, G., Jakob, B., Kaschuba, U., Massa, W., Miller, G.J. (1987): *Jahn-Teller-Verzerrungen von Übergangsmetallionen in tetraedrischer Koordination – die Strukturen von $Cat[M^{II}(CNS)_4]$ (M^{II} : Co, Ni, Cu) und von Spinellmischkristallen $M_{II}Cr_2O_4$ (M_{II} : Zn-Ni, Zn-Cu, Cu-Ni).* - Z. anorg. allg. Chem. 548, 7-21.
- Reinen, D. (1989): *The Jahn-Teller effect of Cu^{2+} in six-, five- and four-coordination- examples for the importance of vibronic interactions in transition metal chemistry.* - NATO ASI ser. Ser. C, 288, 267-282.
- Rietveld, H.M. (1967): *Line profiles of neutron powder diffraction peaks for structure refinements.* - Acta Cryst. 22, 151-152.
- Rietveld, H.M. (1969): *A profile refinement method for nuclear and magnetic structures.* - J. Appl. Cryst. 2, 65-71.
- Rodriguez-Carvajal, J.: *FULLPROF 3.x, a program for Rietveld analysis (structure profile refinement) of neutron (CW, TOF, nuclear and magnetic scattering) or X-ray powder diffraction data.* - Laboratoire Leon Brillouin (CEA-CNRS) Tel: (33) 1 6908 3343, Fax: (33) 1 6908 8261, 1998.
- Roisnel, T., Rodriguez-Carvajal, J.: *WINPLOTR99, a tool to plot powder diffraction patterns and Rietveld plots.* - Laboratoire Leon Brillouin (CEA/CNRS,)CEA-Saclay 91191 Gif-sur-Yvette Cedex, France, 1999.
- Röthlisberger, F., Seifert, F., Czank, M. (1990): *Chemical control of the commensurate-incommensurate phase transition in synthetic melilites.* - Eur. J. Mineral. 2, 585-594.
- Schenk, R., Finckener, F. (1942): *Beitrag zur Chemie der Rhodiumoxide.* - Ber. Dt. Chem. Ges. 75B, 1962-1976.
- Schulz, Eysel. W. (1990): *$CuRh_2O_4$* , PDF Nr. 41-402, ICDD Grant-in-aid.
- Seemann, H. (1919): *Eine fokussierende röntgenspektroskopische Anordnung für Kristallpulver.* - Ann, Phys. 59, 455-464.
- Seifert, F., Czank, M., Simons, B., Schmahl, W. (1987): *A commensurate-incommensurate phase transition in Iron-bearing Åkermanites.* - Phys. Chem. Minerals 14, 26-35.
- Shannon, R.D., Prewitt, C.T. (1969): *Effective ionic radii in oxides and fluorides.* - Acta Cryst. B25, 925-946.
- Shannon, R.D. (1979): *Ionic conductivity in sodium magnesium silicates.* - Phys. Chem. Minerals 4, 139-148.
- Shape Software (1998): *Atoms 4.1: A program for atomic structure display.* - 521 Hidden Valley Road, Kingsport, TN 37663 U.S.A
- Socabim (1992): *DiffraCAT: Programmpaket für die Erstellung und Auswertung von Röntgenpulverdaten.* - Socabim Sarl –9bis, Villa du Bel-Air, 75012 Paris, Frankreich (Vertrieb über Bruker-AXS, Karlsruhe)

- Socabim (1996-97): *Diffrac^{Plus}: Programmpaket für die Erstellung und Auswertung von Röntgenpulverdaten.* - Socabim Sarl –9bis, Villa du Bel-Air, 75012 Paris, Frankreich reich (Vertrieb über Bruker-AXS, Karlsruhe)
- Tamura, T., Yoshiasa, A., Iishi, K., Takeno, S., Maeda, H., Emura, S., Koto, K. (1996): *Local structure of (Ca,Sr)₂(Mg,Co,Zn)Si₂O₇ melilite solid-solution with modulated structure.* - Phys. Chem. Minerals 23, 81-88.
- Torrez-Martinez, L.M., West, A.R. (1988): *Synthesis of new phases, K₂MXO₄: MX=BeSi, MgGe, CdSi, CdGe, ZnSi.* - J. Mat. Sci. Let. 7, 821-822.
- Torrez-Martinez, L.M., West, A.R. (1989): *Pollucite- and Leucite-related phases: A₂BX₅O₁₂ and ACX₂O₆.* - Z. anorg. allg. Chem. 573, 223-230.
- Tovar, M. (1994): *Temperaturkalibrierung einer Hochtemperatur-Guinierkamera und Untersuchung der tetragonal-kubischen Phasenumwandlung im Spinellsystem CuCr₂O₄ und CuRh₂O₄.* - Diplomarbeit, Mineralogisches Institut, Universität Heidelberg.
- Tovar, M., Molter, F., Neining, K., Eysel, W. (1996): *Crystal chemistry of the spinel system CuRh₂O₄ - CuCr₂O₄.* - Powder Diffr. 11.2, S.136.
- Tovar M., Dinnebier, R.E. and Eysel, W. (1998): *The Cu(II)O₄ tetrahedron in the åkermanite structure.* - Mat. Sci. Forum, Vols. 278-281, 750-755.
- Ust'yantsev, V.M., Mar'evich, V.P. (1973): *Use of X-ray analysis to investigate the Jahn-Teller effect in the spinel CuCr₂O₄.* - Inorganic materials 9, 306-307.
- Warren, B.E. (1930): *The structure of melilite (Ca,Na)₂(Mg,Al)(Si,Al)₂O₇.* - Z. Kristallogr. 75, 525-528.
- Westphal, W.H. (1953): *Physik.* - 17. Aufl., Springer, Berlin-Göttingen-Heidelberg.
- Yé, Z.-G., Crottaz, O., Vaudano, F., Kubel, F., Tissoz, P., Schmid, H. (1994): *Single crystal growth, structure refinement, ferroelastic domains and phase transition of the hausmannite CuCr₂O₄.* - Ferroelectrics 162, 103-118.
- Young, R.A. (1996): *Precision and accuracy in structure refinement from powder data.* - Com. Powder Diff., IUCr Newsletter 17, 8.
- Young, R.A. (Ed.): *The Rietveld method.* - International Union of crystallography, Oxford university press, Oxford, GB, 1995.
- Yu Yao, Y.-F. (1975): *The oxidation of CO and C₂H₄ over metal oxides.* - J. Catalysis 39, 104-114.
- Zschornack, G. (1989): *Atomdaten für die Röntgenspektroanalyse.* - Dt. Verl. für Grundstoffind., Leipzig.